

×

ARCHITECTURAL EMERGENCY LIGHTING SOLUTIONS





Blending emergency and exit lighting requirements with a professional and sleek design ensures the compliance requirement is integrated into the personality of the building.

Exit Lights	4
Form Exit	4
Ultrablade Pro Exit	8
CleverEVAC Dynamic Exit Signage	12
Emergency Luminaires	15
Lifelight Pro Recessed	15
Lifelight Pro Cylinder	16
Lifelight Track Mount	19
Lifelight Pro Weatherproof Recessed	20
Lifelight Pro Weatherproof Cylinder	23
Conversions and Specials	24
Emergency Lighting Systems	28
Projects	30

-





Form (Wall Mount)

The Form 16m wall mount exit strikes a balance between form and function. Featuring an elegant and size optimised anodised aluminium frame, the Form is a versatile architectural solution.




CONFIGURATIONS & DIMENSIONS (MM)

WALL MOUNT (SURFACE)













Form Exit Ceiling Mount




Form (Ceiling Mount)

The Form 16m ceiling mount exit strikes a balance between form and function. Featuring an elegant and size optimised anodised aluminium frame, the Form is a versatile architectural solution available in multiple configurations including recessed, surface mount, suspended rod and cable mounting and optional flag mount.



CONFIGURATIONS & DIMENSIONS (MM)


CEILING MOUNT (RECESSED)




CEILING MOUNT (SURFACE)




CEILING MOUNT ROD SUSPENDED (SURFACE)




CEILING MOUNT ROD SUSPENDED (RECESSED)




CEILING MOUNT CABLE SUSPENDED (SURFACE)




CEILING MOUNT CABLE SUSPENDED (RECESSED)



CEILING MOUNT CABLE SUSPENDED (SURFACE)





Ultrablade Pro Exit Recessed & Surface Mount




Ultrablade Pro (Recessed)

The Ultrablade Pro Recessed Exit Light blends seamlessly into ceiling and wall spaces providing a discrete appearance.



CONFIGURATIONS & DIMENSIONS (MM)

RECESSED





Ultrablade Pro (Surface Mount)


The Ultrablade Pro Surface Mount Exit Light provides mounting flexibility without losing that sophisticated appearance.



CONFIGURATIONS & DIMENSIONS (MM)

SURFACE MOUNT

SURFACE (FLAG MOUNT)













Ultrablade Pro Exit




Ultrablade Pro Rod Suspended (Surface Mount)

The Ultrablade Pro Surface Mount Rod Suspended Exit Light is ideal for high ceiling applications where a sophisticated premium outcome is required.



CONFIGURATIONS & DIMENSIONS (MM)

ROD SUSPENDED (SURFACE MOUNT)






Ultrablade Pro Rod Suspended (Recessed)

The Ultrablade Pro Recessed Rod Suspended Exit Light is ideal for high ceiling applications where a sophisticated premium outcome is required.



CONFIGURATIONS & DIMENSIONS (MM)

ROD SUSPENDED (RECESSED)



CleverEVAC Dynamic Exit Signage





Dynamic Red X Blade

The CleverEVAC Dynamic Red X Blade Exit Light can display a red cross with flashing corners, alerting those evacuating to seek an alternative exit.



CONFIGURATIONS & DIMENSIONS (MM)







Dynamic Green Blade


The CleverEVAC Dynamic Green Blade Exit Light provides enhanced evacuation features in a sophisticated premium design.




CONFIGURATIONS & DIMENSIONS (MM)

RECESSED

SURFACE MOUNT





12 | Architectural Emergency Lighting Solutions









Lifelight Pro



Lifelight Pro (Recessed)


The Lifelight Pro Recessed Emergency Luminaire is a small sleek architecturally designed recessed LED emergency light that blends perfectly into any ceiling. Available in custom colours.




CONFIGURATIONS & DIMENSIONS (MM)

RECESSED

RECESSED SQUARE





Lifelight Pro Cylinder




Lifelight Pro Cylinder (Surface Mount)

The Lifelight Pro Cylinder emergency luminaire offers specifiers a cylindrical style to integrate into their projects.




CONFIGURATIONS & DIMENSIONS (MM)

SURFACE MOUNT











Lifelight Track Mount



Lifelight Track Mount (Surface Mount)


The Lifelight Track Mount is designed to provide an architectural solution to match the requirements and flexibility of the overall lighting design.

With a small and slim design, the Lifelight Track Mount will blend seamlessly and provide the emergency lighting outcome required.



CONFIGURATIONS & DIMENSIONS (MM)

SURFACE MOUNT



Lifelight Pro Weatherproof



Lifelight Pro Weatherproof (Recessed)

The Lifelight Pro Weatherproof is an energy efficient, lithium powered IP65 rated LED emergency light in a small and sleek architectural design.



CONFIGURATIONS & DIMENSIONS (MM)

RECESSED











Lifelight Pro Weatherproof Cylinder






Lifelight Pro Weatherproof Cylinder (Ceiling Mount)

The Lifelight Pro Weatherproof Cylinder ceiling mount offer specifiers a cylindrical style emergency luminaire to integrate into their projects.



CONFIGURATIONS & DIMENSIONS (MM)

CEILING MOUNT




Lifelight Pro Weatherproof Cylinder (Wall Mount)

The Lifelight Pro Weatherproof Cylinder wall mount emergency luminaire offer specifiers a cylindrical style emergency luminaire to provide flexibility in application for each project.



CONFIGURATIONS & DIMENSIONS (MM)

WALL MOUNT



Conversions & Specials

There are always projects that need a customised solution to achieve the compliance or architectural requirement. Our team of product and system engineers have designed and produced many emergency and exit luminaires for these types of applications.

Compliance

Critical applications like tunnels and hazardous areas always require an engineered solution to match the environment and design of the evacuation plan.

This is where the Clevertronics team is able to apply their experience in design and know-how to create the exit and emergency lighting outcome that is required to meet the prescribed standard.

Bringing it all together

Our state of the art engineering and testing capabilities allow us to take bespoke designs and prototypes and test them consistently throughout the process to ensure a timely outcome.

Each luminaire undertakes thermal, humidity and electrostatic discharge testing as well as photometric analysis before sending them to external laboratories for official certification.



Sydney Opera House Sydney, NSW AU

Forty Bank Street Docklands, London UK







Sydney Opera House Sydney, NSW AU

Arup Melbourne Sky Park, Victoria AU

0.











Conversions & Specials

Aesthetically pleasing

There are buildings and applications where a standard emergency or exit luminaire doesn't quite fit the architectural nature of the building. In a heritage setting and also in a modern, architecturally designed building, a traditional exit sign might remove the look and feel of a particular space.

Clevertronics has engineered and designed bespoke exit luminaires to blend the compliance requirement into the personality of the building. We have worked with museums, churches, theatres, restaurants, entertainment venues and iconic places like the Sydney Opera House and the Old London War Office to achieve the right outcome.

Emergency Lighting Systems

Clevertronics has spent over twenty years developing dedicated emergency lighting systems that have one purpose; making it easier to achieve emergency lighting compliance. Easy to understand, install, test and maintain with a system of your choice.





Zoneworks XT HIVE

Zoneworks is the world's most advanced emergency lighting system with over 2,500 sites installed across Australia, New Zealand and the UK. Zoneworks XT HIVE reduces the backbone hardware requirements to a single RF controller with dynamic self-managed meshing technology, making your emergency lighting simpler, faster, reliable and more sustainable than ever before.

The functionality includes a clean web-based interface, both on PC and SMART devices. Integration with other networked building management services can be achieve seamlessly.

Testing and monitoring of all luminaires can be managed remotely to save time and money.



Advantage Lifetime Support

With the Zoneworks XT HIVE platform, Clevertronics also includes ongoing support through our complimentary Advantage Lifetime Support (ALS) program. This service is designed to help the building owner & maintenance contractor manage the on-going health for the life of the system.



DALI, the protocol supported by all the major lighting manufacturers, enables digital dimming, individual luminaire control, lamp and ECG status feedback and emergency test and monitoring – all over a robust and simple wiring solution.

Clevertronics manufactures a full range of DALI registered emergency lights and exit luminaires. All our DALI registered luminaires have been designed following IEC 62386-2-2.

Product and application support is always available for installers and integrators using Clevertronics DALI luminaires on a project.







Optus Stadium Perth, Western Australia AU

Projects

Locations

- 1. Westminster Abbey Westminster, London UK
- 2. Forty Bank Street Docklands, London UK
- **3. High Commission of Australia** Strand, London UK
- 4. Barangaroo Sydney, New South Wales AU
- 5. Sydney Opera House Sydney, New South Wales AU
- 6. St. George's College Weybridge, Surrey UK















Victoria

1 Caribbean Drive Scoresby VIC 3179 Phone: +61 3 9559 2700 Fax: +61 3 9559 2799 Email: vicsales@clevertronics.com.au

New South Wales

9 Distribution Place Seven Hills NSW 2147 Phone: +61 2 8805 6400 Fax: +61 2 8805 6444 Email: nswsales@clevertronics.com.au

Queensland

2/8-12 Monte-Khoury Drive Loganholme QLD 4129 Phone: +61 7 3442 9700 Fax: +61 7 3442 9777 Email: qldsales@clevertronics.com.au

Western Australia

12 Milly Court Malaga WA 6090 Phone: +61 8 9207 0000 Fax: +61 8 9248 3725 Email: wasales@clevertronics.com.au

South Australia

U2/19 Main Terrace Richmond SA 5033 Phone: +61 8 8301 8800 Fax: +61 8 8351 8286 Email: sasales@clevertronics.com.au

Auckland

Unit 22/761 Great South Road Penrose Auckland 1061 Phone: +64 800 548 448 Email: nzsales@clevertronics.co.nz

Christchurch

163C Wordsworth Street Sydenham Christchurch 8023 Phone: +64 800 548 448 Email: nzsales@clevertronics.co.nz

clevertronics.com.au clevertronics.co.nz