

TEC=LED

MAGNETIC TRACK  
CATALOGUE



TEC=LED

# SPOT LIGHTS

## MAGNETIC SPOT




### COLOUR OPTIONS

- Black
- White

7W

10W

15W



## MAGNETIC SPOT LUX



### COLOUR OPTIONS

- Black
- White

3W

5W


## MAGNETIC SPOT DOUBLE



### COLOUR OPTIONS

- Black
- White

2 x 8W



# GRIDS AND BAR

## FIXED MULTI GRID



### COLOUR OPTIONS



Black




White

6W

12W

18W

24W



## ADJUSTABLE MULTI GRID



### COLOUR OPTIONS



Black




White

6W

12W

18W



## FIXED BAR



### COLOUR OPTIONS



Black



White


6W

12W

24W

30W

40W



# SPHERE LIGHTS


## SPHERE SPOT



### COLOUR OPTIONS

- Black
- White

7W




## SPHERE DROP



### COLOUR OPTIONS

- Black
- White

7W



# PENDANTS LIGHTS


## PIPE 34 MM



### COLOUR OPTIONS

- Black
- White

10W




## PIPE 50 MM



### COLOUR OPTIONS

- Black
- White

10W





# ADJUSTABLE BEAM LIGHTS


## ADJUSTABLE SPHERA



### COLOUR OPTIONS

- Black
- White

10W




## ADJUSTABLE CAN



### COLOUR OPTIONS


- Black
- White

10W




# TRACKS & ACCESORIES


## RECESSED EXTERNAL



## RECESSED INTERNAL



## SURFACE AND SUSPENDED



## L.V. POWER-FEE




## STRAIGHT JOINER



## CORNER CONNECTOR



## 90DEG JOINER



## END CAP



## ANTI DUST COVER



## SUSPENSION KIT 2000MM




Recessed (Internal)  
Mounted

Recessed (External)  
Mounted

\*Ideal for plaster

Surface Mounted

Suspended



# SPECIFICATIONS

Code	Colour Temp.	Watts	Lumens	Beam angle	CRI	Rating	Voltage	Dimming Options	Colour	Dimensions	Material
<b>SPOT LIGHTS</b>											
MTSPOTLIGHT3W	2700K, 3000K, 4000K, 5700K	3W	240	15°, 24°, 38°	90	IP20	48V	NonDim/DALI	Black, White	DØ30x H80mm	Aluminium
MTSPOTLIGHT5W	2700K, 3000K, 4000K, 5700K	5W	400	15°, 24°, 38°	90	IP20	48V	NonDim/DALI	Black, White	DØ35 x H72mm	Aluminium
MTSPOTLIGHT7W	2700K, 3000K, 4000K, 5700K	7W	560	15°, 24°, 38°	90	IP20	48V	NonDim/DALI	Black, White	DØ35x H80mm	Aluminium
MTSPOTLIGHT10W	2700K, 3000K, 4000K, 5700K	10W	960	15°, 24°, 38°	90	IP20	48V	NonDim/DALI	Black, White	DØ45x H100mm	Aluminium
MTSPOTLIGHT15W	2700K, 3000K, 4000K, 5700K	15W	1200	15°, 24°, 38°	90	IP20	48V	NonDim/DALI	Black, White	DØ55x H120mm	Aluminium
MTSPOTLIGHT2X8W	2700K, 3000K, 4000K, 5700K	2x8W	1280	24°, 40°, 60°	90	IP20	48V	NonDim/DALI	Black, White	DØ34x H90mm	Aluminium
<b>GRID LIGHTS</b>											
MFIXEDGRID6W	2700K, 3000K, 4000K, 5700K	6W	480	24°, 38°	90	IP20	48V	NonDim/DALI	Black, White	L112 x W22x H45mm	Aluminium
MFIXEDGRID12W	2700K, 3000K, 4000K, 5700K	12W	960	24°, 38°	90	IP20	48V	NonDim/DALI	Black, White	L220x W23x H45mm	Aluminium
MFIXEDGRID18W	2700K, 3000K, 4000K, 5700K	18W	1440	24°, 38°	90	IP20	48V	NonDim/DALI	Black, White	L328 x W23x H45mm	Aluminium
MFIXEDGRID24W	2700K, 3000K, 4000K, 5700K	24W	1920	24°, 38°	90	IP20	48V	NonDim/DALI	Black, White	L436 x W23x H45mm	Aluminium
MTADJUSTABLEGRID6W	2700K, 3000K, 4000K, 5700K	6W	480	15°, 24°, 36°	90	IP20	48V	NonDim/DALI	Black	L112 x W23x H113mm	Aluminium
MTADJUSTABLEGRID12W	2700K, 3000K, 4000K, 5700K	12W	960	15°, 24°, 36°	90	IP20	48V	NonDim/DALI	Black	L220 x W23x H113mm	Aluminium
MTADJUSTABLEGRID18W	2700K, 3000K, 4000K, 5700K	18W	1440	15°, 24°, 36°	90	IP20	48V	NonDim/DALI	Black	L328 x W23x H105mm	Aluminium
<b>BAR LIGHTS</b>											
MTFIXEDBAR6W	2700K, 3000K, 4000K, 5700K	6W	420	110°	90	IP20	48V	NonDim/DALI	Black, White	L112 x W23 x H45mm	Aluminium
MTFIXEDBAR12W	2700K, 3000K, 4000K, 5700K	12W	840	110°	90	IP20	48V	NonDim/DALI	Black, White	L305 x W23 x H45mm	Aluminium
MTFIXEDBAR24W	2700K, 3000K, 4000K, 5700K	24W	1680	110°	90	IP20	48V	NonDim/DALI	Black, White	L605 x W23x H45mm	Aluminium
MTFIXEDBAR30W	2700K, 3000K, 4000K, 5700K	30W	2100	110°	90	IP20	48V	NonDim/DALI	Black, White	L905 x W23x H45mm	Aluminium
MTFIXEDBAR40W	2700K, 3000K, 4000K, 5700K	40W	2800	110°	90	IP20	48V	NonDim/DALI	Black, White	L1205 x W23x H45mm	Aluminium
<b>SPHERE LIGHTS</b>											
MTSPHERESPOT7W	2700K, 3000K, 4000K, 5700K	7W	560	15°, 24°, 36°	90	IP20	48V	NonDim/DALI	Black, White	DØ100 x H180mm	Aluminium
MTSPHEREDROP7W	2700K, 3000K, 4000K, 5700K	7W	560	15°, 24°, 36°	90	IP20	48V	NonDim/DALI	Black, White	DØ100 x H1000mm	Aluminium
<b>PENDANT LIGHTS</b>											
MTPIPE5010W	2700K, 3000K, 4000K, 5700K	10W	800	15°, 24°, 36°	90	IP20	48V	NonDim/DALI	Black, White	DØ50 x H300mm	Aluminium
MTPIPE3410W	2700K, 3000K, 4000K, 5700K	10W	800	15°, 40°, 60°	90	IP20	48V	NonDim/DALI	Black, White	DØ34 x H200mm	Aluminium
MTADJSPHERA10W	2700K, 3000K, 4000K, 5700K	10W	800	10°-60°	90	IP20	48V	NonDim/DALI	Black, White	DØ100 x H100mm	Aluminium
MTADJCAN10W	2700K, 3000K, 4000K, 5700K	10W	800	10°-60°	90	IP20	48V	NonDim/DALI	Black, White	DØ58 x H152mm	Aluminium

A modern interior space featuring a white ceiling with a long, recessed LED light fixture. The room includes a dining table with a white top and gold legs, a chair with a brown backrest, and a large window with sheer curtains. A potted plant is visible on the left side of the frame.

# TEC=LED

## **TecLED Pty Ltd - Sydney Head Office**

Unit 4, 61 - 71 Beauchamp Road,  
Matraville NSW 2036

Telephone: (02) 9317 4177  
Email: [sales@teclcd.com.au](mailto:sales@teclcd.com.au)

## **TecLED Pty Ltd - Melbourne**

Telephone: 0478 036 481  
Email: [vicsales@teclcd.com.au](mailto:vicsales@teclcd.com.au)

## **TecLED Pty Ltd - Gold Coast**

Showroom by appointment only  
Telephone: 0425 298 712