


NOVEMBER 2019
CATALOGUE

CLADDING

Your complete guide to cladding





INTRODUCTION

YOUR DESTINATION FOR CLADDING

Your Cladding is what defines your home. It's what everyone sees as they drive past. It's the first impression your home makes on visitors so make sure it's a stand-out.

At PlaceMakers we know how important Cladding is to you and your home.

We have a comprehensive range of Cladding to choose from. Whether you're after a classic look or a sleek modern style; we have it. From low maintenance and hard wearing, to feature pieces for the outside of your home, we have something for everyone.

ICONS KEY



PRE-PRIMED

Indicates that the product is supplied with an undercoat and is ready for a finishing coat(s) of paint.



PRE-FINISHED

Indicates that the product is supplied pre-coloured with a protective coating, ready to be installed with no sanding or painting required.



SUITABLE UNDER UV EXPOSURE

Indicates that the product has been tested to perform under the high New Zealand UV levels.



SUITABLE FOR COASTAL ENVIRONMENTS

Indicates that the product is suitable for coastal application where there are high levels of salt and sea spray in the air.



LOW MAINTENANCE

Indicates that the product does not require regular re-painting or re-staining and only requires a wash down every 12 months.



MADE IN NEW ZEALAND

Indicates that the product is manufactured in New Zealand.



LIGHTWEIGHT

Indicates that the product is classified as a light weight cladding under the New Zealand Building code.



EASY TO INSTALL

Indicates that the product can be installed fast & efficiently by a qualified builder.



NON-COMBUSTIBLE

Indicates that the product is fire resistant when used as part of a fire rated system.



ENVIRONMENTALLY SUSTAINABLE

Indicates that the product is manufactured from renewable or environmentally managed resources.



ROT RESISTANT

Indicates that the product is resistant to damage from moisture & rot.



DESIGN FLEXIBILITY

Indicates that the product allows variation in design and application to achieve differing aesthetic looks.



EASY TO CUT

Indicates that the product is easy to cut to the desired size/length whilst on site (dust extraction is recommended to assist with the management of silica dust).



GUN NAILABLE

Indicates that the product can be secured with the use of a nail gun for quicker installation.



Only the products identified with the FSC® logo on the page are FSC® certified. FSC® Chain of Custody is available upon request.



Abodo Vulcan – Ngārara, Wellington



CONTENTS

6
COMPARISON CHART

8
SECTION 1:
FIBRE CEMENT
CLADDING

10
JAMES HARDIE LINEA
WEATHERBOARD

12
JAMES HARDIE
LINEA OBLIQUE
WEATHERBOARD

14
JAMES HARDIE STRIA
CLADDING

16
JAMES HARDIE
AXON PANEL

18
JAMES HARDIE TITAN
FACADE PANEL

20
SECTION 2:
TIMBER CLADDING

22
HERMPAC WESTERN
RED CEDAR
HORIZONTAL
WEATHERBOARDS

24
HERMPAC WESTERN
RED CEDAR VERTICAL
WEATHERBOARDS

26
HERMPAC
DURALARCH
WEATHERBOARDS

28
CLAYMARK A-LIGN
WEATHERBOARDS

30
ABODO VULCAN
CLADDING
WEATHERBOARDS

32
ITI TIMSPEC ACCOYA®
WEATHERBOARDS

34
CLAYMARK
GARRISON
WEATHERBOARDS

36
NIAGARA ENVIRA
WEATHERBOARDS

38
KLC GENERATION 2
WEATHERBOARDS

40
CHH PLYWOOD
SHADOWCLAD

42
SECTION 3:
METAL & COMPOSITE
CLADDING

44
PSP EUROCLAD
SELEKTA

46
CEMINTEL TERRITORY
SAVANNA & QUARRY

48
CEMINTEL TERRITORY
RIVERBED, STEPPE &
WOODLANDS

50
DIMOND® ROOFING
EUROTRAY®

52
DIMOND® ROOFING
BB900 & RIB50

54
ROOFING
INDUSTRIES
EUROSTYLE™

56
PSP ALPOLIC®/fr

58
DYNEX
PALLISIDE uPVC
WEATHERBOARDS

60
SECTION 4:
BRICK &
CONCRETE
CLADDING

62
THE BRICKERY CLAY
BRICK

64
THE BRICKERY CLAY
BRICK & DRICON
MORTAR

66
FIRTH CONCRETE
BRICK

68
HEBEL POWERPANEL

70
GB BREEZE BLOCK

72
GB HONED BLOCK


74
DESIGN PLANNER

CLADDING FACADE COMPARISON GUIDE

This matrix provides a quick comparison of the cladding types available. For more information on the specific products please refer to the relevant pages.


	PAGE	PRODUCT	Type of Building		Where Used		Finish	
			Residential	Commercial	External	Internal	Prefinished	Pre-Primed / Sealed
Fibre Cement Cladding	10	James Hardie Linea Weatherboard	✓		✓	✓		✓
	12	James Hardie Linea Oblique Weatherboard	✓	✓	✓	✓		✓
	14	James Hardie Stria Cladding	✓	✓	✓	✓		✓
	16	James Hardie Axon Panel	✓	✓	✓	✓		✓
	18	James Hardie Titan Facade Panel	✓	✓	✓	✓		✓
Timber Cladding	22 – 25	Herpac Western Red Cedar Weatherboard	✓	✓	✓	✓	*	
	26	Herpac Duralarch	✓		✓	✓		*
	28	Claymark A-Lign	✓	✓	✓		*	
	30	Abodo Vulcan Cladding	✓	✓	✓	✓	*	
	32	ITI Timspec Accoya	✓	✓	✓	✓	*	*
	34	Claymark Garrison	✓	✓	✓		*	
	36	Niagara Envira	✓	✓	✓	✓		✓
	38	KLC Generation 2	✓	✓	✓	✓		✓
40	CHH ShadowClad	✓	✓	✓	✓			
Metal & Composite Cladding	44	PSP EuroClad Selekt	✓	✓	✓	✓	✓	
	46–49	Cemintel Territory	✓	✓	✓	✓	✓	
	50	Dimond Roofing Eurotray	✓	✓	✓		✓	
	52	Dimond Roofing BB900	✓	✓	✓	✓	✓	
	52	Dimond Roofing RIB50	✓	✓	✓		✓	
	54	Roofing Industries Eurostyle	✓	✓	✓	✓	✓	
	56	PSP Alpolic/fr	✓	✓	✓	✓	✓	
	58	Dynex Palliside uPVC Weatherboards	✓	✓	✓		✓	
Brick & Concrete Cladding	62	The Brickery Clay Brick	✓		✓	✓	✓	
	66	Firth Concrete Brick	✓		✓		✓	
	68	Hebel PowerPanel	✓		✓			
	70	GB Breeze Block	✓		✓	✓	✓	
	72	GB Honed Block	✓		✓	✓	✓	

*Available on request



	Installation Format			Features & Benefits						Certification				
Raw / Unprimed	Horizontal	Vertical	Curved / Other	Lightweight	Suitable For Coastal Environments	Made in New Zealand	Environmentally Sustainable	Low Maintenance	Easy To Install	BRANZ	CodeMark	FSC	PEFC	Warranty Years
	✓			✓	✓	✓		✓	✓	✓	✓			25
	✓	✓		✓	✓	✓		✓	✓	✓	✓			25
	✓	✓		✓	✓			✓	✓					15
		✓		✓	✓			✓	✓					15
	✓			✓	✓	✓		✓	✓	✓				15
✓	✓	✓		✓	✓				✓	✓	✓		✓	15
✓		✓		✓	✓				✓	✓	✓		✓	15
✓	✓	✓		✓	✓	✓	✓		✓	✓	✓	✓		15
✓	✓	✓		✓	✓	✓	✓		✓		✓	✓		15
✓		✓		✓	✓	✓	✓		✓		✓	✓		50
✓	✓	✓		✓	✓	✓	✓		✓		✓	✓		25
	✓	✓		✓	✓	✓	✓		✓		✓	✓		25
	✓	✓		✓	✓	✓	✓		✓		✓	✓		50
✓	✓	✓		✓		✓	✓		✓	✓		✓	✓	15
	✓	✓		✓	✓			✓	✓		✓		✓	15
	✓	✓		✓	✓			✓	✓		✓			15
		✓		✓	✓	✓	✓	✓						15
	✓	✓		✓	✓	✓	✓	✓						15
		✓		✓	*	✓	✓	✓						15
		✓		✓		✓	✓	✓						15
	✓	✓			✓			✓	✓		✓			20
	✓			✓	✓	✓		✓	✓					25
	✓				✓		✓	✓	✓	✓				25
	✓				✓	✓	✓	✓	✓					15
		✓		✓	✓		✓	✓	✓		✓			20
	✓				✓		✓	✓	✓					25
	✓				✓		✓	✓	✓					25





SECTION 1

FIBRE CEMENT CLADDING

Fibre Cement cladding is hardwearing, versatile and reliable. It is available in pre-finished and pre-coloured options as well as unfinished allowing you to paint to your desired colour.

Fibre cement offers great fire resistant properties as part of a system. It also has great resistance to moisture damage and rot while offering a low maintenance solution for your property.

Fibre cement lends itself to many design applications through both vertical and horizontal installation options, profile widths and textured finishes making it a great option for both residential and light commercial projects.

1. James Hardie Linea Oblique Weatherboard
2. James Hardie Linea Weatherboard & Stria Cladding
3. James Hardie Linea Weatherboard & Titan Facade Panel
4. James Hardie Linea Weatherboard & Stria Cladding
5. James Hardie Axon Panel 133mm Grained
6. James Hardie Axon Panel 133mm Smooth
7. James Hardie Linea Weatherboard



JAMES HARDIE LINEA™ WEATHERBOARD

APPLICATION:

RESIDENTIAL

EXTERIOR INTERIOR

Linea Weatherboard is a bevel-back weatherboard that offers design flexibility in traditional and modern architecture. The clean horizontal lines of Linea Weatherboard work beautifully with the expansive surfaces and spaces of contemporary architecture and provide you with the traditional deep shadow lines of classically styled homes.

- High impact resistance
- Can be painted dark colours
- Trims and accessories available

AVAILABLE PROFILES: Thickness: 16mm | Profile width: 135mm, 150mm & 180mm

RECOMMENDED FINISH: Paint

WARRANTY LENGTH: 25 years

FEATURES & BENEFITS



DESIGN FLEXIBILITY



LIGHTWEIGHT



PRE-PRIMED



LOW MAINTENANCE



NON-COMBUSTIBLE



EASY TO INSTALL



MADE IN NEW ZEALAND



ROT RESISTANT



SUITABLE FOR COASTAL ENVIRONMENTS



GUN NAILABLE



SUITABLE UNDER UV EXPOSURE

CERTIFICATION



jameshardie.co.nz

jameshardie.co.nz/products/cladding/linea-weatherboard

eboss.co.nz/library/james-hardie

masterspec.co.nz/james-hardie



1



2

1. James Hardie 150mm Linea Weatherboard
2. James Hardie 150mm Linea Weatherboard
3. James Hardie 180mm Linea Weatherboard



JAMES HARDIE LINEA™ OBLIQUE™ WEATHERBOARD

APPLICATION:

- RESIDENTIAL** **COMMERCIAL**
- EXTERIOR** **INTERIOR**

Linea Oblique Weatherboard is a modern, rusticated weatherboard profile that can be installed both horizontally and vertically. It's available in 200mm and 300mm widths allowing you to create both modern and traditional designs, or try combining the two widths to create an architectural look that's truly unique.

- High impact resistance
- Can be painted dark colours
- Can be installed vertically & horizontally
- Trims and accessories available

AVAILABLE PROFILES: Thickness: 16mm | Profile width: 200mm & 300mm

RECOMMENDED FINISH: Paint

WARRANTY LENGTH: 25 years

FEATURES & BENEFITS

 DESIGN FLEXIBILITY	 LIGHTWEIGHT	 PRE-PRIMED	 LOW MAINTENANCE	 NON-COMBUSTIBLE	 EASY TO INSTALL
 MADE IN NEW ZEALAND	 ROT RESISTANT	 SUITABLE FOR COASTAL ENVIRONMENTS	 GUN NAILABLE	 SUITABLE UNDER UV EXPOSURE	

CERTIFICATION



jameshardie.co.nz
jameshardie.co.nz/products/cladding/linea-oblique
eboss.co.nz/library/james-hardie
masterspec.co.nz/james-hardie



1. James Hardie 200mm & 300mm Linea Oblique Weatherboard
2. James Hardie 200mm & 300mm Linea Oblique Weatherboard
3. James Hardie 200mm Linea Oblique Weatherboard
4. James Hardie 200mm & 300mm Linea Oblique Weatherboard





JAMES HARDIE STRIA™ CLADDING

APPLICATION:

RESIDENTIAL | COMMERCIAL

EXTERIOR | INTERIOR

The wider format of Stria Cladding delivers a look that’s distinctive and modern, while it’s also a clever way to achieve the look of masonry. Stria Cladding features a horizontal ship-lapped joint and has distinctive deep grooved lines which can be laid horizontally or vertically.

- The interlocking edges allow for quick and easy installation
- Wide panel format allows faster installation
- Can be painted dark colours
- Cost effective and long lasting

AVAILABLE PROFILES: Thickness: 14mm | Profile width: 405mm

RECOMMENDED FINISH: Paint

WARRANTY LENGTH: 15 years

FEATURES & BENEFITS



DESIGN FLEXIBILITY



LIGHTWEIGHT



PRE-PRIMED



LOW MAINTENANCE



NON-COMBUSTIBLE



EASY TO INSTALL



ROT RESISTANT



SUITABLE FOR COASTAL ENVIRONMENTS



GUN NAILABLE



SUITABLE UNDER UV EXPOSURE

jameshardie.co.nz


jameshardie.co.nz/products/cladding/stria-cladding

eboss.co.nz/library/james-hardie

masterspec.co.nz/james-hardie



1. James Hardie Stria Cladding
2. James Hardie Stria Cladding & Linea Weatherboard
3. James Hardie Stria Cladding





JAMES HARDIE AXON™ PANEL

APPLICATION:

RESIDENTIAL | COMMERCIAL

EXTERIOR | INTERIOR

Creating a strong visual impact for your building is easier than ever with Axon Panel. Easy to install, robust and versatile, Axon Panel is the perfect alternative to traditional vertical shiplap weatherboards. The vertical lines complement classic and modern building designs to create stand out facades, and bring texture and interest to outdoor rooms. With a choice of textures and widths, Axon lets you put your own stamp on your new home.

- Engineered to stand up to harsh conditions
- Can be painted in dark colours
- Cost effective and long lasting
- Choose from 400mm groove in smooth and 133mm groove in smooth or grained

AVAILABLE PROFILES: Thickness: 9mm | Profile width: 1200mm

RECOMMENDED FINISH: Paint

WARRANTY LENGTH: 15 years

FEATURES & BENEFITS



DESIGN FLEXIBILITY



LIGHTWEIGHT



PRE-PRIMED



LOW MAINTENANCE



NON-COMBUSTIBLE



EASY TO INSTALL



ROT RESISTANT



SUITABLE FOR COASTAL ENVIRONMENTS



GUN NAILABLE



SUITABLE UNDER UV EXPOSURE

jameshardie.co.nz

jameshardie.co.nz/products/cladding/axon-panel

eboss.co.nz/library/james-hardie

masterspec.co.nz/james-hardie



1. James Hardie Axon Panel 133mm Grained
2. James Hardie Axon Panel 133mm Grained
3. James Hardie Axon Panel 400mm Smooth
4. James Hardie Axon Panel 133mm Smooth





JAMES HARDIE TITAN™ FACADE PANEL

APPLICATION:

- RESIDENTIAL
- COMMERCIAL
- EXTERIOR

Titan Facade Panel is an exterior cladding system with a modern, contemporary geometric, expressed-joint finish. Titan Facade Panel offers a bold industrial look where a modern panelised look is desired. It has a smooth surface that gives a continuous uniform finish providing a fashionable clean look to your design.

- Offers expressed joint features
- Can be painted any colour, even darker shades

AVAILABLE PROFILES: Thickness: 9mm | Profile width: 1190mm

RECOMMENDED FINISH: Paint

WARRANTY LENGTH: 15 years

FEATURES & BENEFITS

 DESIGN FLEXIBILITY	 LIGHTWEIGHT	 PRE-PRIMED	 LOW MAINTENANCE	 NON- COMBUSTIBLE	 EASY TO INSTALL
 MADE IN NEW ZEALAND	 ROT RESISTANT	 SUITABLE FOR COASTAL ENVIRONMENTS	 GUN NAILABLE	 SUITABLE UNDER UV EXPOSURE	

CERTIFICATION




jameshardie.co.nz
 jameshardie.co.nz/products/cladding/linea-oblique
 eboss.co.nz/library/james-hardie
 masterspec.co.nz/james-hardie



2

1. James Hardie Titan Facade Panel & Linea Weatherboard
2. James Hardie Titan Facade Panel & Linea Oblique Weatherboard
3. James Hardie Titan Facade Panel & Stria Cladding





A-light

1

2

3

4

5

6

7



SECTION 2

TIMBER CLADDING

Timber cladding gives your home that traditional weatherboard look. Use oil, paint or stains to finish your home in your desired finish.

Timber is naturally durable against New Zealand's conditions. These timber claddings are also all available FSC® certified, ensuring the forests can remain a thriving environment for generations to come.

Timber claddings are versatile with a range of profiles available in every style – choose the best one to suit your home. Whether it's Rusticated, Bevel-back, Vertical, Shiplap, Splay Cut or Random width and depth; we have a style to suit.

1. Abodo Vulcan – Ngarara, Wellington
2. Abodo Vulcan – 100 Day Bach
3. Abodo Vulcan – Urban Rivercove
4. CHH Shadowclad Natural Texture
5. Hermpac Shiplap Vertical Coated in Wood-X Shale 2
6. Niagara Envira Bevel Back Weatherboards
7. Hermpac DuraLarch



HERMPAC WESTERN RED CEDAR HORIZONTAL WEATHERBOARDS

APPLICATION:

RESIDENTIAL **COMMERCIAL**

EXTERIOR **INTERIOR**

From traditional, robust Bevel-back to cutting edge, negative detail Rusticated profiles, Western Red Cedar Horizontal Weatherboards continue to be an enduring timber cladding solution for New Zealand homes. Popular 'off the shelf' profiles offer great creative scope.

- Naturally durable and proven in the New Zealand market for over 100 years
- Hundreds of profile and colour combinations
- Custom profiles available upon request

AVAILABLE PROFILES: Available in hundreds of profiles including Rusticated, Bevel-back, Rebated Bevel-back, Splay Cut and Random Width & Depth

RECOMMENDED FINISH: Oil | Stain

WARRANTY LENGTH: 15 years

FEATURES & BENEFITS



DESIGN FLEXIBILITY



LIGHTWEIGHT



EASY TO INSTALL



PRE-FINISHED*



ROT RESISTANT



SUITABLE FOR COASTAL ENVIRONMENTS



SUITABLE UNDER UV EXPOSURE



EASY TO CUT

CERTIFICATION




AVAILABLE COLOURS: In a range of colours

*AVAILABLE ON REQUEST

hermpac.co.nz/architect-download

archipro.co.nz/professionals/hermpac







HERMPAC WESTERN RED CEDAR VERTICAL WEATHERBOARDS

APPLICATION:

RESIDENTIAL **COMMERCIAL**
EXTERIOR **INTERIOR**

Western Red Cedar Vertical Weatherboards complement all architectural styles from stark bold minimalism, to classical period styling, or simple clean and modern lines to fit a stunning coastal setting.

Hermpac offer quality Vertical Weatherboards in a wide range of standard profiles. These popular 'off the shelf' profiles offer great creative scope.

- Great design flexibility with 100's of profiles and colour combinations
- Custom profiles available upon request

AVAILABLE PROFILES: Available in hundreds of profiles including Vertical Shiplap, Board & Batten, Random Width & Depth

RECOMMENDED FINISH: Oil | Stain

WARRANTY LENGTH: 15 years

FEATURES & BENEFITS



DESIGN FLEXIBILITY



LIGHTWEIGHT



EASY TO INSTALL



PRE-FINISHED*



ROT RESISTANT



SUITABLE FOR COASTAL ENVIRONMENTS



SUITABLE UNDER UV EXPOSURE



EASY TO CUT

CERTIFICATION



AVAILABLE COLOURS: In a range of colours


*AVAILABLE ON REQUEST

hermpac.co.nz/architect-downloads

archipro.co.nz/professionals/hermpac



1. Hermpac Random Width & Depth BSF Coated in Wood-X Shale
2. Hermpac SV2 Random Width & Depth BSF Coated in Wood-X Forge
3. Hermpac Random Width & Depth BSF Coated in Wood-X Shale





HERMPAC DURALARCH WEATHERBOARDS

APPLICATION:

RESIDENTIAL

EXTERIOR | INTERIOR

Are you after the warm attributes and good looks of real timber? DuraLarch's natural and rustic characteristics make it an ideal weatherboard solution for achieving this. Better still, with its natural durability, DuraLarch does not require preservative treatment.

- Natural, rustic look and feel of timber
- Available in a range of vertical and horizontal profiles
- Available pre-coated in a range of oils and colours on request

AVAILABLE PROFILES: Available in a range of profiles including Vertical Shiplap, Board & Batten, Bevel-back and Rusticated

RECOMMENDED FINISH: Oil | Stain

WARRANTY LENGTH: 15 years

FEATURES & BENEFITS



DESIGN FLEXIBILITY



LIGHTWEIGHT



EASY TO INSTALL



ROT RESISTANT



SUITABLE FOR COASTAL ENVIRONMENTS



SUITABLE UNDER UV EXPOSURE



EASY TO CUT

CERTIFICATION



AVAILABLE COLOURS: In a range of colours

hermpac.co.nz/architect-downloads







CLAYMARK A-LIGN® WEATHERBOARDS

APPLICATION:

- RESIDENTIAL
- COMMERCIAL
- EXTERIOR

New Zealand’s original architectural pine cladding system. A-lign has a full suite of system components and is available in two fixing types – A-lign Nail Fix & A-lign Concealed Fix.

With three profiles, traditional Bevel-back, Rusticated and a contemporary vertical system with multiple profiles, A-lign is the easy choice for design led pine cladding excellence.

Nail Fix is a superior, precision-cut cladding solution that allows builders to easily and quickly install solid timber weatherboard cladding for classic and contemporary house designs, to the highest traditional craft standards.

The Concealed Fix system locks weatherboards tightly in place without the use of nails, delivering an optimal weatherboard face finish.

- High moisture protection
- Primed & undercoated
- Extra high wind zone rated
- Optimal final colour coat direct from factory

AVAILABLE PROFILES: Bevel-back and Rusticated. Thickness: 18mm | Profile width: 142mm & 187mm. Vertical: Thickness: 18mm | Profile width: 135mm & 187mm

RECOMMENDED FINISH: Paint

WARRANTY LENGTH: 15 years

FEATURES & BENEFITS



LIGHTWEIGHT



PRE-PRIMED



EASY TO INSTALL



PRE-FINISHED



MADE IN NEW ZEALAND



ROT RESISTANT



SUITABLE FOR COASTAL ENVIRONMENTS



ENVIRONMENTALLY SUSTAINABLE



EASY TO CUT

CERTIFICATION



AVAILABLE COLOURS: In a range of colours

*AVAILABLE ON REQUEST

claymark.co.nz/nz-design-portal

archipro.co.nz/products/a-lign-bevelback-weatherboard-nail-fix-claymark



1



2

1. Claymark A-lign Nail Fix
2. Claymark A-Lign Vertical
3. Claymark A-lign Nail Fix
4. Claymark A-Lign Concealed Fix





ABODO VULCAN WEATHERBOARDS

APPLICATION:

- RESIDENTIAL
- COMMERCIAL
- EXTERIOR
- INTERIOR

Abodo Vulcan Cladding is a premium weatherboard. Created from Abodo's thermally modified New Zealand plantation timber for superior beauty, durability and weathering characteristics.

- Vertical or horizontal
- Natural durability
- Available pre-primed and pre-finished

AVAILABLE PROFILES:

WB12 Thickness: 20mm, 40mm & 60mm | Profile width: 90mm, 138mm & 180mm

WB10 Thickness: 20mm | Profile width: 145mm & 180mm

AW62 Thickness: 20mm | Profile width: 180mm

RECOMMENDED FINISH: Oil

WARRANTY LENGTH: 15 years

FEATURES & BENEFITS

DESIGN FLEXIBILITY	LIGHTWEIGHT	PRE-PRIMED*	PRE-FINISHED*	MADE IN NEW ZEALAND	ROT RESISTANT
SUITABLE FOR COASTAL ENVIRONMENTS	GUN NAILABLE	SUITABLE UNDER UV EXPOSURE	ENVIRONMENTALLY SUSTAINABLE	EASY TO CUT	

CERTIFICATION



AVAILABLE COLOURS:



EBONY GRAPHITE MANUKA PATINA



SIOOX STRAW TEAK WALNUT



PRIMED – PAINT FINISH

*AVAILABLE ON REQUEST

abodo.co.nz/resources



1



2



4

1. Abodo Vulcan – 100 Day Bach
2. Abodo Vulcan – Urban RiverCove
3. Abodo Vulcan Primed
4. Abodo Vulcan – Urban RiverCove
5. Abodo Vulcan – Ngarara



ITI TIMSPEC ACCOYA® WEATHERBOARDS

APPLICATION:

- RESIDENTIAL** | **COMMERCIAL**
- EXTERIOR** | **INTERIOR**

Accoya wood is a high performance wood. Created from sustainably-sourced NZ Radiata Pine, Accoya undergoes a proprietary, non-toxic acetylation process that permanently modifies the wood to the core.

The result is an environmentally friendly solid wood with durability and dimensional stability that matches or exceeds even some of the best tropical hardwood.

- Naturally beautiful wood
- Consistent quality throughout
- Retained strength & hardness
- Available pre-primed and pre-finished
- Can be finished in dark colours or can be left uncoated

AVAILABLE PROFILES: Bevel-back, Rusticated and Vertical Shiplap

RECOMMENDED FINISH: Stain | Paint | Oil

WARRANTY LENGTH: 50 years (above ground)

FEATURES & BENEFITS

 DESIGN FLEXIBILITY	 LIGHTWEIGHT	 PRE-PRIMED	 PRE-FINISHED	 LOW MAINTENANCE	 EASY TO INSTALL
 MADE IN NEW ZEALAND	 ROT RESISTANT	 SUITABLE FOR COASTAL ENVIRONMENTS	 GUN NAILABLE	 SUITABLE UNDER UV EXPOSURE	 ENVIRONMENTALLY SUSTAINABLE
 EASY TO CUT					

CERTIFICATION



*AVAILABLE ON REQUEST

ititimspec.nz/downloads/6733/







CLAYMARK GARRISON® WEATHERBOARDS

APPLICATION:

- RESIDENTIAL
- COMMERCIAL
- EXTERIOR

Claymark use advanced technology to ensure their Garrison Weatherboards hold up to New Zealand’s harsh conditions. With environmentally-friendly production processes and three factory applied barriers of protection, Garrison Weatherboards are guaranteed to last.

- New generation sealer coat
- Three coat primer system
- Made from Certified New Zealand Radiata pine
- Final coat available from factory

AVAILABLE PROFILES: Bevel-back: 135mm, 142mm, 180mm, 187mm, 215mm & 230mm. Rusticated Scallop: 135mm, 180mm & 240mm. Vertical Shiplap: 135mm & 180mm

RECOMMENDED FINISH: Paint

WARRANTY LENGTH: 25 years

FEATURES & BENEFITS

 DESIGN FLEXIBILITY	 LIGHTWEIGHT	 PRE-PRIMED	 PRE-FINISHED	 EASY TO INSTALL	 MADE IN NEW ZEALAND
 ROT RESISTANT	 SUITABLE FOR COASTAL ENVIRONMENTS	 SUITABLE UNDER UV EXPOSURE	 ENVIRONMENTALLY SUSTAINABLE	 EASY TO CUT	


CERTIFICATION



AVAILABLE COLOURS: In a range of colours

*AVAILABLE ON REQUEST
** ONLY AVAILABLE IN SELECTED REGIONS. PLEASE CHECK WITH YOUR LOCAL BRANCH

claymark.co.nz/products/nz-garrison
eboss.co.nz/library/claymark/garrison-rusticated-weatherboard





NIAGARA ENVIRA® WEATHERBOARDS

APPLICATION:

- RESIDENTIAL** | **COMMERCIAL**
- EXTERIOR** | **INTERIOR**

A complete quality weatherboard system manufactured in New Zealand, from New Zealand Radiata Pine, for New Zealand conditions. Every board is painted with two coats of Resene True-Prime primer giving the board great protection. Treated with LOSP to a H3.1 standard, Envira has a 25 year owner transferrable warranty. Envira is proudly manufactured by Niagara.

AVAILABLE PROFILES: Bevel-back, Rusticated & Shiplap. Most New Zealand specified sizes.

RECOMMENDED FINISH: Paint

WARRANTY LENGTH: 25 years

FEATURES & BENEFITS

 DESIGN FLEXIBILITY	 LIGHTWEIGHT	 PRE-PRIMED	 EASY TO INSTALL	 MADE IN NEW ZEALAND	 ROT RESISTANT
 SUITABLE FOR COASTAL ENVIRONMENTS	 SUITABLE UNDER UV EXPOSURE	 ENVIRONMENTALLY SUSTAINABLE	 EASY TO CUT		

CERTIFICATION



** ONLY AVAILABLE IN SELECTED REGIONS. PLEASE CHECK WITH YOUR LOCAL BRANCH

niagara.nz



1. Niagara Envira Bevel Back Weatherboards
2. Niagara Envira Shiplap Weatherboards
3. Niagara Envira Shiplap Weatherboards
4. Niagara Envira Bevel Back Weatherboards



KLC GENERATION 2 WEATHERBOARDS

APPLICATION:

- RESIDENTIAL** | **COMMERCIAL**
- EXTERIOR** | **INTERIOR**

Generation 2 H3.2, MicroPro® treated exterior cladding products are a superior cladding solution for your new build or renovation project.

KLC specialises in MicroPro® wood treatment technology is a safer timber preservative, with four environmental certifications.

MicroPro® is an effective protection against fungal decay and insect attack. Corrosion-resistant when used with stainless steel or hot dipped galvanised fixings and fasteners and suitable for direct contact with aluminium. A two coat oil-based primer is applied providing good water resistance prior to topcoat applications.

- NZ Radiata Pine
- Eco-friendly
- Formaldehyde-free, low VOC emissions and no odour

AVAILABLE PROFILES: Bevel-back, Vertical Shiplap, Rusticated and Splay Cut

RECOMMENDED FINISH: Paint

WARRANTY LENGTH: 50 years

FEATURES & BENEFITS

 DESIGN FLEXIBILITY	 PRE-PRIMED	 EASY TO INSTALL	 MADE IN NEW ZEALAND	 ROT RESISTANT	 SUITABLE FOR COASTAL ENVIRONMENTS
 SUITABLE UNDER UV EXPOSURE	 ENVIRONMENTALLY SUSTAINABLE	 EASY TO CUT			

CERTIFICATION

							
---	---	---	---	---	---	---	---

klc.co.nz

archipro.co.nz/products/generation-2-timber-cladding-systems-klc

masterspec.co.nz/klc-limited







CHH PLYWOOD SHADOWCLAD® NATURAL & ULTRA

APPLICATION:

RESIDENTIAL **COMMERCIAL** (Ultra only)

EXTERIOR **INTERIOR**

Shadowclad plywood panels provide a beautiful, natural wood exterior cladding that is well suited to most architectural styles. It adds street appeal to any project, whether used alone or accented with other building materials.

Shadowclad Ultra Texture combines the look and versatility of traditional Natural Shadowclad products with the time and cost saving benefits of a pre-primed cladding. The primer formulation creates a more consistent and dependable undercoat that's perfect for immediate on-site top coating.

- Manufactured from sustainably-grown NZ Radiata Pine
- Vertical shiplap joints for easy and watertight installation
- Band-sawn sheet surface provides a compelling tactile finish

AVAILABLE PROFILES: Groove & Texture | Thickness: 12mm | Profile width: 2440mm & 2745mm

RECOMMENDED FINISH: Paint

WARRANTY LENGTH: 15 years

FEATURES & BENEFITS



LIGHTWEIGHT



MADE IN NEW ZEALAND



ROT RESISTANT



SUITABLE UNDER UV EXPOSURE



ENVIRONMENTALLY SUSTAINABLE



EASY TO CUT

CERTIFICATION



chhply.co.nz/librarytools

eboss.co.nz/library/chh-plywood/shadowclad-prime



2

1. CHH Shadowclad Ultra Texture
2. CHH Shadowclad Natural Texture
3. CHH Shadowclad Ultra Groove







SECTION 3

METAL & COMPOSITE CLADDING

This range brings a distinct look to the outside of any building. Use metal or composite claddings as a full building facade or as part of a mixed cladding system to give your building a unique look that's sure to stun.

These claddings have been designed with stability and longevity in mind. From more traditional styles simulating natural timber, stone and concrete through to a more modern, sleek industrial look using steel and aluminium. We have a range of residential or commercial cladding options that will suit your design to create an architectural statement.

As these claddings come pre-finished, they are low maintenance on installation and throughout their lifetime, so you can spend more time on the things you love and less on re-oiling, staining or painting your cladding.

1. Cemintel Territory Riverbed Sandstone
2. Cemintel Territory
3. Cemintel Territory Quarry Urban Grey
4. PSP EuroClad Selekt Dark Cedar
5. Roofing Industries EuroStyle
6. Dimond Roofing EuroTray
7. Dimond Roofing Rib 50



PSP EUROCLAD SELEKTA

APPLICATION:

RESIDENTIAL | COMMERCIAL

EXTERIOR | INTERIOR

EuroClad Seleкта is a unique, pre-finished engineered timber cladding system with a beautiful wood-grain embossed surface. Designed for stability and longevity with premium style, EuroClad Seleкта offers a sustainable timber alternative that is eco-friendly and virtually maintenance free.

- Manufactured in Germany
- Simple tongue and groove fixing system
- High impact resistance

AVAILABLE PROFILES: Thickness: 18mm | Profile width: 170mm

RECOMMENDED FINISH: Pre-coloured | Pre-finished

WARRANTY LENGTH: 15 years

FEATURES & BENEFITS



DESIGN FLEXIBILITY



LIGHTWEIGHT



LOW MAINTENANCE



EASY TO INSTALL



PRE-FINISHED



ROT RESISTANT



SUITABLE FOR COASTAL ENVIRONMENTS



SUITABLE UNDER UV EXPOSURE



EASY TO CUT

CERTIFICATION



CodeMark



PEFC



pass



WE COMPLY S14G BUILDING ACT 2011

AVAILABLE COLOURS:



AFRICAN EBONY



CEDAR



COAST WHITE



DARK CEDAR



SILVER OAK



WHITE OAK

eboss.co.nz/library/psp-limited/euroclad
euroclad.co



1. PSP EuroClad Seleкта White Oak
2. PSP EuroClad Seleкта Dark Cedar
3. PSP EuroClad Seleкта Coast White
4. PSP EuroClad Seleкта Silver Oak
5. PSP EuroClad Seleкта Dark Cedar



CEMINTEL®

CEMINTEL TERRITORY™ SAVANNA & QUARRY

APPLICATION:

RESIDENTIAL **COMMERCIAL**
EXTERIOR **INTERIOR**

A natural cladding range that comes from the Japanese values of simplicity, nature and quality. It is a building block for your home. These prefinished cladding panels simulate materials like stone, timber, concrete and tiles, in a sophisticated way that enhances building facades, without the ongoing maintenance. Create a mixed cladding look with one seamless system.

- Simple clip fixing system for easy installation
- Provides a ventilated cavity to keep your building dry
- NichiGuard® stain resistant and self cleaning coating

AVAILABLE PROFILES: Thickness: 16mm | Profile width: 455mm

RECOMMENDED FINISH: Pre-coloured | Pre-finished

WARRANTY LENGTH: 15 years

FEATURES & BENEFITS



DESIGN FLEXIBILITY



LIGHTWEIGHT



LOW MAINTENANCE



NON-COMBUSTIBLE



EASY TO INSTALL



PRE-FINISHED



ROT RESISTANT



SUITABLE FOR COASTAL ENVIRONMENTS



SUITABLE UNDER UV EXPOSURE



EASY TO CUT

CERTIFICATION



CODEMARK™

AVAILABLE COLOURS:

QUARRY




CONCRETE




URBAN GREY

SAVANNA




CLOUD



HAZE



MIST



SHADE**

*NOT AVAILABLE IN ALL FINISHES. **INDENT ONLY COLOURS.

cemintel.co.nz

eboss.co.nz/library/cemintel



1. Cemintel Territory Quarry Urban Grey
2. Cemintel Territory Savanna Cloud & Shade
3. Cemintel Territory Quarry Urban Grey
4. Cemintel Territory Savanna Mist
5. Cemintel Territory Quarry Concrete
6. Cemintel Territory Quarry Urban Grey



CEMINTEL®

CEMINTEL TERRITORY™ RIVERBED, STEPPE & WOODLANDS

APPLICATION:

RESIDENTIAL **COMMERCIAL**
EXTERIOR **INTERIOR**

A natural cladding range that comes from the Japanese values of simplicity, nature and quality. It is a building block for your home. These prefinished cladding panels simulate materials like stone, timber, concrete and tiles, in a sophisticated way that enhances building facades, without the ongoing maintenance. Create a mixed cladding look with one seamless system.

- Simple clip fixing system for easy installation
- Provides a ventilated cavity to keep your building dry
- NichiGuard® stain resistant and self cleaning coating

AVAILABLE PROFILES: Thickness: 16mm | Profile width: 455mm

RECOMMENDED FINISH: Pre-coloured | Pre-finished

WARRANTY LENGTH: 15 years

FEATURES & BENEFITS



CERTIFICATION




AVAILABLE COLOURS:



* NOT AVAILABLE IN ALL FINISHES. ** INDENT ONLY COLOURS.

cemintel.co.nz
eboss.co.nz/library/cemintel



1. CeminTEL Territory Riverbed Silt
2. CeminTEL Territory Riverbed Sandstone Horizontal
3. CeminTEL Territory Steppe Montane & Tundra
4. CeminTEL Territory Canyon Ripple
5. CeminTEL Territory Woodlands Smoked
6. CeminTEL Territory Riverbed Sandstone Horizontal





DIMOND® ROOFING EUROTRAY®

APPLICATION:

RESIDENTIAL **COMMERCIAL**
EXTERIOR

If style's important and you're after cladding with elegance and distinction. Dimond's top-of-the line Eurotray range is proven cladding that delivers exceptional durability and performance with sharp, clean lines and timeless style. This cladding profile is inspired by some of the oldest and grandest buildings in Europe to match our most contemporary homes. Eurotray is designed to withstand the harshest of New Zealand's climate without compromising on premium aesthetics.

AVAILABLE PROFILES: Eurotray Lite, Eurotray Roll Cap, Eurotray Angle Seam, Eurotray Roll Seam

RECOMMENDED FINISH: Pre-coloured | Pre-finished

WARRANTY LENGTH: 15 years

FEATURES & BENEFITS



LOW MAINTENANCE



LIGHTWEIGHT



NON-COMBUSTIBLE



PRE-FINISHED



MADE IN NEW ZEALAND



ROT RESISTANT



SUITABLE FOR COASTAL ENVIRONMENTS



SUITABLE UNDER UV EXPOSURE




ENVIRONMENTALLY SUSTAINABLE

AVAILABLE COLOURS:




BLACK




GREY FRIARS




GULL GREY



IRONSAND




KARAKA




NEW DENIM BLUE




PERMANENT GREEN



SANDSTONE GREY



SLATE



TITANIA

*MUST BE INSTALLED BY AN ACCREDITED INSTALLER.

dimond.co.nz/products/cladding

eboss.co.nz/library/roofing-industries/eurostyle-eurolok-roofing-and-cladding



1. Dimond Roofing EuroTray® Lite Black
2. Dimond Roofing EuroTray® Lite Black
3. Dimond Roofing EuroTray® Lite Black
4. Dimond Roofing EuroTray® Angle Seam





DIMOND® ROOFING BROWNBUILT 900

APPLICATION:

- RESIDENTIAL
- COMMERCIAL
- EXTERIOR

Brownbuilt 900 has been designed with strong ribs that resist buckling under concentrated loads. Useful as a wall cladding, Brownbuilt 900's aesthetic appeal can be even further enhanced by inverting the profile to create Brownbuilt 900 Reverse Run.

- Strong angular ribs resist bucking
- Eye-catching aesthetic
- Can be horizontal or vertical

AVAILABLE PROFILES: Unpainted Zincolume, Galvanised or Aluminum, Prepainted ColorCote – ZinaCore™, MagnaFlow™, AlumiGard™

RECOMMENDED FINISH: Pre-coloured | Pre-finished

WARRANTY LENGTH: 15 years

DIMOND® ROOFING RIB50/RIB20

APPLICATION:

- RESIDENTIAL
- COMMERCIAL
- EXTERIOR
- INTERIOR

If versatility is what is needed, then Dimondclad is the perfect cladding solution. Dimondclad's clean, efficient lines and well concealed laps are excellent for both exterior and interior cladding. Dimondclad Rib 50 features wide ribs with narrow pans for the opposite look to Dimondclad Rib 20.

AVAILABLE PROFILES: Unpainted Zincolume, Galvanised or Aluminum, Prepainted ColorCote – ZinaCore™, MagnaFlow™, AlumiGard™

RECOMMENDED FINISH: Pre-coloured | Pre-finished

WARRANTY LENGTH: 15 years

FEATURES & BENEFITS



LOW MAINTENANCE



LIGHTWEIGHT



NON-COMBUSTIBLE



PRE-FINISHED



MADE IN NEW ZEALAND



ROT RESISTANT



SUITABLE* FOR COASTAL ENVIRONMENTS



SUITABLE UNDER UV EXPOSURE



ENVIRONMENTALLY SUSTAINABLE

AVAILABLE COLOURS: In a range of colours

*ONLY SOME PROFILES ARE SUITABLE FOR COASTAL ENVIRONMENTS, PLEASE CHECK THE MANUFACTURERS TECHNICAL DETAILS.



1. Dimond Roofing Brownbuilt 900 – Little Oasis
2. Dimond Roofing Brownbuilt 900 – Little Oasis
3. Dimond Roofing Brownbuilt 900 – Tawhai Res
4. Dimond Roofing RIB 50 – Black Barn



ROOFING INDUSTRIES EUROSTYLE™

APPLICATION:

RESIDENTIAL **COMMERCIAL**
EXTERIOR

Providing elegance, style, design flexibility, sustainability and extensive material choice. Eurostyle products are supplied in an extensive range of colours, metal substrates, surface coatings and panel widths and can be installed over solid plywood or attached to purlins meeting design requirements.

- Internal and external interlocking wall paneling
- Concave and convex curving
- Large range of metal substrates and surface finishes available

AVAILABLE PROFILES: Eurostyle Epic, Spanlok, Eurolok series

RECOMMENDED FINISH: Pre-coloured | Pre-finished

WARRANTY LENGTH: 15 years

FEATURES & BENEFITS



DESIGN
FLEXIBILITY



LIGHTWEIGHT



LOW
MAINTENANCE



NON-
COMBUSTIBLE



PRE-FINISHED



MADE IN
NEW ZEALAND



ROT RESISTANT



SUITABLE UNDER
UV EXPOSURE



ENVIRONMENTALLY
SUSTAINABLE



EASY TO CUT

AVAILABLE COLOURS: In a range of powder coated colours

*MUST BE INSTALLED BY AN ACCREDITED INSTALLER.

roof.co.nz





PSP

LIMITED

PSP ALPOLIC®/fr

APPLICATION:

RESIDENTIAL | COMMERCIAL

EXTERIOR | INTERIOR

ALPOLIC®/fr is an aluminium composite panel with a fire-retardant core. It gives a sleek industrial look to the outside of any building. It can be used to clad residential, commercial & high-rise building projects. Available with a gloss level of 15% to 80% and in an extra 200 indent colours, the capability to customise your cladding is endless.

- Coated with LUMIFLON base FEVE Fluoropolymer (CFTE) paint
- Triple coat finish
- Withstands up to 5kpa wind-loading exceeding NZS4284 (4mm sheet)

AVAILABLE PROFILES: Thickness: 4mm | Profile width: 3099×1270mm, 3099×1575mm

RECOMMENDED FINISH: Pre-coloured | Pre-finished

WARRANTY LENGTH: 20 years

FEATURES & BENEFITS



PRE-PRIMED



LOW MAINTENANCE



PRE-FINISHED



ROT RESISTANT



SUITABLE FOR COASTAL ENVIRONMENTS



SUITABLE UNDER UV EXPOSURE



EASY TO CUT

CERTIFICATION



CODEMARK




pass




WE COMPLY S14G BUILDING ACT 2004

AVAILABLE COLOURS:



BLACK



CHARCOAL




DARK GREY METALLIC



MANGANESE METALLIC



BRONZE METALLIC




MIRROR



SILVER METALLIC



SPARKLING WHITE



WHITE

alpolicfr.co.nz

eboss.co.nz/ebossnow/psp-limited-alpolic-fr-fire-rated-aluminium-cladding



1. PSP Alpolic®/fr – Charcoal
2. PSP Alpolic®/fr – Stainless Steel
3. PSP Alpolic®/fr – Silver Metallic
4. PSP Alpolic®/fr – Red



DYNEX PALLISIDE uPVC WEATHERBOARDS

APPLICATION:

- RESIDENTIAL**
- COMMERCIAL**
- EXTERIOR**

Pallside Weatherboards are a solid, smart looking cladding, which provides the natural shadow-lines and definition of timber weatherboards with a low maintenance finish. This ensures the product will keep on looking good without the continual maintenance often associated with weatherboards.

- No painting required
- Cost effective
- Made from 100% recycled material

AVAILABLE PROFILES: Traditional, Rusticated Smooth, Rusticated Woodgrain

RECOMMENDED FINISH: Pre-coloured | Pre-finished

WARRANTY LENGTH: 25 years







FEATURES & BENEFITS

 DESIGN FLEXIBILITY	 LIGHTWEIGHT	 LOW MAINTENANCE	 EASY TO INSTALL	 PRE-FINISHED	 MADE IN NEW ZEALAND
 ROT RESISTANT	 SUITABLE FOR COASTAL ENVIRONMENTS	 GUN NAILABLE	 SUITABLE UNDER UV EXPOSURE	 EASY TO CUT	

CERTIFICATION



AVAILABLE COLOURS:




 SLATE	 TEA	 WHITE	 CALICO
 SANDSTONE	 RIVERSTONE		

pallside.co.nz



1. Palliside uPVC Traditional Weatherboards – Riverstone
2. Palliside uPVC Traditional Weatherboards – White
3. Palliside uPVC Rusticated Smooth Weatherboards – White







SECTION 4

BRICK & CONCRETE CLADDING

Traditional made modern. With the durability and sustainability of some of the world's hardest materials, brick and concrete cladding will stand the test of time.

Made from all natural materials, these cladding options are energy saving due to their insulating qualities; keeping your home cool in summer and warm in winter. They protect against moisture, rot, mould, pests and insects as well as adding an extra layer of noise control by absorbing noise more effectively than other building material.

There is so much design flexibility with brick and concrete cladding, from leaving them with their natural finish through to painting. With bricks you can use a mix of profiles, styles and colours along with different mortar colours, joint styles and bonding which lead to near endless possibilities. You can clad your whole home in Brick or Concrete, or combine with a complementary cladding adding an extra dimension, better yet, clad an interior wall creating a flow from the outside in.

1. Firth Concrete Brick Devonstone Premium White
2. GB Masonry Cloud Breeze in Porcelain
3. The Brickery Grey Cashmere by Austral San Selmo Smoked Range
4. The Brickery Madrid by Austral La Paloma Range
5. The Brickery Reclaimed Original by Austral San Selmo Reclaimed Range
6. Hebel PowerPanel (Designed by DD Architects)
7. The Brickery Azul by Austral La Paloma Range

THE BRICKERY®

THE BRICKERY CLAY BRICK

APPLICATION:

RESIDENTIAL

EXTERIOR

INTERIOR

Austral and Monier bricks available through The Brickery provide durability, sustainability and long lasting performance while giving you the look you want. Cool in summer, warm in winter, and available in an astonishing range of colours, textures and sizes. Clay bricks are a designer's dream material.

- Naturally good looking
- No shrink or fade

AVAILABLE RANGE: Origin, Artisan, La Paloma, Vintage, Magnum, Mezzo, Industry & San Selmo

RECOMMENDED FINISH: Pre-finished | Mortar colour

WARRANTY LENGTH: 25 years

FEATURES & BENEFITS



DESIGN
FLEXIBILITY



LOW
MAINTENANCE



NON-
COMBUSTIBLE



EASY TO
INSTALL



PRE-FINISHED



ROT RESISTANT



SUITABLE
FOR COASTAL
ENVIRONMENTS



SUITABLE UNDER
UV EXPOSURE



ENVIRONMENTALLY
SUSTAINABLE



EASY TO CUT

CERTIFICATION



thebrickery.co.nz

eboss.co.nz/library/nz-brick-distributors

archipro.co.nz/professionals/the-brickery



1. The Brickery Azul by Austral, La Paloma Range
2. The Brickery Madrid by Austral, La Paloma Range
3. The Brickery Reclaimed Original by Austral, San Selmo Reclaimed Range



AVAILABLE COLOURS:

AUSTRAL BRICKS SAN SELMO RECLAIMED AND SMOKED RANGES



OPAQUE SLATE




GREY CASHMERE



RECLAIMED ORIGINAL

AUSTRAL BRICKS LA PALOMA RANGE



MADRID




ALICANTE



SEVILLE



TERRASSA



PAMPLONA



GRENADA



TENERIFE



LANZAROTE



BILBAO



DRICON MORTAR

COLOURED MORTAR



USAGE: Brick & block laying
BAG SIZE: 30KG
STRENGTH: 12.5MPa
WORK TIME: 30-35mins
SET TIME: 1-2 hours



ARCHITECTURAL MORTAR



USAGE: Brick & block laying
BAG SIZE: 30KG
STRENGTH: 12.5MPa
WORK TIME: 30-35mins
SET TIME: 1-2 hours




BRICK MORTAR



USAGE: Brick laying
BAG SIZE: 30KG
STRENGTH: 12.5MPa
WORK TIME: 30-35mins
SET TIME: 1-2 hours



TRADE MORTAR



USAGE: Brick & block laying
BAG SIZE: 30KG
STRENGTH: 12.5MPa
WORK TIME: 30-35mins
SET TIME: 1-2 hours



1. The Brickery Reclaimed Original by Austral, San Selmo Reclaimed Range
2. GB Masonry Cloud Breeze in Porcelain
3. The Brickery Miro by Austral, La Paloma Range
4. The Brickery Madrid, Pamplona, Tenerife by Austral, La Paloma Range
5. The Brickery Gaudi by Austral, La Paloma Range



MORTAR COLOUR

When it comes to mortar (what binds the bricks together) you will need to consider the colour and finish, as both will have a striking impact on the look of your bricks. Mortar constitutes approximately 15% of the brick facade colour.

An off-white mortar between darker coloured bricks will add contrast and highlight the shape of each brick. Whereas matching mortar colour to the brick will soften the brickwork.



NATURAL



OFF WHITE



GREY




BLACK

MORTAR FINISHES

When it comes to mortar finishes, it's all about the lighting. There are four common finishes; raked, rolled, flush and struck.


A raked finish is recessed, creating deep shadows in the horizontal mortar joint, bringing out the lines of the brick work. A rolled finish* also creates shadow lines, but they are subtler. A flush finish doesn't allow for any shadows in the joint, giving the wall a flatter, more unified look. A struck joint gives a neat, well ordered look.



Raked



Rolled



Flush



Struck

*A ROLLED JOINT IS RECOMMENDED FOR ALL SLURRY COATED CLAY BRICKS. INFORMATION SUPPLIED BY THE BRICKERY.



FIRTH CONCRETE BRICK

APPLICATION:

RESIDENTIAL

EXTERIOR

The appeal of concrete brick is its beautiful natural characteristics, similar to the features of real stone. Firth Designer Brick range is built to last, they are cool in summer, warm in winter. True colour, solid colour pigments throughout the brick. All Firth Bricks carry Declare label certification, they are Red List free and designed to shape a healthier environment.

AVAILABLE RANGES: Focus, Strata, Devonstone – Straight Edge & Rumbled, Manorstone – Straight Edge & Rumbled

RECOMMENDED FINISH: Pre-finished | Mortar colour

WARRANTY LENGTH: 15 years

FEATURES & BENEFITS



DESIGN FLEXIBILITY



LOW MAINTENANCE



NON-COMBUSTIBLE



MADE IN NEW ZEALAND



PRE-FINISHED



ROT RESISTANT



SUITABLE FOR COASTAL ENVIRONMENTS



SUITABLE UNDER UV EXPOSURE



ENVIRONMENTALLY SUSTAINABLE

CERTIFICATION



PROFILES: Similar to the features of real stone, Firth concrete bricks will have natural variation in colours and characteristics. So when choosing Firth Designer bricks, please expect colour hue variations and regional differences due to locally sourced raw material. It's all part of a beautifully natural product.

firth.co.nz



1. Devonstone Antique White with Dricon Mortar Pumice Laid stretcher bond
2. Strata Brick Antique White with Dricon Mortar Antique White Laid stretcher bond
3. Devonstone Antique White with Dricon Mortar Natural Laid stack bond
4. Manorstone Antique White with Dricon Mortar Natural Laid stretcher bond
5. Manorstone Rumbled Tranquility with Dricon Mortar Tranquility Laid stretcher bond



AVAILABLE COLOURS:

FOCUS 230x90x75mm



1. PREMIUM WHITE
2. URBAN GREY

STRATA 290x75x70mm



1. ANTIQUE WHITE
2. URBAN GREY
3. SERENITY
(SOUTH ISLAND ONLY)
4. GRAPHITE
(SOUTH ISLAND ONLY)
5. PREMIUM WHITE
(NORTH ISLAND ONLY)

DEVONSTONE 290x160x70mm



1. PREMIUM WHITE
(NORTH ISLAND ONLY)
2. URBAN GREY
3. ANTIQUE WHITE
4. TRANQUILITY
5. GRAPHITE
(SOUTH ISLAND ONLY)

MANORSTONE 390x190x90mm



1. PREMIUM WHITE
(NORTH ISLAND ONLY)
2. URBAN GREY
3. ANTIQUE WHITE
4. TRANQUILITY
5. GRAPHITE
(SOUTH ISLAND ONLY)

HEBEL POWERPANEL

APPLICATION:

- RESIDENTIAL**
- EXTERIOR** | **INTERTENANCY**

The Hebel PowerPanel External Wall Cladding System has been designed for homes built using either timber or steel framing including home extensions and recladding of existing homes. The system consists of 50mm or 75mm thick, lightweight, steel-reinforced Hebel PowerPanel panels, fixed vertically to horizontal top hat battens attached to a load-bearing frame.

- Large, lightweight panels lead themselves to a faster installation time than the average cladding system
- Solid as a brick but lighter
- Great acoustic properties

AVAILABLE PROFILES: Thickness: 50mm & 75mm | Profile lengths: 2200mm, 2400mm, 2550mm & 2700mm

RECOMMENDED FINISH: Plaster | Paint

WARRANTY LENGTH: 20 years

FEATURES & BENEFITS


 DESIGN FLEXIBILITY	 LOW MAINTENANCE	 NON- COMBUSTIBLE	 EASY TO INSTALL	 ROT RESISTANT	 SUITABLE FOR COASTAL ENVIRONMENTS
 SUITABLE UNDER UV EXPOSURE	 ENVIRONMENTALLY SUSTAINABLE	 EASY TO CUT			

CERTIFICATION



hebel.co.nz

eboss.co.nz/ebossnow/hebel-steel-reinforced-aac-cladding-lightweight



1. PowerPanel by DD Architects
2. PowerPanel by Rockwell Group
3. PowerPanel by Williams Corporation



GB BREEZE BLOCK

APPLICATION:

RESIDENTIAL

EXTERIOR | **INTERIOR**

Contemporary colours and effortless style created in concrete. The GB Masonry Breeze Block Range has been designed to complement contemporary designs.

Can be used as an external feature wall; a way of providing sun protection or as a screen for privacy. GB Masonry Breeze Block is also an excellent way of providing an internal feature for that unique look inside.

AVAILABLE PROFILES: Diamond Breeze – 15.936, Wedge Breeze – 15.937, Flower Breeze – 10.908

RECOMMENDED FINISH: Mortar colour

WARRANTY LENGTH: 25 years

FEATURES & BENEFITS

 DESIGN FLEXIBILITY	 LOW MAINTENANCE	 NON-COMBUSTIBLE	 EASY TO INSTALL	 ROT RESISTANT	 SUITABLE FOR COASTAL ENVIRONMENTS
 SUITABLE UNDER UV EXPOSURE	 ENVIRONMENTALLY SUSTAINABLE				


AVAILABLE COLOURS: Porcelain



australmasonry.co.nz



1. GB Masonry Wedge Breeze in Porcelain with GB Honed Block wall – 10.01 & 10.71
2. GB Masonry Wedge Breeze in Porcelain
3. GB Masonry Wedge Breeze and Diamond Breeze in Porcelain
4. GB Masonry Wedge Breeze and Diamond Breeze in Porcelain





GB HONED BLOCK

APPLICATION:

- RESIDENTIAL
- COMMERCIAL
- EXTERIOR
- INTERIOR

Embrace the elegance of this block as its subtle sparkle of natural aggregate shines through.

Can be used to create a seamless connection between the internal and external elements of your property. GB Honed Block is ideal for a range of projects from a modern beach house to impressive commercial projects.

- Lower energy costs due to insulating properties
- Impact resistant, strong and durable
- Sound insulating giving you a quieter home

AVAILABLE PROFILES: 10.01, 10.25, 10.71 | Indent Profiles: 10.02, 10.03, 10.71, 10.725, 10.73, 20.01, 20.02, 20.03, 20.13, 20.20, 20.42, 20.71, 20.73

RECOMMENDED FINISH: Mortar colour

WARRANTY LENGTH: 25 years

FEATURES & BENEFITS

 DESIGN FLEXIBILITY	 LOW MAINTENANCE	 NON-COMBUSTIBLE	 EASY TO INSTALL	 PRE-FINISHED	 ROT RESISTANT
 SUITABLE FOR COASTAL ENVIRONMENTS	 SUITABLE UNDER UV EXPOSURE	 ENVIRONMENTALLY SUSTAINABLE			

AVAILABLE COLOURS: Poreclain




20.01 390x190x190mm

australmasonry.co.nz



1. GB Masonry Honed Block in Poreclain
2. GB Masonry Honed Block in Poreclain
3. GB Masonry Honed Block in Poreclain
4. GB Masonry Honed Block in Poreclain





When choosing a cladding for your project it is your responsibility to ensure that you receive sign off from the local authorities to ensure that the product you choose is suitable. PlaceMakers excludes all liability and responsibility for the specification or application of the cladding.

As such the information in this catalogue is intended to provide general assistance to those interested in projects where a cladding or façade is required. Whilst care has been taken in providing the advice and recommendations in this catalogue, PlaceMakers takes no responsibility for the accuracy or completeness of it. PlaceMakers excludes all liability in relation to the statements and information provided in this catalogue and for any actions taken in reliance on this information.

Products featured in this catalogue may not be stocked in all stores but can easily be ordered in for you. Selected products may be on an indent only order process which require a minimum eight-week lead time. Please note the colour, texture and finish of these products may differ slightly from that pictured. All photographic images are intended to provide a general impression only and we recommend you view a sample in store. As some photographs are sourced from overseas they may not reflect compliance with the NZBC in their application and as such should not be relied on. Please seek expert advice from your architect and relevant local authority.

Manufacturers and Suppliers product and warranty information is also included in summary form in this catalogue. Please see Supplier websites for further product warranty and performance information including installation and maintenance instructions.

The information contained in this document is current as at November 2019 and is based on information available to PlaceMakers at the time of going to print.

placemakers.co.nz

The Brickery, Madrid, Pamplona, Tenerife by Austral, La Paloma Range

NORTHLAND

KAITIAI 408 9020
KERIKERI 407 4820
MANGAWHAI 431 4236
WHANGAREI 470 3970

AUCKLAND

ALBANY 414 0900
COOK ST 356 2899
HELENSVILLE 420 9150
MT WELLINGTON 570 8300
NEW LYNN 825 0088
PAKURANGA 538 0200

PUKEKOHE

SILVERDALE 424 9000
TAKANINI 268 2950
WAIHEKE ISLAND 372 0060
WAIRAU PARK 444 5155
WESTGATE 815 6800

WAIKATO / BAY OF PLENTY

CLARENCE ST 838 0716
HUNTLY 828 2000
MORRINSVILLE 889 8057
MT MAUNGANUI 575 4009
ROTORUA 347 7023

TAUPO

TE KUITI 376 0220
TE RAPA 878 8149
THAMES 850 0190
WHAKATANE 868 0130
WHITIANGA 306 0320
867 2000

CENTRAL NORTH ISLAND

HAWERA 278 6013
HAWKES BAY 843 5816
NEW PLYMOUTH 755 9040
OHAKUNE 385 8414
PALMERSTON NORTH 353 5777
WANGANUI 349 1919

WELLINGTON

EVANS BAY 387 8692
HUTT CITY 568 5042
KAIWHARAWHARA 472 1616
KAPITI 296 1086
LEVIN 366 0960
MASTERTON 377 7504
PORIRUA 237 9189

UPPER SOUTH ISLAND

BLENHEIM 520 6030
MOTUEKA 528 8164

PORT NELSON

SAXTON RD 548 9069
547 9111

CHRISTCHURCH

ANTIGUA STREET 344 8915
CRANFORD STREET 375 4119
HORNBY 344 8950
KAIAPOI 327 5860
RICCARTON 348 2039

CANTERBURY

ASHBURTON 308 9099
TIMARU 687 4035
TWIZEL 435 3133

SOUTHERN

ALEXANDRA 440 0198
CROMWELL 445 9202
DUNEDIN 466 4609
GORE 209 0055
INVERCARGILL 211 0366
MOSGIEL 466 4617
OAMARU 433 0460
QUEENSTOWN 450 9000
TE ANAU 249 7774
WANAKA 443 0080