



**Innovative Timber Ideas**

# ITI Timspec

[www.ititimspec.nz](http://www.ititimspec.nz)

*The original timber specialists*

## Timber Specialists Profile Guide





Accoya



Radiata Pine



Western Red Cedar

# Product Application Information

---

Products	Description	Exteriors	Interiors
<b>CertClad</b>	Weatherboards (Accoya, Radiata Pine, WR Cedar)	•	
<b>Fascia</b>	Soffit	•	
<b>Mouldings</b>	Corners & trims	•	•
<b>EZI TRIM</b>	Mouldings (Radiata Pine)		•
<b>D4S</b>	Dressed four sides	•	•
<b>Panelling</b>	Wall & ceiling linings		•
<b>Sarking</b>	Ceiling linings		•
<b>Soffit Linings</b>		•	
<b>CertFloor</b>	Engineered T&G Flooring & Solid T&G Flooring		•
<b>CertDeck</b>	Solid wood Decking (For more info, visit <a href="http://www.ititimspec.nz">www.ititimspec.nz</a> )	•	
<b>Eva Last</b>	Composite Decking (Recycled plastic + Bamboo)	•	

# Contents

---

	Page
<b>CertClad Weatherboards</b>	<b>5</b>
<b>Fascia</b>	<b>19</b>
<b>Mouldings</b>	<b>21</b>
<b>Ezi Trim Plus Mouldings</b>	<b>21</b>
<b>Dressed four sides (D4S)</b>	<b>25</b>
<b>Panelling   Sarking   Soffit linings</b>	<b>28</b>
<b>CertFloor Flooring</b>	<b>30</b>
<b>Accoya &amp; Hardwood Decking</b>	<b>36</b>
<b>EvaLast Decking</b>	<b>36</b>

# 1. CertClad

## Weatherboard/Cladding Types

- **Horizontal Bevelback Weatherboard Profiles**
- **Horizontal Rusticated Weatherboard Profiles**
- **Vertical Shiplap Weatherboards Profiles**



# Horizontal Bevelback Weatherboard Profiles








**A** ACCOYA®  
19mm thick

**C** WESTERN RED CEDAR  
18.5mm thick

**R** RADIATA PINE  
19mm thick

# Horizontal Bevelback Weatherboard Profiles






A ACCOYA®  
19mm thick

C WESTERN RED CEDAR  
18.5mm thick

R RADIATA PINE  
19mm thick

# Horizontal Rusticated Weatherboard Profiles







**A** ACCOYA®  
19mm thick

**C** WESTERN RED CEDAR  
18.5mm thick

**R** RADIATA PINE  
19mm thick

# Horizontal Rusticated Weatherboard Profiles



**A** ACCOYA®  
19mm thick


**C** WESTERN RED CEDAR  
18.5mm thick

**R** RADIATA PINE  
19mm thick

# Horizontal Rusticated Weatherboard Profiles

Random Series (Combination Rusticated Profile)


A C



Standard: 6mm Negative detail (Accoya and WR Cedar available)

Random Series (Combination Rusticated Profile)

A C



Standard: 6mm Negative detail (Accoya and WRCedar available)

P922 Accoya, 240 wide Rusticated profile

A








Standard: 6mm Negative Detail

**A** ACCOYA®  
19mm thick

**C** WESTERN RED CEDAR  
18.5mm thick

**R** RADIATA PINE  
19mm thick

# Random Series Rusticated Weatherboards



**A** ACCOYA®  
19mm or 28mm thick


**C** WESTERN RED CEDAR  
18.5mm or 28mm thick



# Vertical Shiplap Weatherboard Profile


P51 Bevel Grooved Vertical Shiplap Profile

A C R



P52 Bevel Grooved Vertical Shiplap Profile

A C R




P53 Bevel Grooved Vertical Shiplap Profile

A C R




P54 Bevel Grooved Vertical Shiplap Profile

A C R



P57 Bevel Grooved Vertical Shiplap Profile

A C R



A ACCOYA®  
19mm thick


C WESTERN RED CEDAR  
18.5mm thick

R RADIATA PINE  
19mm thick

# Vertical Shiplap Weatherboard Profile


P55 Square Grooved Vertical Shiplap Profile

A C R



P56 Square Grooved Vertical Shiplap Profile

A C R




P58 Square Grooved Vertical Shiplap Profile

A C R




P920 Accoya Vertical Shiplap, 240 wide profile

A



P50 'V' Joint Vertical Shiplap Profile

A C







A ACCOYA®  
19mm thick

C WESTERN RED CEDAR  
18.5mm thick

R RADIATA PINE  
19mm thick

# Vertical Shiplap Weatherboard Profile




**A** ACCOYA®  
19mm thick

**C** WESTERN RED CEDAR  
18.5mm thick






**R** RADIATA PINE  
19mm thick

# Random Series Vertical Shiplap Weatherboards



- A** ACCOYA®  
19mm or 18mm thick
- C** WESTERN RED CEDAR  
18.5mm or 28mm thick

# Random Series Vertical Shiplap Weatherboards



**A** ACCOYA®  
19mm or 18mm thick

**C** WESTERN RED CEDAR  
18.5mm or 28mm thick


# Paint & Stain Profile Suggestion

 Dry film build


## Stain Quality Profiles

## Paint Quality Profiles

### Bevelback Profiles




(a) Not suitable for paint (only stain)




(b) Suitable for paint

### Rusticated Profiles



(a) Not suitable for paint (only stain)




(b) Suitable for paint

### Vertical Profiles



(a) Not suitable for paint (only stain)




(b) Suitable for paint

## 2. Fascia



# Fascia



**A** ACCOYA®  
19mm or 28mm thick

**C** WESTERN RED CEDAR  
18.5mm or 28mm thick

**R** RADIATA PINE  
19mm or 28mm thick


### 3. Mouldings

### 4. Ezi Trim Mouldings




# Mouldings


Cover board




Scriber




P43 Rustic Plug




P42: External Corner Moulding




P40 External Corner Moulding




Internal Corner Mouldings




P351 Internal Corner Moulding




P300: External Corner Moulding




Eaves Moulding




P321 External Corner Moulding



P330: External Corner Moulding




# Ezi-Trim Mouldings




**Splayed AS8**

42 x 11mm	5.4m
66 x 11mm	5.4m
90 x 11mm	5.4m




**Bevel**

42 x 15mm	5.4m
66 x 15mm	5.4m




**Bevel AS3**

42 x 18mm	5.4m
66 x 18mm	5.4m
90 x 18mm	5.4m
138 x 18mm	5.4m




**Half Splayed AS4 25mm**

66 x 18mm	5.4m
90 x 18mm	5.4m




**Half Splay AS5 33mm**

66 x 18mm	5.4m
90 x 18mm	5.4m




**Pencil Round AS15**

66 x 11mm	5.4m
90 x 11mm	5.4m



**Bevel Round**


42 x 18mm	5.4m
66 x 18mm	5.4m
90 x 18mm	5.4m



**Bullnose AS1**


66 x 18mm	5.4m
90 x 18mm	5.4m

# Ezi-Trim Mouldings




**Pencil Round AS15**

66 x 11mm	5.4m
90 x 11mm	5.4m




**Bevel Round**

42 x 18mm	5.4m
66 x 18mm	5.4m
90 x 18mm	5.4m




**Bullnose AS1**

66 x 18mm	5.4m
90 x 18mm	5.4m




**DAR - Dressed All Round**

30 x 11mm	5.4m
42 x 11mm	5.4m
66 x 11mm	5.4m
42 x 18mm	5.4m
66 x 18mm	5.4m
90 x 18mm	5.4m
110 x 18mm	5.4m
138 x 18mm	5.4m



**Lining Board 302 & 321**

140 x 12mm	5.4m
------------	------




**Flat Jamb Set**

110 x 18mm	0.9m
110 x 18mm	2.105m
110 x 18mm	2.400m


**Door Stop**

30 x 11mm	0.9m
30 x 11mm	2.105m
30 x 11mm	2.400m



**Scotia**

30mm	5.4m
------	------



**Quad**

18mm	5.4m
------	------



**Tri Quad**

18mm	5.4m
------	------


Special profiles can also be supplied, minimum volume applies.

For additional profiles, please visit [www.ezitrims.com](http://www.ezitrims.com)


## 5. Dressed four sides (D4S) Profiles



# D4S Profiles





# D4S Profiles




Drawing not to scale

## 6. Panelling | Sarking | Soffit Linings



## Panelling | Sarking | Soffit Linings




DRAWINGS NOT TO SCALE

## 7. CertFloor

Interiors

Engineered T&G Flooring

Solid Hardwood T&G Flooring Profiles




# Engineered T&G Flooring

## European Oak Flooring




The mark of responsible forestry



# Engineered Flooring

## Spotted Gum/ Blackbutt - Engineered Flooring



- No mess and fumes from sanding and finishing.
- Boral® Engineered Flooring can be walked on within hours of installation.
- Boral® Engineered Flooring can be glued or 'floated' over a level subfloor such as a concrete slab, particle board or plywood sheeting or over old timber floors or tiles. For further information, Please visit [www.ititimspec.nz/Downloads/6733/](http://www.ititimspec.nz/Downloads/6733/)
- A variety of quality underlays can be installed with Boral® Engineered Flooring to provide a range of flooring solutions such as floor levelling, cushioning and acoustic properties.
- Boral® Engineered Flooring 134mm is pre-finished with seven layers of matte finish 35% gloss UV cured acrylic coating, while the 186mm is coated with a 10% UV cured acrylic matte and brushed for added texture.
- The 4mm nominal hardwood top layer allows re-sanding and re-coating for a long service life.
- The board has a precision-milled square edge and a 4 side Uniclic profile for a tight board-to-board fit and a smooth consistent finish.
- The product range is available in three beautiful Australian hardwood species.
- The clear coating highlights the natural colour and timber features.


For more information, Please visit [www.ititimspec.nz](http://www.ititimspec.nz)

# Solid T&G Flooring




Look for our FSC® and PEFC™ products on our website here [www.ititimspec.nz](http://www.ititimspec.nz)


P8811 83X19mm Flooring




P8812 133X12mm Flooring



P8813 85X12mm Flooring



P8814 85X19mm Flooring




# Solid T&G Flooring




Look for our FSC® and PEFC™ products on our website here [www.ititimspec.nz](http://www.ititimspec.nz)


P8815 128X19mm Flooring



P8816 130X19mm Flooring



P8817 162X19mm Flooring




## T&G Solid hardwood Flooring Species

American hard Maple | American Red Oak | American White Oak | American White Ash | Australian Blackwood | Australian Oak | Pilularis Blackbutt | Black Walnut | European White Oak | Jarrah | Kwila | Roasted White Ash (American) | Roasted White Oak (American) | Rosewood | Spotted Gum | Taun/Akwa


For more information, Please visit [www.ititimspec.nz](http://www.ititimspec.nz)

# Solid T&G Flooring




P3396 98X19mm Flooring

Verandah profile, available only in Accoya®  
(Contact ITI Timspec for more sizes)



P8821 205X19mm Flooring



P8818 172X19mm Flooring



Look for our FSC® and PEFC™ products on our website here  
[www.ititimspec.nz](http://www.ititimspec.nz)

## 8. CertDeck

1. Accoya Decking Profiles
2. Kwila Decking Profiles
3. Spotted Gum Decking Profiles
4. Vitex Decking Profiles

## 9. Eva Last Decking



Accoya



Spotted Gum




Kwila



Vitex




## 1. Accoya Decking Profiles






Accoya is produced by Accsys Technologies

## 2. Kwila Decking Profiles




## 2. Kwila Decking Profiles






For custom sizes and 42mm thickness decking profiles, go to our website.  
 (<https://ititimspec.nz/Hardwood-Decking/6647>)

## 3. Spotted Gum Decking Profiles



## 4. Vitex Decking Profiles



### Deck board finishes



Aged Grain J1R1



Smoked Bark (Q1R)



The mark of responsible forestry

### Colours



Tiger Cove (008)



Antique Wash (089)



Espresso Roast (015)



Cape Town Gray (011)

### 140X23 Grooved Composite Decking



### 140X23 Non - Grooved Composite Decking



Note: Fasteners and accessories are available. Please email [sales@ititimspec.co.nz](mailto:sales@ititimspec.co.nz) for more information