



www.promaxplastics.co.nz



Promax
RURAL

Promax Rural Product Catalogue 2021



Welcome

Promax is a well-known and successful liquid storage solutions brand within the primary sector with a rich history.

Whatever you need to contain, from water and milk to stock food and molasses, we can provide an off the shelf or custom designed solution incorporating the latest global trends and polymer technologies.

Kind regards,

The Promax Team

Freephone 0800 77 66 29

Fax 09 407 3578

sales@promaxplastics.co.nz

www.promaxplastics.co.nz

Contents

- 1.1 Enduro Water Tanks
- 1.2 XPRESS Water Tanks
- 1.3 Slimline Tanks
- 1.4 Tank Specifications
- 2.1 Rainwater Tank Accessories
- 2.2 Rainwater Tank Accessories Specifications
- 3.1 Colostrum Tanks
- 4.1 Molasses Tanks
- 4.2 Molasses Tank Accessories
- 5.1 Transport Tanks
- 5.2 Transport Tank Accessories
- 6.1 Diesel Tanks
- 7.1 Boxes and Bins
- 8.1 Drainage
- 9.1 Specifications

1.1

Promax Enduro Water Tanks

Choose quality and style with our range of large corrugated tanks, designed for superior performance and peace-of-mind. These ultra strong tanks are engineered to last and compliment every landscape with their contemporary look.

- Big Enduro tanks range from 10000L to 30000L capacities
- Corrugated side walls for extra strength
- One piece construction - reducing maintenance and costs
- Bury 1 metre in ground to overcome height restrictions
- 5000L and under can be buried up to 1/3 of their height
- 20 Year Promax Warranty - providing you with peace of mind
- Multiple inlet/outlet panels - saving you installation time
- New 600mm Manhole
- Clean, fresh untainted storage for drinking and household use
- Threaded base outlets
- Range of 7 colours to suit your surroundings
- Free delivery - saving you time and money (This may exclude certain areas and outer Islands)



Quick Fact

New Zealand's strongest plastic tank! Promax Big Tanks can be buried and backfilled up to 1 metre deep and retain their 20 Year Warranty.

1.1 Promax Water Tanks



Our corrugated tanks are strong and durable. They will provide years of maintenance free rainwater storage.


Whether you require a compact tank for harvesting rainwater for your garden, bach or pool, or just looking to top-up your main water supply and save money. One of the many size options available in the Promax Small Tank range is sure to meet your needs.

- Small Enduro tanks range from 450L to 5000L capacities
- Corrugated side walls for extra strength
- Maintenance free one piece moulded construction
- Easy installation with multiple inlet/outlet opportunities
- Clean, fresh untainted storage for drinking and household use
- 1x threaded base outlet
- Special outlets available on request
- Range of 7 colours to suit your surroundings
- Free delivery - saving you time and money (This may exclude certain areas and outer Islands)



Quick Fact

All Promax tanks are manufactured from high quality UV-treated food grade polyethylene plastic and are certified to hold drinking water.




Low Profile options for height restricted areas



Thank you very much - our new tank is now in place and we are very pleased with it.

Also very impressed with the handling and competence of Dave, the delivery man. We were quite concerned about how he would get it into place, but with Dave - no worries!

CLAUDINE MAYNARD



1.2 Promax Xpress Smooth Wall Water Tanks

Promax Xpress Water Tanks

Now it's easy to get your hands on a quality water tank at an affordable price!

Promax Xpress Tanks are made from high-grade polyethylene plastic, they provide renowned Promax quality at an affordable price.

- 2500L - 30000L capacities
- One-piece construction - reducing maintenance and costs
- Threaded 50mm outlet at base for quick and easy setup
- Choice of two popular colours
- Complies with AS/NZ Standards for drinking water for clean fresh drinking water
- 20 Year Industry Warranty
- Free nationwide delivery to your property (this may exclude certain areas and outer Islands)
- 600mm Mahhole



*10,000L South Island only.



Quick Fact

The daily average water usage per household (house only) in New Zealand for 2 people is 360 litres per day and for 4 people is 650 litres per day.

1.3 Slimline Tanks

Slimline Tanks

The space and water saving Promax Slimline Tanks are ideal for urban dwellers who want to harvest and use rainwater for household requirements.

Designed to blend discreetly with your surroundings, the Slimline Tank helps you save money on everyday necessities like watering the garden.

- 2000L, 3000L and 5000L capacities
- Save money on everyday household and garden water costs
- Save space with very compact and unobtrusive design
- 7 different colours to suit your surroundings
- Sits discreetly on the unused side of your house
- Easy to install, supplied with 25mm threaded outlet
- PS1 for seismic restraint available - Certified to IL2 (Residential, Commercial & Industrial Buildings).



“

I would definitely spec Promax tanks due to the service you provided and also the CAD drawing which was extremely helpful.

Getting technical information can be difficult, but with you guys it was easy as. I also appreciated the advice you gave over the phone.

**STEVE CORMACK,
HAMILTON**

1.3 Slimline Tanks

Promax Slimline Tank & Pump Combo

The Promax Slimline Water Tank is also available as a Slimline Tank & Pump Combo. All the benefits of the Promax Slimline Tank with a pre-plumbed pump system!

The RAINSAVERMK6 is an Automatic Rainwater / Mains Water Changeover Device designed to provide automatic mains back up for Pressure Pump supply systems. The RAINSAVERMK6 is designed to be installed in conjunction with a Pressure Pump supply system that is fitted with an independent pressure and flow controller with loss of prime protection and 24 hour auto restart.

All the benefits of the Promax Slimline Tank and now with a pre-plumbed pump system!

- DAB-JETCOM82MPC2 Pump for reliability
- Bianco RAINSAVERMK6 automatic mains/ changeover device.
- Saves onsite hassle and incorrect plumbing configurations
- 2 year Warranty on Pump System.
- AS/NZS4020 Drinking Water Approved

Note - Slimline tanks are currently only available in North Island. South Island orders will attract an additional freight charge.

Bare Tank Model	Includes
Seismic restraint	✓
Seismic PS1	✓
Integrated pump cover	✓
Easy installation—no footings or posts required	✓
Easy installation—simple bolt-down design	✓
Small footprint	✓
One-piece with no joins or seams	✓
Tank & Pump Model	Includes
All Bare Tank model features	✓
Pre-plumbed Pump	✓
Automatic changeover device	✓




1.4

Tank Specifications

Promax Enduro Water Tanks



Promax Xpress Water Tanks



1.4

Tank Specifications

Promax Enduro Water Tanks

Code	Description	D (mm)	H (mm)	Outlet (mm)	Manhole (mm)
PMXST00120	120L Header Tank	660mm	510mm	20mm	450mm
PMXST00450	450L Water Tank	880mm	820mm	20mm	450mm
PMXST01000	1000L Water Tank	1030mm	1420mm	20mm	450mm
PMXST02000	2000L Water Tank	1300mm	1720mm	25mm	450mm
PMXST03000	3000L Water Tank	1600mm	1760mm	25mm	450mm
PMXST04000	4000L Water Tank	1600mm	2200mm	32mm	450mm
PMXST05000	5000L Water Tank	1600mm	2450mm	32mm	450mm
PMXST05000LP	5000L Water Tank - Low Profile	2200mm	1850mm	50mm	450mm
PMXBT10000	10000L Water Tank - North Island Only	2200mm	2900mm	50mm	450mm
PMXBT25000	25000L Water Tank	3660mm	2800mm	50mm	600mm
PMXBT30000	30000L Water Tank	3660mm	3100mm	50mm	600mm

Promax Water Tank Colours



Xpress Water Tanks

Code	Description	D (mm)	H (mm)	Outlet (mm)	Manhole (mm)
XPST02500	2500L Water Tank	1850mm	1240mm	25mm	450mm
XPST03500	3500L Water Tank	1850mm	1640mm	25mm	450mm
XPST05000	5000L Water Tank	1850mm	2240mm	32mm	450mm
XPBT10000	10000L Water Tank - South Island Only	2200mm	2900mm	50mm	450mm
XPBT15000	15000L Water Tank	3000mm	2450mm	50mm	600mm
XPBT25000	25000L Water Tank	3660mm	2800mm	50mm	600mm
XPBT30000	30000L Water Tank	3660mm	3100mm	50mm	600mm

Xpress Water Tank Colours



Please Note: Tank Colours are displayed as close as printing methods will allow.

Please Note: All Xpress tanks have smooth walls.

Slimline Tanks

Code	Description	D (mm)	H (mm)	Outlet (mm)	Manhole (mm)
PMXSL02000SL	2000L Slimline Tank	2250mm x 570mm	2150mm	25mm	300mm
PMXSL03000SL	3000L Slimline Tank	3000mm x 610mm	2150mm	25mm	300mm
PMXSL05000SL	5000L Slimline Tank	3000mm x 910mm	2150mm	25mm	300mm
PMXSL02000PK	Promax Slimline Water Tank & Pump Combo - 2000L	2250mm x 570mm	2150mm	25mm	300mm
PMXSL03000PK	Promax Slimline Water Tank & Pump Combo - 3000L	3000mm x 610mm	2150mm	25mm	300mm
PMXSL05000PK	Promax Slimline Water Tank & Pump Combo - 5000L	3000mm x 910mm	2150mm	25mm	300mm

Technical Drawings available on request.

* Please note ALL Xpress tanks have smooth walls.

Please note South Island freight charges will apply.

+ Material complies with the following standards:

AS/NZS 4020: 2002 Potable (Drinking) Water Standard

AS/NZS 2070: Part 1 and Part 8 Australian Standards for Food Contact

AS/NZS 4766 (INT): 2002 Polyethylene Storage Tanks for Water and Chemicals



Promax Rainwater Tank Accessories

Harvesting rainwater is an efficient and effective way of saving cost and providing clean, fresh water for your home, lifestyle block or farm. For some it is their sole source, to others it provides a very valuable support.

The range of Promax Rain Harvesting Accessories are chosen to enable owners to tailor a system to collect, process and store clean oxygenated water.

2.1 Promax Rainwater Tank Accessories

Promax Balancing Kit

Very easy to install.

This kit contains all the 50mm fittings required to install a water balance pipeline between two tanks to allow them to operate as one tank including one isolating ball valve.



PMXAC00050TB

Promax Tank Fitting Kit

The Promax Tank Fitting kit contains all you need to fit your Promax or XPRESS Tank up to your pump and water source!

Fitting kit contains:

- 2 x Promax Pipe seals - 90mm
- 1 x Reducing nipple 50mm - 25mm
- 1 x Promax Plastic Ball Valve - 25mm
- 1 x Promax 25mm Hose Tail
- 1 x 2m Flexi suction delivery hose 25mm
- 1 x roll Thread Tape



PMXACFITKIT


2.1 Promax Rainwater Tank Accessories

Promax Fire Coupling Kits

Easy to install in to Promax complete Fire Service Approved coupling kit, that will ensure your fire storage water is always ready at an instant.

High quality brass fittings ensures long lasting maintenance free operation. (SNZ PAS 4509:2003 approved)

- Long lasting Brass Ball Valve and Coupling
- 100mm Fire Service Standard Size
- Meets New Zealand Fire Service Standards
- Easy to install
- Maintenance free unit
- Recommended for the Promax Enduro Tanks




PMXAC00100

Buried Single Tank Fire Service Kit

For use when you have 1 x Promax Enduro tank partially buried.

Ensures your fire storage water is always ready at an instant.

- Long lasting Brass Gate valve and Coupling
- 100mm Fire Service Standard Size
- Meets New Zealand Fire Service Standards
- Easy to Install
- Maintenance free



PMXAC00100SFSK


2.1 Promax Rainwater Tank Accessories

Buried Dual Tank Fire Service Outlet Kit

For use when you have 2 x Promax Enduro tanks partially buried.

Ensures your fire storage water is always ready at an instant.

- Long lasting Brass Gate valve and Coupling
- 100mm Fire Service Standard Size
- Meets New Zealand Fire Service Standards
- Easy to Install
- Maintenance free



PMXAC00100DFSK

Tank Level Indicator

The Promax Tank Level Indicator is a simple yet effective method of monitoring the water level in your tank.

Running dry can seriously damage your pump so it's important to know when levels are running low. Suitable for any type or size of tank, the Tank Level Indicator, is an essential part of your water management.



PMXAC00000TL

2.1 Promax Rainwater Tank Accessories

UV Filtration

Enjoy the peace of mind of having clean, safe and purified water at every outlet in your home.



Designed for tank, mains or bore water the new UV technology kills 99.9% of bacteria including E.Coli. The UV Filtration also filters out chemicals and sediment, making your water taste and smell great while adding more life to your appliances.


- 10 Year warranty - aluminium housing/stainless chambers
- 3 Year warranty on filtration units - 20/1 microns
- Easy and fast "plug and play" installation
- Complete eco-friendly and chemical free process
- Anti-tamper and childproof lockable controller lid
- Double O-Ring filter housings with no leaking
- Lamp count-down timer and failure alarm (audible and visible)
- Longer hassle-free filter life with very easy replacement

Pump Covers

Their versatility, durability and low cost make Promax Pump Covers the popular choice with plumbers.

Each cover comes with a DIY mounting base for your pump that the cover slides over.

- Well vented to prevent pump overheating
- Two sizes that fit most common pumps
- Easy to install in most environments
- Strong self supporting pump base
- 7 different colour options: beige, light grey, heritage green, dark grey, mist green, karaka and black




Large: PMXPC00850
Small: PMXPC00500

2.1 Promax Rainwater Tank Accessories

Tank Vac

Keep unhygienic debris from contaminating your water supply with the easy-to-install Promax Tank Vac.

Gently cleans the bottom of your tank where material will settle, to improve your water quality.



Large: PMXAC30000TV
Small: PMXAC05000TV

Floating Out-take Kit

This simple kit attaches to your tank outlet, floating on the surface of the water within your tank.

This means you draw only the cleanest water from your tank, just below the surface.



25mm: PMXAC00025FO
50mm: PMXAC00050FO

2.2 Promax Rainwater Tank Accessories Specifications

Tank Vac

Code	Description
PMXAC05000TV	Tank Vac - small (for 1000 - 5000L tanks)
PMXAC30000TV	Tank Vac - large (for 10000 - 30000L tanks)

Tank Level Indicator

Code	Description
PMXAC00000TL	Tank Level Indicator

Float Out-take Kit

Code	Description
PMXAC00025FO	Floating Out-take Kit - 25mm
PMXAC00050FO	Floating Out-take Kit - 50mm

First Flush Diversion Kits

Code	Description
PMXAC00090DK	90mm First Flush Diverter Kit only
PMXAC00120DK	First Flush Diverter - 120L - Large capacity

Promax Fire Service Coupling Kits

Code	Description
PMXAC00100	Promax Fire Coupling Kit - 100mm
PMXAC00100SFSK	Single Buried Fire Kit
PMXAC00100DFSK	Dual Buried Fire Kit

Tank Outlets

Code	Description
PMXAC00025OC	Tank Outlet with corrugated flange 25mm
PMXAC00050OC	Tank Outlet with corrugated flange 50mm
PMXAC00080OS	Tank Outlet 80mm
PMXAC00100OS	Tank Outlet 100mm
PMXAC00050OS	Tank Outlet 50mm

Wallace Seals

Code	Description
PMXAC00065PS	65mm Promax Pipe Seal
PMXAC00080PS	80mm Promax Pipe Seal
PMXAC00090PS	90mm Promax Pipe Seal
PMXAC00100PS	100mm Promax Pipe Seal
PMXAC00125PS	125mm Promax Pipe Seal
PMXAC00150PS	150mm Promax Pipe Seal

2.2 Promax Rainwater Tank Accessories Specifications

Pump Covers

Code	Description	L (mm)	W (mm)	H (mm)
PMXPC00500	Pump Cover - small	700	400	500
PMXPC00850	Pump Cover - large	800	570	850

Tank Lids

Code	Description
PMXAC00250TLTT	250mm dia Transport Tank Lid
PMXAC00450TLST	450mm dia Transport Tank Lid
PMXAC00450TLTT	450mm dia Standard lid for 450 to 10000L tanks
PMXAC00610TLBT	610mm dia Standard lid for 25,000 and 30,000 litre tanks

Water Pump Kits

Code	Description
PMXAC00050PK	Promax Home Water Pump Kit 50 lpm
PMXAC00060PK	Promax Submersible Water Switch Pump

Balancing Kit

Code	Description
PMXAC00050TB	Promax Balancing Kit

Tank Fitting Kit

Code	Description
PMXACFITKIT	Promax Tank Fitting Kit



3.1

Colostrum Tanks

Made entirely from UV-stabilised, food-grade polyethylene. Promax Colostrum Tanks are translucent making it easy to monitor quantities. Stirring and inspection are simple with the easy-access inspection lid.

Features:

- Translucent polyethylene tanks designed specifically for the dairy industry
- 50mm outlet for easy access
- 450mm diameter offset inspection lid
- Tie downs / lifting points for easy manoeuvrability
- Certification to AS/NZ 4766 - Polyethylene storage tank standard



4.1

Molasses Tanks

Promax manufactures a wide range of Molasses tanks. The Promax Molasses Tank is a heavy-duty tank which is designed to look great and work great! These plastic storage tanks are ideal liquid storage solutions for businesses in the dairy and food industries.

Features:

- Side-Mounted Sight Glass for Easy Volume Monitoring
- Heavy-duty UV Treated Polyethylene
- Strong One-Piece Corrugated Construction



4.2

Accessories

Molasses Fitting Kit

This molasses fitting kit includes everything you need to get your tank ready to use:

- 1 x 50mm brass ball valve
- 1 x 80mm brass ball valve
- 1 x 80mm male cam lock c/w dustcap



Molasses Pump

The Roper Pumps have been successfully used for over 15 years on New Zealand farms for pumping molasses. They are simple, rugged, reliable and are ideal if you are pumping just molasses.



These pumps are supplied as a complete unit including the baseplate, coupling and either a single or three phase motor.

Standard pump construction is cast iron casing, bronze bushes, hardened steel gears and shafts with gland packing. The pump also comes with a built-in relief valve for over-pressure protection.

The pump sets are assembled on zinc plated & gold passivated mild steel base plates and are fitted with standard Lovejoy couplings.

5.1

Transport Tanks

The Promax range of Free-Standing Liquid Transport Tanks delivers real strength through clever design.

Our heavy-duty water tankers are constructed from hard-wearing polyethylene to be really tough, without the usual associated heavy weight of other plastic water carts or tanks.

Features:

- UV Stabilized to withstand the elements for a long, trouble free life
- Mount directly onto any flat surface with no frame needed for total versatility
- The thick walls are load-rated up to 1.3 specific gravity
- Large opening makes filling easy
- Clear calibration for accurate measurement of contents



5.2

Accessories

Steel Frame

Steel Frames for Free-Standing Tanks ensure your tank can be mounted on any truck

The hot-dip galvanised frame has forklift points for easy mounting and dismounting when the tank is empty. Comes with optional pump plate.



Baffle Balls

The Promax Ball Baffle is New Zealand's most effective surge protection system for the transportation of liquids

The Ball Baffle system deflects the fluid surge movement providing greater stability when cornering and braking. This improved stability can lead to significant savings on road wear and vehicle maintenance.

- Suitable for use with any tank type: Polyethylene, steel, fibreglass, aluminium, etc
- Reduces wear and tear on the truck
- Improves braking by up to 46%
- Only a small opening required for installation
- Lightweight, durable with no rust
- Simple to install - clip together and place in the tank

- Food grade quality material - suitable for potable water
- Low liquid displacement: Large ball displaces 428ml and weighs only 386g
- Recommended usage for large baffle balls: Approx. 1 large baffle ball per 40L of tank capacity
- Recommended usage for small baffle balls: Approx. 1 small baffle ball per 7L of tank capacity



6.1

Promax Diesel Units

Tank complete with pump
200L to 1000L

Distinctive benefits

- 4 metres of 20mm delivery hose with swivel connector
- Automatic shut-off nozzle
- 40L/min flow diesel pumps
- Padlockable hinged cover
- Ball Baffles for surge protection
- Innovative splash-resistant breather
- Easy-clean suction strainer



6.1 Diesel Tanks

Diesel Pump 40LPM

**Replacement Diesel Pump for all
Promax & Xpress Diesel Units - 40LPM.**

- Diesel Flo Brand
- 12 Month Warranty
- 3/4 Inlet & Outlet Thread



Bunded Diesel Storage Tank 500L

The Promax Bunded Fuel Storage Tank offers protection from leakage and overfilling. With a 110% secondary containment, it provides safe diesel storage.

Bunded Fuel Storage Tank are ideal for farms, garages, workshops & home heating systems.

- Diesel Grade UV stabilised LDPE - Tough and durable.
- 450mm Hinged Lid - Easy access
- 110% Bunding - Compliant



7.1

Boxes and Bins

Taska Tool Box

Taska Tool Boxes are made with the popular angle design to match modern utility fitouts while still offering a good sized storage area.

- Will never rust or rot like steel or plywood
- Lockable to keep your valuable tools safe
- Designed to be totally weatherproof
- Available in Large or Small and three different colours



8.1

Drainage

Polyflo Culverts

These tough high-quality ribbed polyethylene culverts offer many advantages over traditional concrete materials.

They are lightweight and easy to handle . This reduces transport and installations costs, making drainage more affordable.

- Available in 330mm to 1200mm internal diameter and 2.7m lengths
- Heavy duty ribbed polyethylene construction for added assurance

- Lightweight for easy transport
- Easy joining and installation method
- No damage from rust or corrosive materials
- Very high strength and resistance to impact and shock
- The inherent flexibility makes it ideal for more difficult terrain



Fluming

This lightweight half circle polyethylene culvert is ideal for water drainage management to prevent erosion and meet environmental concerns.

Being stackable and easily transported makes the Polyflo Fluming very popular in the forestry and agricultural sectors.

- Available in 330mm to 1200mm diameters
- Heavy duty ribbed polyethylene construction
- Easy installation
- Ideal for uneven contours



9.1 Specifications

Colostrum Tanks

Code	Description	Capacity (L)	Diameter (mm)	Height (mm)
PMXCT10000	Promax Colostrum Tank 10000L	10000	2200	3030
PMXCT05000	Promax Colostrum Tank 5000L	5000	1885	2010
PMXCT03500	Promax Colostrum Tank 3500L	3500	1850	1640
PMXCT02500	Promax Colostrum Tank 2500L	2500	1885	1020

Molasses Tanks

Code	Description	Capacity (L)	Diameter (mm)	Height (mm)
PMXMT30000	Promax Molasses Tank 30000L	30000	3660	3100
PMXMT25000	Promax Molasses Tank 25000L	25000	3660	2800
XPMT15000	Xpress Molasses Tank 15000L	15000	3000	2650
PMXMT10000	Promax Molasses Tank 10000L	10000	2200	3030
PMXMT05000	Promax Molasses Tank 5000L	5000	1600	2650
PMXMT04000	Promax Molasses Tank 4000L	4000	1600	2200
PMXMLFK	Promax Molasses Fitting Kit			
PMXML33	Promax Molasses Pump 33 LPM			

Transport Tanks

Code	Description	Capacity (L)	Length (mm)	Width (mm)	Height (mm)
PMXTT15000	Promax Transport Tank 15000L	15000	4000	2350	2116
PMXTT13000LP	Promax Transport Tank 13000L Low Profile	13000	4000	2350	1890
PMXTT13000	Promax Transport Tank 13000L	13000	3600	2250	2120
PMXTT10000	Promax Transport Tank 10000L	10000	3600	2250	1850
PMXTT08000	Promax Transport Tank 8000L	8000	3250	1900	1850
PMXTT07000	Promax Transport Tank 7000L	7000	3250	1920	1640
PMXTT06000	Promax Transport Tank 6000L	6000	2790	2000	1556
PMXTT05000	Promax Transport Tank 5000L	5000	2790	2000	1400
PMXTT04800	Promax Transport Tank 4800L	4800	2340	1550	1880
PMXTT04400	Promax Transport Tank 4400L	4400	2960	1450	1470
PMXTT03400	Promax Transport Tank 3400L	3400	2960	1450	1230
PMXTT03000	Promax Transport Tank 3000L	3000	2340	1520	1200
PMXTT02500	Promax Transport Tank 2500L	2500	2000	1420	1265
PMXTT01500	Promax Transport Tank 1500L	1500	1700	1320	1050

9.1 Specifications

Transport Tanks

Code	Description	Capacity (L)	Length (mm)	Width (mm)	Height (mm)
PMXTT02000	Promax Transport Tank 2000L	2000	2000	1420	1070
PMXTT01200	Promax Transport Tank 1200L	1200	1700	1320	860
PMXTT00900	Promax Transport Tank 900L	900	1880	830	870
PMXTT00550	Promax Transport Tank 550L	550	1250	830	870
PMXTT00400LP	Promax Transport Tank 400L Low Profile	400	1620	710	510
PMXTT00200	Promax Transport Tank 200L	200	800	550	600
PMXTT00200LP	Promax Transport Tank 200L Low Profile	200	925	710	510
PMXTT00100	Promax Transport Tank 100L	100	920	390	425
PMXTT00050	Promax Transport Tank 50L	50	920	390	305
PMXTT00020	Promax Transport Tank 20L	20	590	320	280
PMXTT08000FR	Steel Frame for 7000L & 8000L Transport Tanks				
PMXTT04800FR	Steel Frame for 3000L & 4800L Transport Tanks				
PMXTT04400FR	Steel Frame for 3400L & 4400L Transport Tanks				
PMXTT02500FR	Steel Frame for 2000L & 2500L Transport Tanks				
PMXTT01500FR	Steel Frame for 1200L & 1500L Transport Tanks				
PMXTT00195BB	Baffle Balls - Small				
PMXTT00355BB	Baffle Balls - Large				
PMXAC00350TLTT	Promax Tank Lid Screw Type 350mm				
PMXAC00250TLTT	Promax Tank Lid Screw Type 250mm				
PMXAC00450TLTTH	Promax Tank Hinge Lid - 450mm				

Promax Diesel Units

Code	Description	Length (mm)	Width (mm)	Height (mm)
PMXDT0020040LP	Promax Diesel Unit 200L - 40lpm 12v	1200	850	535
PMXDT0040040LP	Promax Diesel Unit 400L - 40lpm 12v	1200	850	850
PMXDT0060040LP	Promax Diesel Unit 600L - 40lpm 12v	1700	880	740
PMXDT0100060LP	Promax Diesel Unit 1000L - 60lpm 12v	1700	1000	1025

Xpress Diesel Tanks

Code	Description	Length (mm)	Width (mm)	Height (mm)
XPDT00200	200L - Free Standing Diesel Tank	800	580	600
XPDT00500	550L - Free Standing Diesel Tank	1250	830	850
XPDT00900	900L - Free Standing Diesel Tank	1880	830	850

9.1 Specifications

Tool Boxes

Code	Description	Length (mm)	Width (mm)	Height (mm)
PMXSB00600	Taska Tool Box Small	680	480	600
PMXSB01050	Taska Tool Box Large	1050	460	600

Code	Description	Length (mm)	Width (mm)	Height (mm)
PMXPC00500	Promax Small Pump Cover	700	400	500
PMXPC00850	Promax Large Pump Cover	800	570	850

Drainage

Code	Description	Length (mm)	Diameter (mm)
PMXCU003302.7C	Promax Polyflo Culvert 330mm x 2.7m (MOQ=2)	2700	330
PMXCU004502.7	Promax Polyflo Culvert 450mm x 2.7m (MOQ=2)	2700	450
PMXCU006002.7C	Promax Polyflo Culvert 600mm x 2.7m (MOQ=2)	2700	600
PMXCU007502.7C	Promax Polyflo Culvert 750mm x 2.7m (MOQ=2)	2700	750
PMXCU009002.7	Promax Polyflo Culvert 900mm x 2.7m (MOQ=2)	2700	900
PMXCU003302.7F	Promax Fluming 330mm x 2.7m	2700	330
PMXCU004502.7F	Promax Fluming 450mm x 2.7m	2700	450
PMXCU006002.7F	Promax Fluming 600mm x 2.7m	2700	600
PMXCU007502.7F	Promax Fluming 750mm x 2.7m	2700	750
PMXCU009002.7F	Promax Fluming 900mm x 2.7m	2700	900

