

OUTDOOR LIVING



#### Explore the stunning new structural glazing solutions with maximized perspectives...

Sapphire is a new generation of innovative outdoor protection that expands outdoor living areas with its wide panoramic motorised glass panels. The system offers a high end fine frame designed guillotine glass system enriched with a perfect combination of luxury and functionality.

The patented worm shaft technology is supported with creative gearing mechanism that provides high level of safety and eliminates the operational problems with maintenance-free mechanism. Systems can incorporate tempered glazing with exclusive frame, glass type and glass color options. Optional two or three panels configurations are available with perfectly balanced motorised operation by remote control. Thanks to strengthened counterweight movement mechanism motor provides balanced up/down operation and panels can be stacked to either upwards or downwards.

System can be configured to fit and cover various types of areas such as restaurants, terraces, wintergardens, balconies either private or commercial. In addition system can be adapted with Suntech range so if there's a Suntech model to suit you can cover any large open area with side glazing options.

Depending on application, panels can be operated & stacked to suit, either upwards or downwards. Alternative opening-stacking configurations provide an infinite range of spacious living area options.

Thanks to multiple stacking positions, fixed panels can also incorporate the function of balustrades. The position of movable panels can be adjusted according to desired height.






### Configurations

#### Worm Shaft Technology


3 Panels / Up Parking

Standard Tempered Single Glass 8 / 10mm




Internal View

Lateral Section



Insulated Double Glass 4+12+4 mm (width 2000-3000 mm max.)



Internal View

Lateral Section

- its maintenance-free mechanism.
- movement.
- supported by three-wheeled slider and ensures vibration-free movement.
- configurations provide various range of spacious living area options.





- The patented Worm Shaft technology eliminates the trembling and gives smooth movement even on large dimensions with

- This smart techology provides high degree safety compared to other working mechanism based on belts, ropes. - Gearbox system transfers the movement from the gear to the worm shaft mechanism and ensures the continuation of the

- System has pure balanced up/down operation thanks to strengthened counterweight movement mechanism. Second panel

- Depending on application, panels can be operated & stacked either upwards or downwards. Alternative opening-stacking

#### Technical Details



2 Panels

Description	Glazing Type
Glazing	Standard 8mm Tempered / Optional 10mm Tempered and 4+12+4mm/5+10+5mm Insulated.
Max. movable glazed frame weight	110kg
Max. height	300cm
Max. width	400cm (Min width :120cm)
Max. size	12 sqm
Surface finish	Electrostatic powder-coating
Motor type	220 VAC 50/60Hz Tubular motor 85NM or 120NM Direct Drive
Control	Switch, remote or smart control options

Glazing	
Max. movable glaz	ed frame weight
Max. height	
Max. width	
Max. size	
Surface finish	
Motor type	
Control	

3 Panels

Description

Description	Glazing Type
Standard Glazing	8mm Tempered Clear Glass
Large Span Glazing	10mm Tempered Clear Glass
Double Insulated Glazing	4mm T + 12mm air gap + 4mm T 5mm T + 10mm air gap + 5mm T

Description	Gla
Standard Glazing	8m
Large Span Glazing	10
Double Insulated Glazing	4m 5m







Glazing Type

Standard 8mm Tempered / Optional 10mm Tempered and 4+12+4mm/5+10+5mm Insulated.

220kg

350cm

400cm (Min width :120cm)

12 sqm

Electrostatic powder-coating

220 VAC 50/60Hz Tubular motor 85NM or 120NM Direct Drive

Switch, remote or smart control options

Blazing Type

Bmm Tempered Clear Glass

0mm Tempered Clear Glass

Imm T + 12mm air gap + 4mm T 5mm T + 10mm air gap + 5mm T www.umbraoutdoorliving.com.au info@umbraoutdoorliving.com.au 040 339 88 19





OUTDOOR LIVING