



Fortified Timber Decking



A photograph of a modern outdoor fire pit. The fire pit is a dark, wide, shallow bowl shape, supported by four thick, dark legs. It sits on a patio made of irregular, light-colored stone tiles. In the foreground, there is a wooden deck made of light-colored wood planks. To the left, a vertical wooden slat is visible. The background shows a building with large glass windows and a dark door. The lighting is bright, suggesting a sunny day.

Introducing Sicaro

The next generation of beauty and performance in timber.

A culmination of technological development, delivering unparalleled performance in form, function, and durability.

Beauty you can feel.

A natural product
with soul.

Live, work and
play with a clear
conscience.

Specifications



New Zealand-grown radiata clearwood	Graded precisely, removing all defects for superior appearance and performance.
FSC® certified	FSC® is dedicated to the promotion of responsible forest management worldwide.
75 year warranty	Beautifully crafted and durable for generations to come.

Sicaro Fortification

Hard and strong	A unique water-based resin is impregnated throughout the timber. Once cured Sicaro is food grade, inert and irreversible. The process fortifies the timber, greatly improving density, hardness, and durability beyond that of rainforest hardwood.
Colour infused	Through-colour infusion provides a beautiful finish and colours the timber to the core without the need of coating, enhancing the installation and maintenance experience.
Long and straight	Whilst performing like a hardwood, Sicaro comes in long and straight lengths. This improves the impact of the finished project by minimising joints and makes installation a breeze.
Lasting smooth finish	Provides a pleasant underfoot experience for your outdoor setting. No rough surface to catch on clothing or towels. Lovely to lay on without the risk of splinters.
Leach free	No bleeding makes Sicaro a perfect decking solution especially for your pool surround or on second story balcony decks.



Availability

Product Code	Profile	Profile Size	
Ticari			
DE-DE01-SI-TI	DE01	90mm x 21mm	
DE-DE02-SI-TI	DE02	140mm x 21mm	
Livada			
DE-DE01-SI-LI	DE01	90mm x 21mm	
DE-DE02-SI-LI	DE02	140mm x 21mm	

Genia recommends that Sicaro is installed reeded face down.
Lengths vary between 3.0m and 5.4m.
Genia cannot guarantee specific lengths.

Finishing

Coating and Finishes

A quality exterior oil is recommended before and after installation. This will help to retain the original appearance of Sicaro. Genia recommends CD50 Extreme. Follow coating manufacturer's directions.

Documentation

The Sicaro range is supported with documents to support building consent application, installation and maintenance.

- Product technical statement
- Installation guide
- Minor variation form
- Owner's guide





Crafting timber since 1870

Contact us

For all sample and specification enquiries, please don't hesitate to contact our team on:

03 528 1026

architectural@genia.co.nz

genia.co.nz

