Zenith HydroTap for the workplace



PURE-TASTING | INSTANT | BOILING | CHILLED | SPARKLING





Experience water at its best



| Introduction | 2 |
|---------------------------------------|---------|
| Water at its best | 3&4 |
| Classic Plus | 7 |
| Touch-Free Wav | /e 8 |
| Zenith Micro | 9 |
| UltraCare | 10 |
| G5 technology | 11 & 12 |
| Filtration technology | 13 |
| Healthier workplace | 14 |
| Widest range and finishes | 15 & 16 |
| Environmental product declaration | 17 |
| Safe and accessible | 19 |
| Zenith service difference | 20 |
| Zenith innovation history timeline | 21 & 22 |



HydroTap Classic range Touch-Free Wave Touch-Free Wave with Mixer Classic Plus Classic Plus with Mixer Classic Classic with Mixer Classic All-In-One Classic Industrial Classic for accessibility



HydroTap Design range

25

26

27

28

29

30

31

32

33

| Arc | 35 |
|-----------------------|----|
| Arc with Mixer | 36 |
| Cube | 37 |
| Cube with Mixer | 38 |
| Elite Plus | 39 |
| Elite Plus with Mixer | 40 |



HydroTap Celsius

range

All-In-One

Micro

Celsius

Technical data

Classic Plus Touch-Free Wave Classic Industrial Micro UltraCare Arc Cube Elite Plus Celsius All-In-One

41


42

Technical information





| <u>.</u> | | | |
|----------|--|--|--|
| | | | |



43

45

46

Consumables and accessories

| Accessories | 56 |
|--------------------------|----|
| Installation accessories | 56 |
| HydroTap filters | |
| and CO ₂ | 57 |

54



Featured product HydroTap Classic Plus in Chrome finish

zenıth°

70 years of innovation

Zenith Water is a wholly owned subsidiary of Zip Water. With unrivalled expertise in instant filtered boiling, chilled and sparkling water, Zenith Water is known globally for being home to the Zenith HydroTap, which dispenses pure-tasting water at the touch of a button.

Founded in Australia in 1947, we've always been innovators, advancing and perfecting our drinking water technology for decades. Today, we're proud to provide workplaces, in over 70 countries across the world with the purest tasting water possible from our range of Zenith HydroTaps.

Access the latest water filtration technology for pure-tasting water. Convenience at the touch of a button for instant boiled, chilled and sparkling water. Stylish designs and finishes to suit any kitchen and declutter bench space for efficiency. Keep up with the busy demands of a workplace with HydroTap technology. We provide drinking water solutions for all workplaces - offices, health and aged care facilities, small businesses and workplaces looking to reduce shared touchpoints.


Experience water at its best with Zenith HydroTap.

Experience water at its best with Zenith HydroTap

Convenience of instant pure-tasting water at the touch of a button

Enjoy pure-tasting boiling, chilled and sparkling water flowing from the simplest of touches with the Zenith HydroTap GS. With sleek design and slick function powered by our most advanced technology, the Hydro Tap G5 has more personalised settings and features SteriTouch[®] for enhanced hygiene. It's not just water, it's water at its best.





Zenith HydroTap's superior filtration and compact, efficient design makes it the perfect water solution for any workspace.

Remove kettles from your benchtops. Eliminate refrigerated bottles of still and sparkling water. Save space, energy and money. Forget deliveries and storage of water cooler bottles.

The Zenith HydroTap is a convenient and practical way to offer your staff, customers and visitors fresh, pure-tasting water – instantly and safely.











Experience water at its best with HydroTap in the workplace

Pure-tasting boiling, chilled and sparkling water in an instant, delivered seamlessly with a Zenith HydroTap. There is a HydroTap to suit any workplace.

For the office workplace

Workplace productivity and wellbeing is vital to your team environment. Zenith HydroTap meets all your workplace water needs, in one elegant, easy-to-use system, using the latest technology so that it can keep up with a busy workplace. Introducing our latest addition to our flagship HydroTap range - Classic Plus.



For the small workplace

Award winning Zenith Micro is our smallest ever drinking water system, designed to fit under almost any bench and keeps up to 10 people hydrated – the perfect solution for smaller offices.



*ALS Pty Ltd Testing of the Zip HydroTap UltraCare system efficacy tests. Zenith brand used in New Zealand.

For touch-free workplaces

With an increased consideration around hygiene in the workplace, Zenith HydroTap Touch-Free Wave provides a 100% touch-free solution to instantly dispense pure-tasting drinking water with a simple wave of a hand.



For health and aged care facilities

For health and aged care facilities, HydroTap UltraCare is proven to deliver a 99.9% reduction in Legionella*.





Say hello to the new Classic Plus

Sleek design meets slick function

With simple, intuitive controls including continuous flow to fill bottles and coming in seven ultra-modern finishes, HydroTap Classic Plus will offer instant hydration and convenience to any workplace.

Smarter and sustainable

Customise your HydroTap G5 system by selecting energy modes and usage settings with the optimised new menu. With easy to change high quality filters, a Zenith HydroTap will support your sustainability ambitions and remove the need for bottled water in the workplace.

Protection where it counts

Zenith HydroTap G5 has SteriTouch® antimicrobial protection impregnated within key water surfaces as well as on the new Classic Plus touch-pad for enhanced hygiene.







Create a safer workplace with HydroTap Touch-Free Wave



Introducing Zenith HydroTap Touch-Free Wave, with smart infrared sensors that activate boiling, chilled and sparkling water.

With an increased consideration around hygiene in the workplace, new Zenith HydroTap Touch-Free Wave provides a 100% touch-free solution to instantly dispense pure-tasting drinking water with a simple wave of a hand.

How it works

- Infrared smart sensors detect hand movements within 1.5 - 5cm in range of the tap
- Once the hand moves away, the water flow will stop
- All drinking water types will have a maximum run time of 15 seconds which is adjustable from the command centre
- Continuous flow to fill bottles with twin sensor activation

Safety features

• Twin sensor activation for safe delivery of boiling water



• Dispensing will deactivate when the tap is touched or grabbed, allowing for safe cleaning





Wave right for chilled



Wave above for sparkling



Twin sensor activation for **boiling**





Zenith Micro, our smallest ever drinking water system



Zenith Micro is 37% narrower, perfect for small kitchens for up to 10 people, delivering perfectly **boiling** and **chilled** water at your fingertips.



Designed with space in mind

Our smallest under-bench system footprint is 37%* narrower.

Optimised for up to 10 people

Keep up to 10 people hydrated with boiling only or boiling + chilled filtered water options.

Matte Black

Easy to use

The Zenith Micro tap design comes with an integrated safety lock and uses an intuitive twist activation with auto and manual fill options. The underbench system comes with pre-configured settings and modes.

Micro-filtration for pure tasting water



Zenith Micro uses the latest filtration technology for pure-tasting water. Zenith filters are certified to reduce bacteria, sediment, odours to NSF 42 (aesthetic effects) and NSF 53 (health effects).



Bright Chrome

2020 Gold Accolade Winner

in the Product Design Domestic Appliances category in recognition for outstanding design and innovation.

Zenith Micro is displayed with an optional font kit sold separately (includes 100mm extension and matching stand alone font). *37% narrower than HydroTap BC20 underbench command centre. Zenith Micro is known as Zip Micro in Australia.

The Zenith HydroTap UltraCare system is proven to deliver 99.9% reduction in Legionella*

Zenith HydroTap UltraCare uses a combination of localised treatments and barriers that are proven as the most effective method of reducing waterborne organisms and pathogens including Legionella**.

The barriers provided in the UltraCare system are:

- MicroPurity™ 0.2-micron carbon-free filtration
- SteriTouch[®] antimicrobial enhanced surfaces
- MicroPurity™ UV-C LED disinfection
- Life cycle maintenance plan
- Zenith HydroCare Gold+

Zenith MicroPurity™ 0.2 to reduce sediment & cysts greater than 0.2 micron.



Life cycle maintenance plan

Zenith HydroTap UltraCare is available in 3 tap designs





HydroTap Touch-Free Wave

*ALS Pty Ltd Testing of the Zip HydroTap UltraCare system efficacy tests. Zenith brand used in New Zealand. **ALS Pty Ltd Field trial testing on 5 sites in Queensland Health Sector of the Zip HydroTap UltraCare System in Australia. Zenith brand used in New Zealand

zenith





HydroTap Classic



HydroTap Classic with accessible levers



HydroTap, powered by new G5 technology

Leading the way in performance and functionality, Zenith's fifth generation G5 technology continues to deliver the convenience you would expect from a HydroTap.


Perfected over 70 years of development and innovation, HydroTap G5 transforms tap water into a form you will love, in an instant.

The G5 command centre is WaterMark approved, which means it is fit for purpose and appropriately authorised for use in plumbing and drainage installations.

HydroTap product warranty

Zenith HydroTap G5 is backed by a 36 month comprehensive parts and labour warranty, plus a further 24 months on internal tanks.









Our innovative Zenith PowerPulse technology maintains stored boiling water to within 0.2°C of your set temperature, meaning no energy or time is wasted waiting for water to boil.

Unique safety features

iling water is delivered smoothly ap has a safety lock to facilitate

Air-cooled system

Our unique air-cooled refrigeratio system is 100% water efficient.



Auto-diagnostics

An advanced auto-diagnostics system continuously monitors your HydroTap's performance.

MicroPurity[™] filtration

built 0.2 micron NSF-certified filter corporating innovative silver ion ntimicrobial technology means healthier, ure-tasting water for your workplace.

Smart Customisation

New optimised menu in the G5 HydroTap command centre allows you to select energy modes and usage settings for easie customisation.

zenıth°





SteriTouch[®] antimicrobial protection



SteriTouch® is impregnated inside materials in contact with key water paths in HydroTap for added protection against surface bacteria.

Touch-Free Technology

Zenith HydroTap Touch-Free Wave uses smart infrared sensors to activate the tap to dispense boiling, chilled and sparkling water, all without touching the tap.

CO₂ level indicator

New feature in the command centre shows when CO2 gas is running low.



Pure-tasting filtered water with Zenith MicroPurity filtration

At Zenith Water, we put water quality at the heart of our offering, with perfectly filtered boiling, chilled and sparkling water instantly.

Our mission is to help our customers to enjoy pure-tasting water, on tap, all the time, and that is why only the best tasting water will do.

Advanced filtration in every HydroTap system

Zenith MicroPurity uses the latest filtration technology to filter and reduce impurities and potentially harmful contaminants larger than 0.2 microns in size – an impurity that will fit 250 times into a strand of hair.

Easy to maintain

We recommend regular filter changes to ensure you continue to enjoy pure-tasting water. Our MicroPurity filters are easy to change with a hygienic cartridge and our qualified service technicians can also perform filter changes for your convenience.

Trust Zenith genuine filters

Every Zenith HydroTap system comes fitted with a geniune MicroPurity filter, certified to reduce contaminants.



1. Removes particulates greater than 5 micron Pleated membrane pre-filtration

2. Filter reduces particulates, lead, chlorine, taste, odour and cysts to 0.2 micron 0.2 micron Fibredyne carbon element including bacteriostatis effect

3. Reduces limescale build up Limescale inhibitor

Zenith MicroPurity filters are certified to reduce chlorine, taste, odour, bacteria, sediment and limescale in line with NSF 42 (aesthetic effects) and WaterMark requirements.


Zenith MicroPurity filtration is also certified to deliver a reduction of 99.9% of cysts including cryptosporidium and giardia, and lead reduction of 98.9% to NSF 53 (health effects).



Crystal clear pure-tasting water



FILTRATION SAFELY FILTERS DOWN TO 0.2 MICRON



Water for a healthier workplace

Workplace wellness and wellbeing is vital to your team remaining engaged and productive. Water plays a significant role in the function of the brain, so ensuring your staff have access to fresh, healthy water is essential.


Zenith Water research shows that 80% of Zenith HydroTap owners drink more water than before^{*}. Drinking more water offers a range of benefits, such as better concentration and less fatigue. Plus, the increased activity from getting up and moving around increases circulation, encourages the elimination of waste and toxins, and reduces the damaging effects of long periods of inactivity.

Zenith HydroTap meets all your workplace water solution needs, in one elegant, easy to use system.

of HydroTap owners drink more water

Zenith HydroTap designs and finishes

1. Choose your preferred design



2. Choose the finish

Popular finish options

Whether you opt for a classic chrome or stylish matte black, our range of timeless popular finishes has been designed to sit seamlessly in a wide range of kitchen designs, from contemporary to traditional.



Platinum finish options^

Available on request, our platinum finish options include stylish metallic finishes, each stunning in its own right.



BRUSHED ROSE GOLD



BRUSHED



GUNMETAL




BRUSHED

Environmentally responsible

Independently verified Environmental Product Declaration

In another first for the world leaders in instant drinking water systems, Zenith Water's parent company Zip Water Australia has released an internationally recognised and independently verified Environmental Product Declaration (EPD) for its HydroTap products. Developed with leading sustainability consulting company, **thinkstep***, it is the first EPD for an electrical product in Australasia, clearly demonstrating Zenith's innovative and forward-thinking approach.

The HydroTap EPD details the environmental impact of the product throughout its life cycle, from the production and processing of raw materials, to manufacturing, distribution, installation, ongoing usage, maintenance and filter changing, right down to the end of the product's life.



Responsible manufacturing

Organisational dedication to sustainability

Low impact design Complies with RoHS EU Directive 2002/95/EC

do

EPD

ISO 14001

World class environmental credentials Providing transparent product life cycle impact

oceancrusaders.org/plastic-crusades/plastic-statistics/ *Thinkstep certified life cycle assessment and EPD verifiers - www.thinkstep-anz.com

Innovative air-cooled technology

Making HydroTap 100% water efficient

Smart energy saving modes Time switch adheres to the Building Code of Australia

J

(4)

Australians buy

over 580 MILLION

litres of bottled

water a year.

Much of which ends

up in LANDFILL and

on our **BEACHES**#

Eliminates the need for bottled water Reducing your environmental impact



Sustainable manufacturing

Zenith Water products are Australian made in Condell Park, New South Wales by parent company Zip Water and exported to the rest of the world. Our manufacturing adheres to the highest standards of environmental responsibility and ensures the Zenith HydroTap is manufactured sustainably.

ISO14001 is about much more than just designing an energy efficient product. It is complete organisational dedication to sustainable environmental management and ensures genuine commitment to a sound environment management system.

Zip Water is the only Australian manufacturer in our category to be accredited with all of the following internationally recognised standards:

ISO14001 -

Environmental Systems compliance and independently audited standards



ISO9001 -Quality Management System

Quality ISO 9001



AS/NZS 4801



Safe and accessible

All Zenith products are designed to be completely safe and easy to use, with unique boiling water safety locks and cool touch technology. You can be confident that the end user can operate our systems safely, without needing to worry about spluttering steam.

For users with limited mobility or impaired vision, Zenith HydroTap Classic is also available with accessible levers. The oversized levers incorporates braille into the colour coded red and blue options to indicate boiling or chilled drinking water.

Accessible levers sold separately. Compatible with HydroTap Classic only.



Featured product HydroTap Classic with oversized levers and braille covers.



The Zenith service difference



Our highly skilled network of mobile technicians and friendly customer service team are here to help keep your Zenith products in top working order. Our expert technicians install HydroTaps across residential and commercial kitchens, and we maintain all drinking water systems.

Full national coverage

Zenith water employs direct factory trained service technicians offering installation and ongoing filter and CO₂ changes, plus over 50 trained service agents covering the North and South Islands.

Fast and efficient

Every Zenith service technician carries a range of spare parts, genuine filters and CO₂ cannisters to repair on first time attendance, which means you can get back to enjoying your fresh, filtered water in no time.

Let Zenith take care of the installation

Zenith Water offers an installation service, with a national fleet of skilled service technicians who can install your HydroTap in any kitchen.

Our service technicians will make sure your HydroTap is up and running in no time and includes stone cutting for tap and font installation.

Our service technicians can also help maintain your HydroTap, with a simple online booking form on www.zenithwater.co.nz

zenith°

Professional repairs and maintenance

Zenith technicians are highly skilled, specialised and factory trained with years of experience to ensure you receive efficient, reliable and prompt service and repairs.

Customer satisfaction

We aim to provide our customers with professional care at a high standard and take pride on our level of service.

Preventative maintenance plans

For ultimate peace of mind, Zenith Water offers professional care of your system with a comprehensive range of HydroCare packages covering every maintenance requirement.

With everything you need to enjoy pure-tasting water, HydroCare ensures your HydroTap not only remains in perfect condition but operates at peak performance.

A history of drinking water innovation for over 70 years

Zenith Water is a world-leading designer and manufacturer of instant boiling, chilled and sparkling filtered water solutions. Zenith Water's parent company Zip Water invests in Australian-based innovation design and world-class manufacturing to continually enhance water quality, functionality, energy efficiency and aesthetic appeal. Recognised as a global innovator, Zenith Water's products are sought after and installed in over 75 countries worldwide, providing homes and workplaces with the purest-tasting, safest and cleanest water possible.



1947



2014

Zip introduces G4, the fourth generation of HydroTap

2015

Zip introduces three new styles with Design Range launch and wins Good Design Award

2016

Zip introduces eight new Platinum finishes

Zip launches Zip Assist wifi connected HydroTap

2017

Zip introduces Celsius All-in-One Arc and wins Good Design Award

2018

Zip introduces HydroChill high capacity sparkling water systems

2019

Zip launches Micro, our smallest drinking water system and wins Good Design Award in 2020

water









2020

Zip launches HydroTap Touch-Free Wave, contactless & instant delivery of pure-tasting



2021

Zip launches HydroTap G5, the fifth generation of HydroTap and HydroTap UltraCare for health and aged care facilities

ZENITH HYDROTAP COMMERCIAL

HydroTap range







Featured product

Opposite Page - HydroTap Classic Chrome finish Top Right - HydroTap Classic Plus in Chrome finish Bottom Right - HydroTap Touch-Free Wave in Chrome finish

Touch-Free Wave

Featured product HydroTap Touch-Free Wave in Chrome finish

For workplaces looking to reduce shared touchpoints. Zenith HydroTap Touch-Free Wave provides a 100% touch-free solution to instantly dispense pure-tasting drinking water with a simple wave of a hand.




Available water options & finishes:

| BOILING CHILLED SPARKLING | BOILING CHILLED | CHILLED SPARKLING | CHILLED | BOILING AMBIENT | BOILING |
|---------------------------------|--------------------|----------------------|-----------|--------------------|-----------|
| FILTERED: | FILTERED: | FILTERED: | FILTERED: | FILTERED: | FILTERED: |



Available in Chrome and Matte Black



HydroTap Touch-Free Wave can be installed over sink or optional font.

Touch-Free Wave with Mixer

Designed for situations with only a cold water supply. Perfect for workplace kitchens that require a mixer tap and a Zenith HydroTap in the same area as well as hot water to the sink.



Available water options & finishes:

| FILTERED: BOILING CHILLED SPARKLING | UNFILTERED: HOT & COLD | FILTERED: BOILING CHILLED | UNFILTERED: HOT & COLD |
|--|---------------------------|---------------------------------|---------------------------|
| \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ | | ₩ ₩ | M . |
| 5 | -In-1 | 4-1 | n-1 |




Available in Chrome and Matte Black

zenith

Featured product

HydroTap Touch-Free Wave with Arc Mixer installed over sink in Chrome finish



HydroTap Touch-Free Wave can be installed over sink or optional font



Featured product HydroTap Classic Plus installed over sink in Chrome finish

Offering boiling, chilled and sparkling water in a modern design with intuitive controls.



Available water options & finishes:


| FILTERED: BOILING CHILLED SPARKLING | FILTERED: BOILING CHILLED | FILTERED: CHILLED SPARKLING | FILTERED: CHILLED | FILTERED: BOILING AMBIENT | FILTERED: BOILING |
|--|---------------------------------|-----------------------------------|----------------------|---------------------------------|----------------------|
| ₩ ₩ ∷ | ₩₩ | *: | * | \$\$\$\$ | *** |

POPULAR





PLATINUM - AVAILABLE ON REQUEST



HydroTap Classic Plus can be installed over sink or optional font.

Classic Plus with Mixer

Designed for situations with only a cold water supply. Perfect for workplace kitchens that require a mixer tap and a Zenith HydroTap in the same area as well as hot water to the sink.




Available water options & finishes:

| | FILTERED: BOILING CHILLED SPARKLING | UNFILTERED: HOT & COLD | FILTERED: BOILING CHILLED | UNFILTERED: HOT & COLD | F |
|---|--|---------------------------|---------------------------------|---------------------------|-----------------|
| | ₩ * : | A | ₩₩ | | |
| | 5- | In-1 | 2 | 1-In-1 | |
| I | POPULAR | | PLATINUM - A | AVAILABLE ON REQU | JEST |
| | 200 201 | Z03 | Z05 Z | 207 209 | Z11 |
| | CHROME BRUSHE CHROM | | | RUSHED GUNMETAL GOLD | BRUSHE NICKE |

zenith°

Featured product HydroTap Classic Plus with Arc Mixer installed over sink in Matte Black finish



HydroTap Classic Plus can be installed over sink or optional font

Classic

Featured product HydroTap Classic installed with optional font in Chrome finish

Offering the choice of instant filtered boiling, chilled or sparkling water, or all three in any combination, the iconic design of HydroTap Classic remains a much-loved and popular choice suited to any workplace.




Available water options & finishes:

| FILTERED: BOILING CHILLED SPARKLING | FILTERED: BOILING CHILLED | FILTERED: CHILLED SPARKLING | FILTERED: CHILLED | FILTERED: BOILING AMBIENT | FILTERED: BOILING |
|--|---------------------------------|-----------------------------------|----------------------|---------------------------------|----------------------|
| \\\\₩₩₩ | ₩₩ | *: | * | \$\$\$\$ | \$\$\$ |

POPULAR






HydroTap Classic can be installed over sink or optional font

Classic with Mixer

Designed for situations with only a cold water supply. Perfect for workplace kitchens that require a mixer tap and a Zenith HydroTap in the same area as well as hot water to the sink.



Available water options & finishes:


| FILTERED: BOILING CHILLED SPARKLING | UNFILTERED: HOT & COLD | FILTERED: BOILING CHILLED | UNFILTERED: HOT & COLD |
|--|---------------------------|---------------------------------|---------------------------|
| *∷ | | \\\\\\‡ | |
| 5-In-1 | | 4- | In-1 |
| POPULAR | | | |



zenıth°

Featured product

HydroTap Classic with Arc Mixer installed over sink in Chrome finish



HydroTap Classic can be installed over sink or optional font



Tap design and finishes available on request only

The HydroTap Classic All-In-One offers filtered boiling, chilled and sparkling water, plus unfiltered hot and cold water from a single tap.




Available water options & finishes:

| FILTERED: BOILING CHILLED SPARKLING | UNFILTERED: HOT & COLD | FILTERED: BOILING CHILLED | UNFILTERED: HOT & COLD | |
|--|---------------------------|---------------------------------|---------------------------|--|
| \\\\\₩¥∷ | M . | ₩₩ | <u>n</u> . | |

POPULAR





Featured product

in Chrome finish

HydroTap Classic All-In-One installed over sink

HydroTap Classic All-In-One can be installed over sink only

Classic Industrial

Tap design available on request

For Industrial and Correctional Facilities. Designed with strength and security, the Classic Industrial is proven under the toughest industrial and institutional conditions.



Available water options & finishes:

| FILTERED: BOILING CHILLED | FILTERED: BOILING |
|---------------------------------|----------------------|
| ₩* | *** |

POPULAR




zenıth°

Featured product

HydroTap Classic Industrial installed on optional font in Chrome finish

High strength vandal resistant tapered base




HydroTap Classic Industrial can be installed over sink or optional font



Tap design available on request.

Classic for accessibility is designed for users with limited mobility or impaired vision. Accessible levers can be added to a HydroTap Classic and are sold separately.



Oversized colour coded braille tap levers

Featured product

HydroTap Classic with accessibility levers installed


with optional font in Chrome finish

Available water options & finishes:

| FILTERED: BOILING CHILLED SPARKLING | FILTERED: BOILING CHILLED | FILTERED: CHILLED SPARKLING | FILTERED: CHILLED | FILTERED: BOILING AMBIENT | FILTERED: BOILING |
|--|---------------------------------|-----------------------------------|----------------------|---------------------------------|----------------------|
| ₩ ₩ ∷ | ₩₩ | *: | * | *** | "" |

POPULAR





 $\operatorname{HydroTap}\nolimits$ Classic with accessibility levers can be installed over sink or optional font





Featured product HydroTap Arc installed with optional font in Brushed Gold finish

With an elegant curved shape, the Zenith HydroTap Arc will complement any contemporary office or corporate space – available in boiling, chilled or sparkling water, or all three in any combination.



Available water options & finishes:

| ₩₩ | ₩₩ | * | * | *** | |
|--|---------------------------------|-----------------------------------|----------------------|---------------------------------|----------------------|
| FILTERED: BOILING CHILLED SPARKLING | FILTERED: BOILING CHILLED | FILTERED: CHILLED SPARKLING | FILTERED: CHILLED | FILTERED: BOILING AMBIENT | FILTERED: BOILING |






HydroTap Arc can be installed over sink or optional font

Arc with Mixer

Tap design and finishes available on request only

Designed for situations with only a cold water supply. Perfect for workplace kitchens that require a mixer tap and a Zenith HydroTap in the same area.





zenith

Featured product

HydroTap Arc installed with optional font and Arc Mixer over sink in Chrome finish

HydroTap Arc can be installed over sink or optional font



Featured product HydroTap Cube installed with optional font in Gunmetal finish


The stylish Zenith HydroTap Cube is both a source of inspiration and a source of wellness – available in boiling, chilled or sparkling water, or all three in any combination.



Available water options & finishes:

| ₩₩∷ | ₩₩ | * | * | \$\$\$\$ | |
|--|---------------------------------|-----------------------------------|----------------------|---------------------------------|----------------------|
| ILTERED: OILING HILLED PARKLING | FILTERED: BOILING CHILLED | FILTERED: CHILLED SPARKLING | FILTERED: CHILLED | FILTERED: BOILING AMBIENT | FILTERED: BOILING |






HydroTap Cube can be installed over sink or optional font

Cube with Mixer

Tap design and finishes available on request only

Designed for situations with only a cold water supply. Perfect for workplace kitchens that require a mixer tap and a Zenith HydroTap in the same area.





zenith

Featured product

HydroTap Cube installed with Cube Mixer in Matte Black finish

HydroTap Cube can be installed over sink or optional font 38




Featured product HydroTap Elite Plus installed over sink in Matte Black finish

Form meets function with the sophisticated and innovative Zenith HydroTap Elite Plus – available in boiling, chilled or sparkling water, or all three in any combination.



Available water options & finishes:







HydroTap Elite Plus can be installed over sink or optional font

Elite Plus with Mixer

Tap design and finishes available on request only

Designed for situations with only a cold water supply. Perfect for workplace kitchens that require a mixer tap and a Zenith HydroTap in the same area.





zenith

Featured product HydroTap Elite Plus with Arc Mixer installed over sink in Brushed Chrome finish

HydroTap Elite Plus can be installed over sink or optional font

Celsius All-In-One

Tap design and finishes available on request only

The ultimate in functionality, the All-In-One Celsius Arc is fitted over your sink and offers all five water types – filtered boiling, chilled and sparkling drinking water, plus unfiltered hot and cold water – from a single tap.



*This product needs a hot and cold water supply

Featured product

in Chrome finish

HydroTap Celsius All-In-One installed over sink

Available water options & finishes:

MATTE BLACK

| FILTERED: BOILING CHILLED SPARKLING | UNFILTERED: HOT & COLD | FILTERED: BOILING CHILLED | UNFILTERED: HOT & COLD |
|--|---------------------------|---------------------------------|---------------------------|
| \\\\₩₩ | <u>n</u> | ///₩ | <u>n</u> |

RUSHED BRUSHED GUINMETAL ROSE GOLD GOLD



HydroTap Celsius All-In-One can be installed over sink only

Tap design available on request only

Zenith Micro is our smallest system, designed to fit under almost any bench, but still delivers perfectly boiling and chilled water at your fingertips. Zenith Micro is perfect for small workplaces with up to 10 people.



2020 Gold Accolade Winner in the Product Design Domestic Appliances category in recognition for outstanding design and innovation. Zenith Micro is known as Zip Micro in Australia.

Available water options & finishes:


| FILTERED: BOILING CHILLED | FILTERED: BOILING |
|---------------------------------|----------------------|
| ₩₩ | *** |
| | |

POPULAR



zenıth°

Featured product HydroTap Micro installed over sink in Chrome finish



HydroTap Micro can be installed over sink or optional font

Commercial HydroTap

CLASSIC PLUS

| Ø 10 | a p | |
|------|-----|--|
| | | |

| ORDER CODE | NO. PEOPLE | MODEL | WATER OPTIONS | CUPS PER HOUR | GLASSES PER HOUR | SIZE* H x W x D (mm) |
|-------------|------------|--------|---------------|------------------|---------------------|-------------------------|
| | | | | 111 | * | |
| H55760Z00NZ | 20 | | | 100 | 75 | 333 x 339 x 460 |
| H55762Z00NZ | 60 | BCS | ₩ 🗱 👬 | 160 | 175 | 333 x 395 x 464 |
| H55763Z00NZ | 100 | | | 240* | 175 | 333 x 395 x 464 |
| H55702Z00NZ | 20 | | | 100 | 75 | 333 x 280 x 455 |
| H55703Z00NZ | 40 | вс 🕠 🔆 | 160 | 125 | 333 x 395 x 464 | |
| H55704Z00NZ | 60 | | W 35 | 160 | 175 | 333 x 395 x 464 |
| H55705Z00NZ | 100 | | | 240* | 175 | 333 x 395 x 464 |
| H55708Z00NZ | 60 | DA | ва | 160 | - | 333 x 280 x 313 |
| H55709Z00NZ | 100 | BA | | 240* | - | 333 x 280 x 313 |
| H55706Z00NZ | 60 | - | (() | 160 | - | 333 x 280 x 313 |
| H55707Z00NZ | 100 | В | 111 | 240* | - | 333 x 280 x 313 |
| H55765Z00NZ | 100 | CS | * | - | 150 | 333 x 280 x 480 |
| H55710Z00NZ | 40 | 6 | xtx | - | 125 | 333 x 280 x 476 |
| H55711Z00NZ | 100 | С | *X* | - | 150 | 333 x 280 x 476 |

Commercial HydroTap



CLASSIC PLUS WITH CUBE MIXER

| ORDER CODE | NO. PEOPLE | MODEL | WATER OPTIONS | CUPS PER HOUR | GLASSES PER HOUR | SIZE* H x W x D (mm) |
|-------------|------------|---------|---------------|------------------|---------------------|-------------------------|
| | | | | 111 | * | |
| H55875Z00NZ | 60 | Decilia | ₩ 🗱 🖬 – | 160 | 175 | 333 x 395 x 464 |
| H55876Z00NZ | 100 | BCSHA | | 240* | 175 | 333 x 395 x 464 |
| H55822Z00NZ | 40 | | | 160 | 125 | 333 x 395 x 464 |
| H55823Z00NZ | 60 | BCHA | ₩ 🕸 🖳 | 160 | 175 | 333 x 395 x 464 |
| H55824Z00NZ | 100 | | | 240* | 175 | 333 x 395 x 464 |
| H55856Z00NZ | 60 | | 444 | 160 | - | 333 x 280 x 313 |
| H55857Z00NZ | 100 | BHA | | 240* | - | 333 x 280 x 313 |

| ORDER CODE | NO. PEOPLE | MODEL | WATER OPTIONS | CUPS PER HOUR | GLASSES PER HOUR | SIZE* H x W x D (mm) |
|-------------|------------|--------|---------------|------------------|---------------------|-------------------------|
| | | | | 111 | * | |
| H55975Z00NZ | 60 | Decita | (((🕸 诺 🕥 | 160 | 175 | 333 x 395 x 464 |
| H55976Z00NZ | 100 | BCSHA | ₩ 🗱 🖬 | 240* | 175 | 333 x 395 x 464 |
| H55922Z00NZ | 40 | | | 160 | 125 | 333 x 395 x 464 |
| H55923Z00NZ | 60 | BCHA | ₩ 券 ቧ | 160 | 175 | 333 x 395 x 464 |
| H55924Z00NZ | 100 | | | 240* | 175 | 333 x 395 x 464 |
| H55956Z00NZ | 60 | | | 160 | - | 333 x 280 x 313 |
| H55957Z00NZ | 100 | BHA | Sames | 240* | - | 333 x 280 x 313 |

CLASSIC PLUS WITH CLASSIC MIXER



| H55675Z00NZ | 60 | DCCUA | ₩ 🗱 🛄 | 160 | 175 | 333 x 395 x 464 |
|-------------|-----|-------|-------|------|-----|-----------------|
| H55676Z00NZ | 100 | BCSHA | | 240* | 175 | 333 x 395 x 464 |
| H55622Z00NZ | 40 | | | 160 | 125 | 333 x 395 x 464 |
| H55623Z00NZ | 60 | BCHA | | 160 | 175 | 333 x 395 x 464 |
| H55624Z00NZ | 100 | | | 240* | 175 | 333 x 395 x 464 |

AVAILABLE IN:





Order code listed above is for Chrome finish. To select a different finish, replace Z00 with the relevant colour code. For example, HydroTap G5 BCS20 Classic Plus in a Matte Black finish use code H55760Z03NZ.

| KEY TO ICONS | BOILING | CHILLED | FILTERED SPARKLING | FILTERED AMBIENT | HOT & COLD |
|--------------|---------|---------|-----------------------|---------------------|------------|
|--------------|---------|---------|-----------------------|---------------------|------------|

*240 boiling cup per hour models include additional Booster and require 2 x 10 amp power GPOs. Refer to www.zenithwater.co.nz for full specification details. Size relates to command centre - revert to installation diagram for clearance and ventilation. Glass size is 200ml and cup size 167ml.

'Ambient' describes the temperature of the water where there is no additional heating or chilling to the incoming cold water supply.

AVAILABLE IN:





Order code listed above is for Chrome finish. To select a different finish, replace Z00 with the relevant colour code. For example, HydroTap G5 BCSHA60 Classic Plus in a Matte Black finish use code H55875Z03NZ.

| KEY TO ICONS | " | FILTERED BOILING | * | filtered Chilled | •• | FILTERED SPARKLIN |
|--------------|---|---------------------|---|---------------------|----|----------------------|
|--------------|---|---------------------|---|---------------------|----|----------------------|

*240 boiling cup per hour models include additional Booster and require 2 x 10 amp power GPOs. Refer to www.zenithwater.co.nz for full specification details. Size relates to command centre - revert to installation diagram for clearance and ventilation. Glass size is 200ml and cup size 167ml.

'Ambient' describes the temperature of the water where there is no additional heating or chilling to the incoming cold water supply.



Commercial HydroTap

| rouch | 1 | 1 |
|-------|---|---|
| | | |
| | | |

| ORDER CODE | NO. PEOPLE | MODEL | WATER OPTIONS | CUPS PER HOUR | GLASSES PER HOUR | SIZE* H x W x D (mm) |
|-------------|------------|-------|---------------|------------------|---------------------|-------------------------|
| | | | | 111 | * | |
| H5W760Z00NZ | 20 | | | 100 | 75 | 333 x 339 x 460 |
| H5W762Z00NZ | 60 | BCS | \\\ ₩ | 160 | 175 | 333 x 395 x 464 |
| H5W763Z00NZ | 100 | | | 240* | 175 | 333 x 395 x 464 |
| H5W703Z00NZ | 40 | | | 160 | 125 | 333 x 395 x 464 |
| H5W704Z00NZ | 60 | BC | ₩ * | 160 | 175 | 333 x 395 x 464 |
| H5W705Z00NZ | 100 | | | 240* | 175 | 333 x 395 x 464 |
| H5W708Z00NZ | 60 | BA | • ۱۱۱ | 160 | - | 333 x 280 x 313 |
| H5W706Z00NZ | 60 | 5 | 444 | 160 | - | 333 x 280 x 313 |
| H5W707Z00NZ | 100 | В | 111 | 240* | - | 333 x 280 x 313 |
| H5W710Z00NZ | 40 | с | ××× | - | 125 | 333 x 280 x 476 |
| H5W711Z00NZ | 100 | C | 748 | - | 150 | 333 x 280 x 476 |

TOUCH-FREE WAVE WITH CLASSIC MIXER



| H5W623Z00NZ 60 BCHA Image: Constraints 160 175 333 x 395 x 464 H5W624Z00NZ 100 240* 175 333 x 395 x 464 | H5W622Z00NZ | 40 | | | 160 | 125 | 333 x 395 x 464 |
|---|-------------|-----|------|-------|------|-----|-----------------|
| H5W624Z00NZ 100 240* 175 333 x 395 x 464 | H5W623Z00NZ | 60 | BCHA | ₩ 🕸 🖳 | 160 | 175 | 333 x 395 x 464 |
| | H5W624Z00NZ | 100 | | | 240* | 175 | 333 x 395 x 464 |

TOUCH-FREE WAVE



| H5W822Z00NZ | 40 | | | 160 | 125 | 333 x 395 x 464 |
|-------------|-----|------|------------|------|-----|-----------------|
| H5W823Z00NZ | 60 | BCHA | \\\ \ ∦ Ω. | 160 | 175 | 333 x 395 x 464 |
| H5W824Z00NZ | 100 | | | 240* | 175 | 333 x 395 x 464 |

AVAILABLE IN:

POPULAR



Order code listed above is for Chrome finish. To select a different finish, replace Z00 with the relevant colour code. For example, HydroTap G5 BCS20 Touch-Free Wave in a Matte Black finish use code H5W760Z03NZ.

| KEY TO ICONS | BOILING | CHILLED | FILTERED SPARKLING | FILTERED AMBIENT | HOT&COLD |
|--------------|---------|---------|-----------------------|---------------------|----------|
|--------------|---------|---------|-----------------------|---------------------|----------|

*240 boiling cup per hour models include additional Booster and require 2 x 10 amp power GPOs. Refer to www.zenithwater.co.nz for full specification details. Size relates to command centre - revert to installation diagram for clearance and ventilation. Glass size is 200ml and cup size 167ml.

'Ambient' describes the temperature of the water where there is no additional heating or chilling to the incoming cold water supply.

Commercial HydroTap



| ORDER CODE | NO. PEOPLE | MODEL | WATER OPTIONS | CUPS PER HOUR | GLASSES PER HOUR | SIZE* H x W x D (mm) |
|-------------|------------|-------|-----------------|------------------|---------------------|-------------------------|
| | | | | | * | |
| H51760Z00NZ | 20 | | | 100 | 75 | 333 x 339 x 460 |
| H51762Z00NZ | 60 | BCS | \\\ ₩ : | 160 | 175 | 333 x 395 x 464 |
| H51763Z00NZ | 100 | | | 240* | 175 | 333 x 395 x 464 |
| H51702Z00NZ | 20 | | | 100 | 75 | 333 x 280 x 455 |
| H51703Z00NZ | 40 | 20 | 444 244 | 160 | 125 | 333 x 395 x 464 |
| H51704Z00NZ | 60 | BC | ₩ ₩ | 160 | 175 | 333 x 395 x 464 |
| H51705Z00NZ | 100 | | | 240* | 175 | 333 x 395 x 464 |
| H51708Z00NZ | 60 | | | 160 | - | 333 x 280 x 313 |
| H51709Z00NZ | 100 | BA | \$\$\$\$ | 240* | - | 333 x 280 x 313 |
| H51706Z00NZ | 60 | _ | | 160 | - | 333 x 280 x 313 |
| H51707Z00NZ | 100 | В | В | 240* | - | 333 x 280 x 313 |
| H51765Z00NZ | 100 | CS | ** | - | 150 | 333 x 280 x 480 |
| H51710Z00NZ | 40 | _ | xtx | - | 125 | 333 x 280 x 476 |
| H51711Z00NZ | 100 | С | * | - | 150 | 333 x 280 x 476 |

CLASSIC WITH CLASSIC MIXER



| H51675Z00NZ | 60 | BCSHA | | 160 | 175 | 333 x 395 x 464 |
|-------------|-----|----------|-------------|------|-----------------|-----------------|
| H51676Z00NZ | 100 | BCJHA | ₩ ₩ ∷ | 240* | 175 | 333 x 395 x 464 |
| H51622Z00NZ | 40 | | | 160 | 125 | 333 x 395 x 464 |
| H51623Z00NZ | 60 | всна 🕠 🗰 | 160 | 175 | 333 x 395 x 464 | |
| H51624Z00NZ | 100 | | 777 1 00-00 | 240* | 175 | 333 x 395 x 464 |
| H51656Z00NZ | 60 | DUIA | вна 🕠 💭 | 160 | - | 333 x 280 x 313 |
| H51657Z00NZ | 100 | вна | | 240* | - | 333 x 280 x 313 |

AVAILABLE IN:



Order code listed above is for Chrome finish. To select a different finish, replace ZOO with the relevant colour code. For example, HydroTap G5 BCS20 Classic in a Matte Black finish use code H51760Z03NZ.

FILTERED
FILTERED
FILTERED
FILTERED
FILTERED
MUNIFILTERED
MUN KEY TO ICONS

*240 boiling cup per hour models include additional Booster and require 2 x 10 amp power GPOs. Refer to www.zenithwater.co.nz for full specification details. Size relates to command centre - revert to installation diagram for clearance and ventilation. Glass size is 200ml and cup size 167ml.

'Ambient' describes the temperature of the water where there is no additional heating or chilling to the incoming cold water supply.



Commercial HydroTap

CLASSIC WITH ARC MIXER



| ORDER CODE | NO. PEOPLE | MODEL | WATER OPTIONS | CUPS PER HOUR | GLASSES PER HOUR | SIZE* H x W x D (mm) |
|-------------|------------|--------|---------------|------------------|---------------------|-------------------------|
| | | | | 111 | * | |
| H51875Z00NZ | 60 | 200110 | | 160 | 175 | 333 x 395 x 464 |
| H51876Z00NZ | 100 | BCSHA | ₩ 🗱 🖬 🛉 | 240* | 175 | 333 x 395 x 464 |
| H51822Z00NZ | 40 | | | 160 | 125 | 333 x 395 x 464 |
| H51823Z00NZ | 60 | ВСНА | всна 읓 💥 💭 | 160 | 175 | 333 x 395 x 464 |
| H51824Z00NZ | 100 | | | 240* | 175 | 333 x 395 x 464 |
| H51856Z00NZ | 60 | вна | | 160 | - | 333 x 280 x 313 |
| H51857Z00NZ | 100 | вна | | 240* | - | 333 x 280 x 313 |

Commercial HydroTap Available on request



| ORDER CODE | NO. PEOPLE | MODEL | WATER OPTIONS | CUPS PER HOUR | GLASSES PER HOUR | SIZE* H x W x D (mm) |
|-------------|------------|-------|---------------|------------------|---------------------|-------------------------|
| | | | | 111 | * | |
| H5J703Z00NZ | 40 | | | 160 | 125 | 333 x 395 x 464 |
| H5J704Z00NZ | 60 | BC | ₩ ※ | 160 | 175 | 333 x 395 x 464 |
| H5J705Z00NZ | 100 | | | 240* | 175 | 333 x 395 x 464 |

CLASSIC INDUSTRIAL TOP TOUCH**

| H51703Z00ANZ | 40 | | | 160 | 125 | 333 x 395 x 464 |
|--------------|-----|----|------|------|-----|-----------------|
| H51704Z00NZ | 60 | BC | ₩ ** | 160 | 175 | 333 x 395 x 464 |
| H51705Z00NZ | 100 | | | 240* | 175 | 333 x 395 x 464 |



WITH CUBE MIXER

| H51975Z00NZ | 60 | BCSHA | (((\$* ↔ ∩ | 160 | 175 | 333 x 395 x 464 |
|----------------------------|-----------|-------|------------------|-------------|-----|------------------------------------|
| H51976Z00NZ | 100 | BCSHA | | 240* | 175 | 333 x 395 x 464 |
| H51922Z00NZ | 40 | | | 160 | 125 | 333 x 395 x 464 |
| H51923Z00NZ | 60 | BCHA | \\\ \ ∦ Ω. | 160 | 175 | 333 x 395 x 464 |
| H51924Z00NZ | 100 | | , , , , I. oo-oo | 240* | 175 | 333 x 395 x 464 |
| H51956Z00NZ | 60 | DUIA | | 160 | - | 333 x 280 x 313 |
| H51957Z00NZ | 100 | DriA | | 240* | - | 333 x 280 x 313 |
| H51924Z00NZ H51956Z00NZ | 100 60 | ВСНА | ₩ ♣ ஹ | 240* 160 | 175 | 333 x 395 x 464 333 x 280 x 313 |

CLASSIC ALL-IN-ONE



| H5A775Z00NZ | 60 | DCCUA | (((朱 ↔ ∩ | 160 | 175 | 333 x 395 x 464 |
|-------------|-----|-------|-----------|------|-----|-----------------|
| H5A776Z00NZ | 100 | BCSHA | | 240* | 175 | 333 x 395 x 464 |
| H5A722Z00NZ | 40 | | | 160 | 125 | 333 x 395 x 464 |
| H5A723Z00NZ | 60 | BCHA | ₩ 🕸 🖳 | 160 | 175 | 333 x 395 x 464 |
| H5A724Z00NZ | 100 | | | 240* | 175 | 333 x 395 x 464 |

AVAILABLE IN:



Order code listed above is for Chrome finish. To select a different finish, replace Z00 with the relevant colour code. For example, HydroTap G5 BCSHA60 Classic with Arc Mixer in a Matte Black finish use code H51875Z03NZ.

| KEY | ТО | ICON |
|-----|----|------|
| | | |

٧S




*240 boiling cup per hour models include additional Booster and require 2 x 10 amp power GPOs. Refer to www.zenithwater.co.nz for full specification details. Size relates to command centre - revert to installation diagram for clearance and ventilation. Glass size is 200ml and cup size 167ml.

'Ambient' describes the temperature of the water where there is no additional heating or chilling to the incoming cold water supply.



| M1005NZ | 10 | BC | ₩ * | 90 | 60 | 340 x 180 x 502 |
|---------|----|----|-----|----|----|-----------------|
| M1001NZ | 10 | В | *** | 90 | - | 340 x 180 x 270 |

ULTRACARE** Ð





H517U1Z00NZ

H5W7U1Z00NZC

POPILI AR Z 0 3 CHROME

AVAILABLE IN:



Order code listed above is for Chrome finish.

KEY TO ICONS



*240 boiling cup per hour models include additional Booster and require 2 x 10 amp power GPOs. Refer to www.zenithwater.co.nz for full specification details. Size relates to command centre - revert to installation diagram for clearance and ventilation. Glass size is 200ml and cup size 167ml.

**Industrial & UltraCare products only available in Chrome finish.

'Ambient' describes the temperature of the water where there is no additional heating or chilling to the incoming cold water supply.

| ₩ 举 | 160 | 125 | 333 x 395 x 464 |
|-----|-----|-----|-----------------|
| ₩ * | 160 | 125 | 333 x 395 x 464 |
| ₩ * | 160 | 125 | 333 x 395 x 464 |





Commercial HydroTap Tap design available on request only

ARC ΩD,

| ORDER CODE | NO. PEOPLE | MODEL | WATER OPTIONS | CUPS PER HOUR | GLASSES PER HOUR | SIZE* H x W x D (mm) |
|-------------|------------------|-------|---|------------------|---------------------|-------------------------|
| | | | | | * | |
| H52760Z00NZ | 20 | | | 100 | 75 | 333 x 339 x 460 |
| H52762Z00NZ | 60 | BCS | \\\ ₩ | 160 | 175 | 333 x 395 x 464 |
| H52763Z00NZ | 100 | | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | 240* | 175 | 333 x 395 x 464 |
| H52702Z00NZ | 20 | | | 100 | 75 | 333 x 280 x 455 |
| H52703Z00NZ | 40 | BC | ₩ * | 160 | 125 | 333 x 395 x 464 |
| H52704Z00NZ | 60 | | | 160 | 175 | 333 x 395 x 464 |
| H52705Z00NZ | 100 | | | 240* | 175 | 333 x 395 x 464 |
| H52708Z00NZ | 60 | | | 160 | - | 333 x 280 x 313 |
| H52709Z00NZ | 100 | BA | \$\$\$\$ | 240* | - | 333 x 280 x 313 |
| H52706Z00NZ | 60 | _ | 666 | 160 | - | 333 x 280 x 313 |
| H52707Z00NZ | 100 | В | *** | 240* | - | 333 x 280 x 313 |
| H52765Z00NZ | 100 | CS | * | _ | 150 | 333 x 280 x 480 |
| H52710Z00NZ | 40 | | xtx | - | 125 | 333 x 280 x 476 |
| H52711Z00NZ | 52711Z00NZ 100 C | | ** | _ | 150 | 333 x 280 x 476 |

Commercial HydroTap Tap design available on request only



| ORDER CODE | NO. PEOPLE | MODEL | WATER OPTIONS | CUPS PER HOUR | GLASSES PER HOUR | SIZE* H x W x D (mm) |
|--------------|------------|-------|-----------------|------------------|---------------------|-------------------------|
| | | | | | * | |
| H53760Z00NZ | 20 | | | 100 | 75 | 333 x 339 x 460 |
| H53762Z00NZ | 60 | BCS | \\\ ₩ | 160 | 175 | 333 x 395 x 464 |
| H53763Z00NZ | 100 | | | 240* | 175 | 333 x 395 x 464 |
| H53702Z00NZ | 20 | | | 100 | 75 | 333 x 280 x 455 |
| H53703Z00ANZ | 40 | BC | ₩ * | 160 | 125 | 333 x 395 x 464 |
| H53704Z00NZ | 60 | BC | | 160 | 175 | 333 x 395 x 464 |
| H53705Z00NZ | 100 | | | 240* | 175 | 333 x 395 x 464 |
| H53708Z00NZ | 60 | 24 | | 160 | - | 333 x 280 x 313 |
| H53709Z00NZ | 100 | BA | \$\$\$\$ | 240* | - | 333 x 280 x 313 |
| H53706Z00NZ | 60 | 5 | (((| 160 | - | 333 x 280 x 313 |
| H53707Z00NZ | 100 | В | 111 | 240* | - | 333 x 280 x 313 |
| H53765Z00NZ | 100 | CS | * | - | 150 | 333 x 280 x 480 |
| H53710Z00NZ | 40 | 6 | xtx | - | 125 | 333 x 280 x 476 |
| H53711Z00NZ | 100 | С | ** | - | 150 | 333 x 280 x 476 |

ARC WITH ARC MIXER



| H52875Z00NZ | 60 | BCSHA | | 160 | 175 | 333 x 395 x 464 |
|-------------|-----|-------|--|------|-----|-----------------|
| H52876Z00NZ | 100 | всэна | | 240* | 175 | 333 x 395 x 464 |
| H52822Z00NZ | 40 | | ₩ 券 Ω | 160 | 125 | 333 x 395 x 464 |
| H52823Z00NZ | 60 | BCHA | | 160 | 175 | 333 x 395 x 464 |
| H52824Z00NZ | 100 | | | 240* | 175 | 333 x 395 x 464 |
| H52856Z00NZ | 60 | вна | | 160 | - | 333 x 280 x 313 |
| H52857Z00NZ | 100 | DHA | \\\ ² 38 ¹ 86 | 240* | - | 333 x 280 x 313 |



AVAILABLE IN:



Order code listed above is for Chrome finish. To select a different finish, replace ZOO with the relevant colour code. For example, HydroTap G5 BCS20 Arc in a Matte Black finish use code H52760Z03NZ.

| KEY TO ICONS | FILTERED BOILING | CHILLED | FILTERED SPARKLING | AMBIENT | HOT&COLD |
|--------------|---------------------|---------|-----------------------|---------|----------|
|--------------|---------------------|---------|-----------------------|---------|----------|

*240 boiling cup per hour models include additional Booster and require 2 x 10 amp power GPOs. Refer to www.zenithwater.co.nz for full specification details. Size relates to command centre - revert to installation diagram for clearance and ventilation. Glass size is 200ml and cup size 167ml.

'Ambient' describes the temperature of the water where there is no additional heating or chilling to the incoming cold water supply.

| H53975Z00NZ | 60 | BCSHA | ∭ 券 ∷ Ω | 160 | 175 | 333 x 395 x 464 |
|-------------|-----|-------|-------------------------------|------|-----|-----------------|
| H53976Z00NZ | 100 | всэпа | | 240* | 175 | 333 x 395 x 464 |
| H53922Z00NZ | 40 | | ₩ ₩ ײ | 160 | 125 | 333 x 395 x 464 |
| H53923Z00NZ | 60 | BCHA | | 160 | 175 | 333 x 395 x 464 |
| H53924Z00NZ | 100 | | | 240* | 175 | 333 x 395 x 464 |
| H53956Z00NZ | 60 | вна | | 160 | - | 333 x 280 x 313 |
| H53957Z00NZ | 100 | вна | \\\ ⁵²⁰⁰ 55 | 240* | - | 333 x 280 x 313 |

AVAILABLE IN:





Order code listed above is for Chrome finish. To select a different finish, replace ZOO with the relevant colour code. For example, HydroTap G5 BCS20 Cube in a Matte Black finish use code H53760Z03NZ.

| KEY TO ICONS | " | filtered BOILING | * | filtered Chilled | •• | FILTERED SPARKLIN |
|--------------|---|----------------------------|---|----------------------------|----|----------------------|
|--------------|---|----------------------------|---|----------------------------|----|----------------------|

*240 boiling cup per hour models include additional Booster and require 2 x 10 amp power GPOs. Refer to www.zenithwater.co.nz for full specification details. Size relates to command centre - revert to installation diagram for clearance and ventilation. Glass size is 200ml and cup size 167ml.

'Ambient' describes the temperature of the water where there is no additional heating or chilling to the incoming cold water supply.



Commercial HydroTap Tap design available on request only

ELITE PLUS



| ORDER CODE | NO. PEOPLE | MODEL | WATER OPTIONS | CUPS PER HOUR | GLASSES PER HOUR | SIZE* H x W x D (mm) |
|-------------|------------|-------|---------------|------------------|---------------------|-------------------------|
| | | | | 111 | * | |
| H5E760Z00NZ | 20 | | | 100 | 75 | 333 x 339 x 460 |
| H5E762Z00NZ | 60 | BCS | ₩ ₩ | 160 | 175 | 333 x 395 x 464 |
| H5E763Z00NZ | 100 | | | 240* | 175 | 333 x 395 x 464 |
| H5E702Z00NZ | 20 | | | 100 | 75 | 333 x 280 x 455 |
| H5E703Z00NZ | 40 | DC. | sc ()() * | 160 | 125 | 333 x 395 x 464 |
| H5E704Z00NZ | 60 | BC | | 160 | 175 | 333 x 395 x 464 |
| H5E705Z00NZ | 100 | | | 240* | 175 | 333 x 395 x 464 |
| H5E708Z00NZ | 60 | 5.4 | | 160 | - | 333 x 280 x 313 |
| H5E709Z00NZ | 100 | BA | \$\$\$ | 240* | - | 333 x 280 x 313 |
| H5E706Z00NZ | 60 | - | 666 | 160 | - | 333 x 280 x 313 |
| H5E707Z00NZ | 100 | В | *** | 240* | - | 333 x 280 x 313 |
| H5E765Z00NZ | 100 | CS | | - | 150 | 333 x 280 x 480 |
| H5E710Z00NZ | 40 | | xtx | - | 125 | 333 x 280 x 476 |
| H5E711Z00NZ | 100 | С | ** | _ | 150 | 333 x 280 x 476 |

Commercial HydroTap Tap design available on request only



| ORDER CODE | NO. PEOPLE | MODEL |
|-------------|------------|-------|
| | | |
| H5E875Z00NZ | 60 | BCSHA |
| H5E876Z00NZ | 100 | всяна |
| H5E822Z00NZ | 40 | |
| H5E823Z00NZ | 60 | BCHA |
| H5E824Z00NZ | 100 | |
| H5E856Z00NZ | 60 | вна |
| H5E857Z00NZ | 100 | вна |



| ORDER CODE | NO. PEOPLE | MODEL | WATER OPTIONS | CUPS PER HOUR | GLASSES PER HOUR | SIZE* H x W x D (mm) |
|-------------|------------|-------|---------------|------------------|---------------------|-------------------------|
| | | | | 111 | * | |
| H5E975Z00NZ | 60 | BCSHA | ₩ 🗱 🖬 | 160 | 175 | 333 x 395 x 464 |
| H5E976Z00NZ | 100 | BCSHA | | 240* | 175 | 333 x 395 x 464 |
| H5E922Z00NZ | 40 | | | 160 | 125 | 333 x 395 x 464 |
| H5E923Z00NZ | 60 | BCHA | \\\ \ ∦ Ω | 160 | 175 | 333 x 395 x 464 |
| H5E924Z00NZ | 100 | | //// -r | 240* | 175 | 333 x 395 x 464 |
| H5E956Z00NZ | 60 | | | 160 | - | 333 x 280 x 313 |
| H5E957Z00NZ | 100 | BHA | | 240* | - | 333 x 280 x 313 |



| H5E675Z00NZ | 60 | BCSHA | ₩ 🗱 👬 🛄 | 160 | 175 | 333 x 395 x 464 |
|-------------|-----|-------|---------|------|-----|-----------------|
| H5E676Z00NZ | 100 | BCJHA | | 240* | 175 | 333 x 395 x 464 |
| H5E622Z00NZ | 40 | | ₩ ₩ ײ | 160 | 125 | 333 x 395 x 464 |
| H5E623Z00NZ | 60 | BCHA | | 160 | 175 | 333 x 395 x 464 |
| H5E624Z00NZ | 100 | | | 240* | 175 | 333 x 395 x 464 |
| H5E656Z00NZ | 60 | вна | | 160 | - | 333 x 280 x 313 |
| H5E657Z00NZ | 100 | вна | | 240* | - | 333 x 280 x 313 |
| | | | | | | |

AVAILABLE IN:

POPULAR



PLATINUM

Order code listed above is for Chrome finish. To select a different finish, replace ZOO with the relevant colour code. For example, HydroTap G5 BCS20 Elite Plus in a Matte Black finish use code H5E760Z03AU.

| KEY TO ICONS | BOILING | FILTERED SPARKLING | AMBIENT |
|--------------|---------|-----------------------|---------|
|--------------|---------|-----------------------|---------|

*240 boiling cup per hour models include additional Booster and require 2 x 10 amp power GPOs. Refer to www.zenithwater.co.nz for full specification details. Size relates to command centre - revert to installation diagram for clearance and ventilation. Glass size is 200ml and cup size 167ml.

'Ambient' describes the temperature of the water where there is no additional heating or chilling to the incoming cold water supply.

POPULAR PLATINUM Z 0 3

AVAILABLE IN:

CHROME BRUSHED CHROME



Order code listed above is for Chrome finish. To select a different finish, replace ZOO with the relevant colour code. For example, HydroTap G5 BCSHA60 5-In-1 Elite Plus tap with Arc Mixer in a Matte Black finish use code H5E875Z03AU.

| KEY TO ICONS | " | FILTERED BOILING | * | filtered CHILLED | | • | filtered SPARKLIN |
|--------------|---|---------------------|---|----------------------------|--|---|-----------------------------|
|--------------|---|---------------------|---|----------------------------|--|---|-----------------------------|

*240 boiling cup per hour models include additional Booster and require 2 x 10 amp power GPOs. Refer to www.zenithwater.co.nz for full specification details. Size relates to command centre - revert to installation diagram for clearance and ventilation. Glass size is 200ml and cup size 167ml.

'Ambient' describes the temperature of the water where there is no additional heating or chilling to the incoming cold water supply.

| WATER OPTIONS | CUPS PER HOUR | GLASSES PER HOUR | SIZE* H x W x D (mm) |
|----------------|------------------|---------------------|-------------------------|
| | 111 | * | |
| | 160 | 175 | 333 x 395 x 464 |
| | 240* | 175 | 333 x 395 x 464 |
| | 160 | 125 | 333 x 395 x 464 |
| \\\ \ ∦ Ω | 160 | 175 | 333 x 395 x 464 |
| | 240* | 175 | 333 x 395 x 464 |
| | 160 | - | 333 x 280 x 313 |
| 38 <u>–</u> 56 | 240* | - | 333 x 280 x 313 |



Commercial HydroTap Tap design available on request only


CELSIUS ALL-IN-ONE**



| ORDER CODE | NO. PEOPLE | MODEL | WATER OPTIONS | CUPS PER HOUR | GLASSES PER HOUR | SIZE* H x W x D (mm) |
|-------------|------------|-------|---------------|------------------|---------------------|-------------------------|
| | | | | 111 | * | |
| H57760Z00NZ | 20 | | 100 | 75 | 333 x 339 x 460 | |
| H57762Z00NZ | 60 | | ₩ 🗱 🏭 | 160 | 175 | 333 x 395 x 464 |
| H57763Z00NZ | 100 | | | 240* | 175 | 333 x 395 x 464 |
| H57702Z00NZ | 20 | | ₩ 🕸 💭 | 100 | 75 | 333 x 280 x 455 |
| H57703Z00NZ | 40 | DCUA | | 160 | 125 | 333 x 395 x 464 |
| H57704Z00NZ | 60 | BCHA | | 160 | 175 | 333 x 395 x 464 |
| H57705Z00NZ | 100 | | | 240 | 175 | 333 x 395 x 464 |


**Celsius products require hot and cold water supply

Technical information




Classic Plus

Touch-Free Wave



Classic

Elite Plus



Industrial Side Touch

AVAILABLE IN:

POPULAR




PLATINUM

Order code listed above is for Chrome finish. To select a different finish, replace Z00 with the relevant colour code. For example, HydroTap G5 BCSHA20 Celsius All-In-One in a Matte Black finish use code H57760Z03AU.

| KEY TO ICONS | FILTERED BOILING | CHILLED | FILTERED SPARKLING | FILTERED AMBIENT | HOT & COLD |
|--------------|---------------------|---------|-----------------------|---------------------|------------|
|--------------|---------------------|---------|-----------------------|---------------------|------------|

*240 boiling cup per hour models include additional Booster and require 2 x 10 amp power GPOs. Refer to www.zenithwater.co.nz for full specification details. Size relates to command centre - revert to installation diagram for clearance and ventilation. Glass size is 200ml and cup size 167ml.

'Ambient' describes the temperature of the water where there is no additional heating or chilling to the incoming cold water supply.




95258NZZ00 Zenith font kit raised Chrome

Suits any current model Zenith HydroTap Classic, Classic Plus, Touch-Free Wave, Miniboil Classic and Elite Plus

Suits any current model Zenith HydroTap Classic, Classic Plus, Touch-Free Wave,

90915NZZ00


zenith






Celsius All-In-One

CL REACH: 211



Ø50 HOLF

Classic All-In-One



93441NZZ00

Zenith stand alone font

Chrome for HydroTap


Arc and Cube

90869NZZ00 Zenith Font for Industrial in Chrome finish

Zenith font kit Chrome

Miniboil Classic and Elite Plus

Accessories




For full installation details please refer to the installation instructions which can be found at www.zenithwater.co.nz Be sure to allow additional space required if installing a sparkling model with CO₂ cylinder.



Image shows BC40 command centre installed with vent tray






95258NZZ00 Zenith font kit raised Chrome Suits any current model Zenith HydroTap

Classic, Classic Plus, Touch-Free Wave, and Elite Plus







Installation accessories





91394NZ Zenith 1.5m silicone tube replacement kit

Suits current commercial Zenith HydroTap Classic excluding sparkling models

Zenith HydroTap boiling water boost upgrade kit Suits current Zenith HydroTap

91412NZ

with boiling water

zenith°



93156NZ Zenith dual exhaust fan

Suits any current commercial Zenith HydroTap with chilled water

Consumables (filters & CO₂)





93702NZ Zenith 0.2 micron commercial filter Suits any current model Zenith HydroTap



Zenith 3 micron commercial filter Suits any current model Zenith HydroTap

(for water with high sediment levels)

93706NZ Zenith 0.2 micron non-carbon commercial filter Suits any current model Zenith HydroTap

(Non-carbon filter do not remove chlorine)

93310NZ Zenith sparkling 2kg refillable cylinder Suits any current commercial sparkling model Zenith HydroTap



93310-R Zenith sparkling 2kg replacement cylinder Available exclusively through the Zenith HydroCare CO₂ exchange program

NOTES

zenıth°

NOTES

New Zealand Zenith Water 0800 558 055 www.zenithwater.co.nz



Copyright 2021. Zenith reserves the right to change product specifications without notice. The term "Zenith" is a trade mark of Zip Heaters (Aust) Pty Ltd. SteriTouch® and the SteriTouch logo are registered trade marks of SteriTouch Limited. As Zenith's policy is one of continuous product improvement, changes to specifications may be made without prior notice. Products may not be exactly as depicted.





0800 558 055

www.zenithwater.co.nz

© 2021 ZENITH HEATERS LTD ALL RIGHTS RESERVED