

STEELMATES




Elevate
Your Outdoors
with Us



GARDEN SHEDS CATALOG

HIGH QUALITY MATERIAL
WIND-RESISTANT
EASY TO ASSEMBLE

CONTACT US

 09 2740618
 sales@steelmates.co.nz
 8:30AM-5:00PM
MON-FRI
 41 Saleyards Road,
Otahuhu, AKL

www.steelmates.co.nz



Best Value

With incredible specs and amazing prices, you won't be able to find a better deal anywhere else.



Peace of mind warranty

All of our products come with a default minimum 1 years warranty, greenhouse with 3 years, sheds with 8 years.



Easy Assembly

All of our products are supplied as in a kitset. We are constantly modifying the design to make the easiest to be assembled on the market.



Hassle free after sale support

Our friendly and experienced staff offer remote assistance, which makes the assembly easier than ever.



ABOUT US

STEELMATES

Our story began in 2009 with the vision of making high-quality greenhouses accessible to everyone. By importing Steelmates greenhouses from overseas and offering them at a competitive price without sacrificing quality, we quickly gained a significant market share. Initially serving Auckland, we soon became industry pioneers by selling greenhouses directly to customers online via our website and Trade Me NZ.

In 2011, we expanded to the South Island by opening our Christchurch branch to meet growing distribution needs. Over the years, valuable customer feedback has been instrumental in helping us improve our products and better understand the expectations of New Zealanders. This valuable insight led us to design and manufacture our own greenhouses, catering to both local and international markets.

Despite our growth, our core philosophy remains the same: providing high-quality products and services at affordable prices. We are committed to continuing our journey of innovation and customer satisfaction, ensuring that our greenhouses meet the evolving needs of our customers.

GARDEN SHEDS

CATALOG

STEELMATES

YH SERIES

page/5-10

DTGS SERIES

page/10

STORAGE SHEDS

Whether you need a simple-yet-secure bin store, a multi-purpose Storage Shed, a small storage box, or even a whole new garage - Steelmates got what you're looking for.

All Steelmates shed have minimum wall height of 2 meters, and anchor kits free of charge!

ULTI MATES

ULTI-MATES

SERIES

page/11-13

Our Ulti-mates Premium sheds are built to last using high tensile 0.25/0.35 steel with a deep ribbed profile for extra strength. Large sheet sizes make for a quick and efficient assembly and with a range of innovative flooring systems available your Ulti-mates shed will last a long time and provide a safe and reliable shelter for your garden tools, lawnmower, BBQ or ride-on.

Buy with confidence for shed made in New Zealand.



GM SERIES

page/14-21

Garden Master is the premium range of garden sheds 100% made in NZ. All processes are carried out by New Zealanders, from the design and manufacture of the products to the packing and shipping. Moreover, Garden Masters' products are backed by a 25 year warranty to ensure you can be truly free from maintenance.

Why Buying A Garden Shed?

Kiwis love gardens, and for every yard, there is a space needed for a garden shed.



MORE STORAGE SPACE

Whether you have a mansion or a townhouse, it's always good to have more storage space. There are many things that are old or used occasionally, but are usually left unused, such as children's toys, bicycles, gym equipment or barbecue grills, which always take up space in the house but cannot be thrown away. You can store all of them in the garden shed, where your possessions will be securely locked away outside and you can free up valuable space inside your home or garage.

WELL ORGANISED GARDEN TOOLS

A garden shed is typically ideal for the storage of your garden tools, such as gloves, grip fork, lawn mower, hedge trimmer, or wheelbarrow and - fitted with a range of shelves and hooks - they offer a great place to store and organize your small hand-held tools. Simply hang your tools on the wall and you will know exactly where to find them.



ALL WEATHER SHELTER

Most items are designed for indoor use and once outside, they are most likely to be corroded by the rainwater, resulting in irreparable damage. The material of the garden shed has strong anti-corrosion, it can provide shelter for your items outdoors, keep them undamaged and dry from all weather, lengthening their usage lifetime.

The Storage Sheds.

The #1 Garden Shed and Greenhouse Company in New Zealand. All of our products are supplied as in a kitset. We are constantly modifying the design to make the easiest to be assembled on the market.



STRONGER FRAME

Designed with strength and quality in mind, our sheds use top quality colorsteel. All of our sheds are fitted with a line of bracings around the height of the wall. For large sheds, there is arch support extending all the way to the ground.



2M TALL WALLS

Steelmates garden shed has a minimum height of 2 meters for wall and door, which is the lowest height of the whole garden shed. There is robust headroom and allows you to move freely inside the garden shed.



FREE ANCHOR KITS

An important step in the process of installing a garden shed is the installation of anchors, so that you don't have to worry about your shed blowing away in any kind of weather. Instead of having to pay for them separately, every set of Steelmates garden shed comes with a free set of anchor kits. Buy garden sheds from Steelmates and save your money immediately.



STEEL THICKNESS

The thickness of the steel on the market is generally 0.22-0.25mm, but Steelmates garden shed is 0.32mm, which is 1.4 times thicker than the average steel shed. This thickness gives Steelmates garden shed an excellent resistance to rust and corrosion, and empowers it with amazing durability whatever the weather, which can stay in great shape for many years!

Products Catalog.

YH SERIES



These sheds are not suitable for coastal environment. The warranty is not valid if they are within 2km of a body of salt water. For flooring, please leave a 30mm gap all around, the shed will sit on top of the rebate and prevents rain water comes in. Additional floor clamps are required for high wind zone.



▶ Door can be put on either left or right hand side.

BASE DIMENSION

External Dimension (mm)	1720(W) x 890(L)
Internal Dimension (mm)	1670(W) x 840(L)
Internal Area (m ²)	1.4
Peak Height (mm)	2000

ADDITIONAL INFO

Anchor Kit Included	Yes
---------------------	-----

SPECS

Carton Sizes (mm)	2030 x 930 x 60
Color	Dark Grey
Number of Cartons	1
Roof Dimension(mm)	1720(W) x 1000(L)
Wall Height (mm)	1850-2000
Warranty	8 Years
Weight (KG)	59
Door Height(mm)	1920
Door Opening (mm)	870
Number of Doors	1

01 SMALL SHED PRE-COATING
YH-FH0603I-AKL



▶ Door can be put on either left or right hand side.

BASE DIMENSION

External Dimension (mm)	1720(W) x 1300(L)
Internal Dimension (mm)	1670(W) x 1250(L)
Internal Area (m ²)	2.09
Peak Height (mm)	2000

ADDITIONAL INFO

Anchor Kit Included	Yes
---------------------	-----

SPECS

Carton Sizes (mm)	2040 x 940 x 58
Color	Dark Grey
Number of Cartons	1
Roof Dimension(mm)	1720(W) x 1440(L)
Wall Height (mm)	1850-2000
Warranty	8 Years
Weight (KG)	67
Door Height(mm)	1920
Door Opening (mm)	870
Number of Doors	1

02 SMALL SHED PRE-COATING
YH-FH0604I-AKL



BASE DIMENSION

External Dimension (mm)	2550(W) x 890(L)
Internal Dimension (mm)	2500(W) x 840(L)
Internal Area (m ²)	2.1
Peak Height (mm)	2000

ADDITIONAL INFO

Anchor Kit Included	Yes
---------------------	-----

SPECS

Carton Sizes (mm)	2025 x 930 x 55
Color	Dark Grey
Number of Cartons	1
Roof Dimension(mm)	2550(W) x 1000(L)
Wall Height (mm)	1850-2000
Warranty	8 Years
Weight (KG)	73
Door Height(mm)	1920
Door Opening (mm)	870
Number of Doors	1

03 SMALL SHED PRE-COATING
YH-FH0803I-AKL



BASE DIMENSION

External Dimension (mm)	2550(W) x 1300(L)
Internal Dimension (mm)	2500(W) x 1250(L)
Length/Depth (mm)	1300
Width (mm)	2550
Internal Area (m ²)	3.13
Peak Height (mm)	2000

ADDITIONAL INFO

Anchor Kit Included	Yes
---------------------	-----

SPECS

Carton Sizes (mm)	2030 x 930 x 60
Color	Dark Grey
Number of Cartons	1
Roof Dimension(mm)	2550(W) x 1440(L)
Wall Height (mm)	1850-2000
Warranty	8 Years
Weight (KG)	82
Door Height(mm)	1920
Door Opening (mm)	870
Number of Doors	1

04 SMALL SHED PRE-COATING
YH-FH0804-AKL

YH SERIES



BASE DIMENSION

External Dimension (mm)	2550(W) x 1720(L)
Internal Dimension (mm)	2500(W) x 1670(L)
Internal Area (m ²)	4.18
Peak Height (mm)	2330

ADDITIONAL INFO

Anchor Kit Included	Yes
---------------------	-----

SPECS

Carton Sizes (mm)	2070 x 930 x 75
Color	Dark Grey
Number of Cartons	1
Roof Dimension (mm)	2680(W) x 1720(L)
Wall Height (mm)	2000
Warranty	8 Years
Weight (KG)	101
Door Height (mm)	1960
Door Opening (mm)	1090
Number of Doors	2

05 SMALL SHED PRE-COATING YH-G0806-H200-S-Grey-AKL



BASE DIMENSION

External Dimension (mm)	2550(W) x 1720(L)
Internal Dimension (mm)	2500(W) x 1670(L)
Internal Area (m ²)	4.18
Peak Height (mm)	2000

ADDITIONAL INFO

Anchor Kit Included	Yes
---------------------	-----

SPECS

Carton Sizes (mm)	2020 x 930 x 65
Color	Dark Grey
Number of Cartons	1
Roof Dimension (mm)	2560(W) x 1840(L)
Wall Height (mm)	1850-2000
Warranty	8 Years
Weight (KG)	89
Door Height (mm)	1920
Door Opening (mm)	870
Number of Doors	1

06 SMALL SHED PRE-COATING YH-F0806-H200-Grey-AKL



BASE DIMENSION

External Dimension (mm)	2550(W) x 2550(L)
Internal Dimension (mm)	2500(W) x 2500(L)
Internal Area (m ²)	6.25
Peak Height (mm)	2330

ADDITIONAL INFO

Anchor Kit Included	Yes
---------------------	-----

SPECS

Carton Sizes (mm)	①2060 x 930 x 75 ②2060 x 210 x 190
Color	Dark Grey
Number of Cartons	2
Roof Dimension (mm)	2550(W) x 2680(L)
Wall Height (mm)	2000
Warranty	8 Years
Weight (KG)	①101 ②34
Door Height (mm)	1960
Door Opening (mm)	1730
Number of Doors	2

07 BIG SHED PRE-COATING YH-G2H0808I-AKL



BASE DIMENSION

External Dimension (mm)	3390(W) x 1720(L)
Internal Dimension (mm)	3340(W) x 1670(L)
Internal Area (m ²)	5.58
Peak Height (mm)	2000

ADDITIONAL INFO

Anchor Kit Included	Yes
---------------------	-----

SPECS

Carton Sizes (mm)	2030 x 930 x 75
Color	Dark Grey
Number of Cartons	2
Roof Dimension (mm)	3390(W) x 1840(L)
Wall Height (mm)	1850-2000
Warranty	8 Years
Weight (KG)	111
Door Height (mm)	1920
Door Opening (mm)	1730
Number of Doors	2

08 BIG SHED PRE-COATING YH-F2H1106-AKL

YH SERIES



09 BIG SHED PRE-COATING
YH-G2H1108I-AKL

BASE DIMENSION

External Dimension (mm)	3390(W) x 2550(L)
Internal Dimension (mm)	3340(W) x 2500(L)
Internal Area (m ²)	8.35
Peak Height (mm)	2330

ADDITIONAL INFO

Anchor Kit Included	Yes
---------------------	-----

SPECS

Carton Sizes (mm)	①2070 x 930 x 65 ②2070 x 930 x 65
Color	Dark Grey
Number of Cartons	2
Roof Dimension(mm)	3390(W) x 2680(L)
Wall Height (mm)	2000
Warranty	8 Years
Weight (KG)	①88 ②81
Door Height(mm)	1960
Door Opening (mm)	1730
Number of Doors	2



10 BIG SHED PRE-COATING
YH-G2H1408I-AKL

BASE DIMENSION

External Dimension (mm)	4200(W) x 2550(L)
Internal Dimension (mm)	4150(W) x 2500(L)
Internal Area (m ²)	10.38
Peak Height (mm)	2330

ADDITIONAL INFO

Anchor Kit Included	Yes
---------------------	-----

SPECS

Carton Sizes (mm)	①2070 x 930 x 80 ②2070 x 930 x 85
Color	Dark Grey
Number of Cartons	2
Roof Dimension(mm)	4200(W) x 2680(L)
Wall Height (mm)	2000
Warranty	8 Years
Weight (KG)	①102 ②103
Door Height(mm)	1960
Door Opening (mm)	1730
Number of Doors	2



11 BIG SHED PRE-COATING
YH-G2H1711I-AKL

BASE DIMENSION

External Dimension (mm)	5020(W) x 3370(L)
Internal Dimension (mm)	4970(W) x 3320(L)
Internal Area (m ²)	16.5
Peak Height (mm)	2330

ADDITIONAL INFO

Anchor Kit Included	Yes
---------------------	-----

SPECS

Carton Sizes (mm)	①2070 x 930 x 70 ②2070 x 930 x 70 ③2070 x 930 x 70
Color	Dark Grey
Number of Cartons	3
Roof Dimension(mm)	5020(W) x 3510(L)
Wall Height (mm)	2000
Warranty	8 Years
Weight (KG)	①92.5 ②84.5 ③88.5
Door Height(mm)	1960
Door Opening (mm)	1730
Number of Doors	2



12 BIG SHED PRE-COATING
YH-F2H1906I-AKL

BASE DIMENSION

External Dimension (mm)	5850(W) x 1710(L)
Internal Dimension (mm)	5800(W) x 1660(L)
Internal Area (m ²)	9.63
Peak Height (mm)	2000

ADDITIONAL INFO

Anchor Kit Included	Yes
---------------------	-----

SPECS

Carton Sizes (mm)	①1910 x 935 x 55 ②2030 x 935 x 55
Color	Dark Grey
Number of Cartons	2
Roof Dimension(mm)	5850(W) x 1840(L)
Wall Height (mm)	1850-2000
Warranty	8 Years
Weight (KG)	①84 ②81
Door Height(mm)	1800
Door Opening (mm)	1730
Number of Doors	2

YH SERIES



► The door can be put on either of the short side, so the roof slope can be either upward or downward.

BASE DIMENSION

External Dimension (mm)	1300(W) x 1720(L)
Internal Dimension (mm)	1250(W) x 1670(L)
Internal Area (m ²)	2.09
Peak Height (mm)	2000

ADDITIONAL INFO

Anchor Kit Included	Yes
---------------------	-----

SPECS

Carton Sizes (mm)	①2030 x 930 x 60 ②2030 x 930 x 60
Color	Dark Grey
Number of Cartons	2
Roof Dimension (mm)	1380(W) x 1720(L)
Wall Height (mm)	1850-2000
Warranty	8 Years
Weight (KG)	①43 ②37
Door Height (mm)	1760
Door Opening (mm)	870
Number of Doors	1

13 SMALL SHED PRE-COATING
YH-F04FDB-AKL



► The door can be put on either of the short side, so the roof slope can be either upward or downward.

BASE DIMENSION

External Dimension (mm)	1300(W) x 2550(L)
Internal Dimension (mm)	1250(W) x 2500(L)
Internal Area (m ²)	3.13
Peak Height (mm)	2000

ADDITIONAL INFO

Anchor Kit Included	Yes
---------------------	-----

SPECS

Carton Sizes (mm)	①2030 x 930 x 60 ②2030 x 930 x 50 ③2030 x 930 x 60
Color	Dark Grey
Number of Cartons	3
Roof Dimension (mm)	1380(W) x 2550(L)
Wall Height (mm)	1850-2000
Warranty	8 Years
Weight (KG)	①43 ②28 ③37
Door Height (mm)	1760
Door Opening (mm)	870
Number of Doors	1

14 NARROW SHED PRE-COATING
YH-F04FDM1B-AKL



► The door can be put on either of the short side, so the roof slope can be either upward or downward.

BASE DIMENSION

External Dimension (mm)	1300(W) x 3390(L)
Internal Dimension (mm)	1250(W) x 3340(L)
Internal Area (m ²)	4.18
Peak Height (mm)	2000

ADDITIONAL INFO

Anchor Kit Included	Yes
---------------------	-----

SPECS

Carton Sizes (mm)	①2030 x 930 x 60 ②③2030 x 930 x 50*2 ④2030 x 930 x 60
Color	Dark Grey
Number of Cartons	4
Roof Dimension (mm)	1380(W) x 3380(L)
Wall Height (mm)	1850-2000
Warranty	8 Years
Weight (KG)	①43 ②③28*2 ④37
Door Height (mm)	1760
Door Opening (mm)	870
Number of Doors	1

15 NARROW SHED PRE-COATING
YH-F04FDM2B-AKL



► The door can be put on either of the short side, so the roof slope can be either upward or downward.

BASE DIMENSION

External Dimension (mm)	1300(W) x 4210(L)
Internal Dimension (mm)	1250(W) x 4160(L)
Internal Area (m ²)	5.2
Peak Height (mm)	2000

ADDITIONAL INFO

Anchor Kit Included	Yes
---------------------	-----

SPECS

Carton Sizes (mm)	①2030 x 930 x 60 ②③④2030 x 930 x 50*3 ⑤2030 x 930 x 60
Color	Dark Grey
Number of Cartons	5
Roof Dimension (mm)	1380(W) x 4210(L)
Wall Height (mm)	1850-2000
Warranty	8 Years
Weight (KG)	①43 ②③④28*3 ⑤37
Door Height (mm)	1760
Door Opening (mm)	870
Number of Doors	1

16 NARROW SHED PRE-COATING
YH-F04FDM3B-AKL

YH SERIES



► The door can be put on either of the short side, so the roof slope can be either upward or downward.

BASE DIMENSION

External Dimension (mm)	1300(W) x 5040(L)
Internal Dimension (mm)	1250(W) x 4990(L)
Internal Area (m ²)	6.24
Peak Height (mm)	2000

ADDITIONAL INFO

Anchor Kit Included	Yes
---------------------	-----

SPECS

Carton Sizes (mm)	①2030 x 930 x 60 ②③④⑤2030 x 930 x 50*4 ⑥2030 x 930 x 60
Color	Dark Grey
Number of Cartons	6
Roof Dimension(mm)	1380(W) x 5040(L)
Wall Height (mm)	1850-2000
Warranty	8 Years
Weight (KG)	①43 ②③④⑤28 ⑥37
Door Height(mm)	1760
Door Opening (mm)	870
Number of Doors	1

17 **YH-F04FDM4B-AKL**

NARROW SHED PRE-COATING



► The door can be put on either of the short side, so the roof slope can be either upward or downward.

BASE DIMENSION

External Dimension (mm)	1300(W) x 5870(L)
Internal Dimension (mm)	1250(W) x 5820(L)
Internal Area (m ²)	7.28
Peak Height (mm)	2000

ADDITIONAL INFO

Anchor Kit Included	Yes
---------------------	-----

SPECS

Carton Sizes (mm)	①2030 x 930 x 60 ②③④⑤⑥2030 x 930 x 50*5 ⑦2030 x 930 x 60
Color	Dark Grey
Number of Cartons	7
Roof Dimension(mm)	1380(W) x 5870(L)
Wall Height (mm)	1850-2000
Warranty	8 Years
Weight (KG)	①43 ②③④⑤⑥28 ⑦37
Door Height(mm)	1760
Door Opening (mm)	870
Number of Doors	1

18 **YH-F04FDM5B-AKL**

NARROW SHED PRE-COATING

WHAT MAKES A METAL BIKE SHED IDEAL FOR YOUR BIKE STORAGE?



FEATURES

- Hot-dipped galvanized, polyamide coated steel plate.
- Pent roof design as water proofing.
- Double hinged doors with lock.
- Air vents included for better air flow.
- Integral ramp to allow easy access.
- Lockable double hinged door.

The Bicycle Shed offers the perfect storage solution, shielding bikes from harsh weather. Crafted from robust, deep-ribbed steel sheeting, it boasts exceptional structural integrity and enduring appeal, ensuring years of reliable service.

Its innovative rail system simplifies bike storage: simply rest the wheels on the tracks for a secure fit. Plus, the non-parallel design prevents handlebars from clashing, enhancing overall organization and safety.

BIKE SHED SERIES



► Purposely designed bike Storage Shed, with 2 floor rails to mount the bikes.

BASE DIMENSION

External Dimension (mm)	1310(W) x 1860(L)
Internal Dimension (mm)	1260(W) x 1810(L)
Internal Area (m ²)	2.28
Peak Height (mm)	1520

ADDITIONAL INFO

Anchor Kit Included	Yes
---------------------	-----

SPECS

Carton Sizes (mm)	1550 x 930 x 70
Color	Dark Grey
Number of Cartons	1
Roof Dimension (mm)	1400(W) x 1860(L)
Wall Height (mm)	1370-1520
Warranty	8 Years
Weight (KG)	63
Door Height (mm)	1280
Door Opening (mm)	1035
Number of Doors	2

01 BIKE SHED SMALL SHED YH-SA140186-H152-H-Grey-AKL



► Can be put together by one person.

BASE DIMENSION

External Dimension (mm)	1995(W) x 880(L)
Internal Dimension (mm)	1945(W) x 830(L)
Internal Area (m ²)	1.61
Peak Height (mm)	1280

ADDITIONAL INFO

Anchor Kit Included	Yes
---------------------	-----

SPECS

Carton Sizes (mm)	1320 x 935 x 70
Color	Dark Grey
Number of Cartons	1
Roof Dimension (mm)	1995(W) x 932(L)
Wall Height (mm)	1210-1280
Warranty	8 Years
Weight (KG)	52
Door Height (mm)	1190
Door Opening (mm)	1730
Number of Doors	1 x double door
Thickness of Panel (mm)	0.32

02 BIKE SHED SMALL SHED YH-ST20094-H128-F-V-AKL



► Floor is not included.

BASE DIMENSION

Base Dimension (mm)	1920(W) x 1920(L)
Door Dimension (mm)	1830(W) x 1410(L)
Overall Dimension (mm)	2060 x 2040 x 1630
Internal Base Dimension (mm)	1880(W) x 1880(L)
Internal Area (m ²)	3.32

ADDITIONAL INFO

Floor Included	No
----------------	----

SPECS

Color	Grey
Door Height (mm)	141
Warranty	8 Years
Number of Doors	2

03 BIKE SHED SMALL SHED DTGS-BS-FX8



► Floor is not included.

BASE DIMENSION

Base Dimension (mm)	1620(W) x 2360(L)
Door Dimension (mm)	1480(W) x 1710(L)
Overall Dimension (mm)	1700 x 2490 x 2030
Internal Area (m ²)	3.5

ADDITIONAL INFO

Floor Included	No
----------------	----

SPECS

Color	Grey
Door Width (mm)	1480
Door Height (mm)	1710
Wall Height (mm)	1740
Warranty	8 Years
Number of Doors	2


04 BIKE SHED SMALL SHED DTGS-XD0608-GY

The Ulti-mates Premium sheds.

Our Ulti-mates Premium sheds are built to last using high tensile 0.35 steel with a deep ribbed profile for extra strength. Large sheet sizes make for a quick and efficient assembly and with a range of innovative flooring systems available your Ulti-mates shed will last a lifetime and provide a safe and reliable shelter for your garden tools or lawnmower to your BBQ or ride on.



The Ulti-mates shed range offers choices to suit every taste, from the hobby gardener to the larger backyard or lifestyle block.



CLASSIC GARDEN SHEDS
(HAZY GREY)



PREMIUM GARDEN SHEDS
(IRONSAND)



MADE IN NZ

We are a garden shed brand which is 100% owned and operated by Kiwis. For the Ultimates garden shed range, all processes are carried out by New Zealanders, from the design and manufacture of the products to the packing and shipping. We are proud of our own products and proud to be a local business.



15 YEAR WARRANTY

The garden shed is used outdoors, in order to cope with the changing weather conditions outdoors, good materials to resist rust and corrosion are essential. This product is backed by a 15 year warranty to ensure you can be truly free from maintenance.



EASY ASSEMBLY

Our garden shed is flat packed, but it is relatively easy to assemble. You can install the garden shed step by step following the guide. If you are still confused during the installation process, we also have a fully detailed installation video to help you complete the installation.

Products Catalog.

ULTI SERIES
MATES



These "Hazy Grey" steel sheds use a different, thinner steel which is not suitable for coastal environments, thermal areas or high wind areas. The warranty is not valid if they are within 2km of a body of salt water or thermal area.

NZ MADE



- ▶ Hazy Grey
- ▶ 15 Year Warranty
- ▶ 0.25mm colour steel
- ▶ Ironsand
- ▶ 18 Year Warranty
- ▶ 0.35mm colour steel

▶ Floor and anchor kit not included.

BASE DIMENSION

External Dimension (mm)	1530(W) x 785(L)
Internal Dimension (mm)	1485(W) x 740(L)
Internal Area (m ²)	1.1
Peak Height (mm)	1830

SPECS

Number of Cartons	1
Roof Dimension (mm)	1530(W) x 980(L)
Wall Height (mm)	1770
Door Height (mm)	1770
Door Opening (mm)	755
Number of Doors	1

ADDITIONAL INFO

Anchor Kit Included	No
---------------------	----

01 GVO1508-Hazy Grey/Ironsand

SMALL SHED SHEDS SIZES BY PLAN

NZ MADE



- ▶ Hazy Grey
- ▶ 15 Year Warranty
- ▶ 0.25mm colour steel
- ▶ Ironsand
- ▶ 18 Year Warranty
- ▶ 0.35mm colour steel

▶ Floor and anchor kit not included.

BASE DIMENSION

External Dimension (mm)	1530(W) x 1530(L)
Internal Dimension (mm)	1485(W) x 1485(L)
Internal Area (m ²)	2.21
Peak Height (mm)	1980

SPECS

Number of Cartons	1
Roof Dimension (mm)	1530(W) x 1830(L)
Wall Height (mm)	1830
Door Height (mm)	1830
Door Opening (mm)	755
Number of Doors	1

ADDITIONAL INFO

Anchor Kit Included	No
---------------------	----

02 GVO1515-Hazy Grey/Ironsand

SMALL SHED SHEDS SIZES BY PLAN

NZ MADE



- ▶ Hazy Grey
- ▶ 15 Year Warranty
- ▶ 0.25mm colour steel
- ▶ Ironsand
- ▶ 18 Year Warranty
- ▶ 0.35mm colour steel

▶ Floor and anchor kit not included.

BASE DIMENSION

External Dimension (mm)	1530(W) x 785(L)
Internal Dimension (mm)	1485(W) x 740(L)
Internal Area (m ²)	1.1
Peak Height (mm)	1830

SPECS

Number of Cartons	1
Roof Dimension (mm)	1530(W) x 980(L)
Wall Height (mm)	1770
Door Height (mm)	1770
Door Opening (mm)	755
Number of Doors	1

ADDITIONAL INFO

Anchor Kit Included	No
---------------------	----

03 GVO2315-Hazy Grey/Ironsand

SMALL SHED SHEDS SIZES BY PLAN

NZ MADE



- ▶ Hazy Grey
- ▶ 15 Year Warranty
- ▶ 0.25mm colour steel
- ▶ Ironsand
- ▶ 18 Year Warranty
- ▶ 0.35mm colour steel

▶ Floor and anchor kit not included.

BASE DIMENSION

External Dimension (mm)	2280(W) x 1830(L)
Internal Dimension (mm)	2235(W) x 1785(L)
Internal Area (m ²)	3.99
Peak Height (mm)	1980

SPECS

Number of Cartons	2
Roof Dimension (mm)	2280(W) x 1980(L)
Wall Height (mm)	1830
Door Height (mm)	1830
Door Opening (mm)	755
Number of Doors	1

ADDITIONAL INFO

Anchor Kit Included	No
---------------------	----

04 GVO2318-Hazy Grey/Ironsand

SMALL SHED SHEDS SIZES BY PLAN

ULTI SERIES
MATES



MADE IN NEW ZEALAND

- Deep ribbed profile for extra strength
- Large sheet size for quick and easy assembly
- Trouble free lockable hinged door
- Double folded doorway safety edge
- Alu-Zinc (silver) trims & channels
- This product is NZ made. Peace of mind warranty.
- Hazy grey with 15 year warranty, Ironsand with 18 year warranty.

Your Space
Neatly Expanded

NZ MADE



- ▶ Hazy Grey
- ▶ 15 Year Warranty
- ▶ 0.25mm colour steel
- ▶ Ironsand
- ▶ 18 Year Warranty
- ▶ 0.35mm colour steel

▶ Floor and anchor kit not included.

BASE DIMENSION

External Dimension (mm)	3030(W) x 2280(L)
Internal Dimension (mm)	2985(W) x 2235(L)
Internal Area (m ²)	6.91
Peak Height (mm)	2025

SPECS

Number of Cartons	2
Roof Dimension (mm)	3030(W) x 2400(L)
Wall Height (mm)	1830(W)
Door Height(mm)	1830
Door Opening (mm)	1550
Number of doors	2

ADDITIONAL INFO

Anchor Kit Included	No
---------------------	----

05 SMALL SHED SHEDS SIZES BY PLAN
GVO3023-Hazy Grey/Ironsand

NZ MADE



- ▶ Hazy Grey
- ▶ 15 Year Warranty
- ▶ 0.25mm colour steel
- ▶ Ironsand
- ▶ 18 Year Warranty
- ▶ 0.35mm colour steel

▶ Floor and anchor kit not included.

BASE DIMENSION

External Dimension (mm)	3030(W) x 3030(L)
Internal Dimension (mm)	2985(W) x 2985(L)
Internal Area (m ²)	8.91
Peak Height (mm)	2090

SPECS

Number of Cartons	2
Roof Dimension	3030(W) x 3150(L)
Wall Height (mm)	1830
Door Height (mm)	1830
Door Opening (mm)	1550
Number of doors	2

ADDITIONAL INFO

Anchor Kit Included	No
---------------------	----

06 SMALL SHED SHEDS SIZES BY PLAN
GVO3030-Hazy Grey/Ironsand

The Garden Master Sheds.

GM SERIES

Garden Master, garden shed brings you New Zealand's most customisable kit-set garden sheds. Pick your garden shed roof style, shed size, shed colour, shed windows and the sheds door placement to suit your needs.



MADE IN NEW ZEALAND

Garden Master is the premium range of garden sheds 100% made in NZ. All processes are carried out by New Zealanders, from the design and manufacture of the products to the packing and shipping. We are proud of our own products and proud to support local business.



25 YEAR WARRANTY

The garden shed is used outdoors, in order to cope with the changing weather conditions outdoors, good materials to resist rust and corrosion are essential. This product is backed by a 25 year warranty to ensure you can be truly free from maintenance.



Titania	Smooth Cream	Desertsand	Scoria
Mist Green	Rivergum	Gull Grey	Sandstone Grey
Permanent Green	Karaka	Slate Grey	New Denim Blue
Grey Friars	Ironsand	Ebony	A/Z Plain

ANY COLOR YOU LIKE

Apart from the size and price of the garden shed, the color is also important for customers. The colors of garden sheds on the market commonly are black, white, grey and green. But we Garden Master offer more than 10 different colors for you to choose from, satisfying your most color requirements. Let's make your garden more beautiful.



EASY ASSEMBLY

Our garden shed is flat packed, but it is relatively easy to install. In 9 steps you can install the garden shed step by step. If you are still confused during the installation process, we also have a fully detailed installation video to help you complete the installation.

Products Catalog.

GM SERIES

The most customizable garden shed range so you can modify to suit your site. Local made garden shed comes with 25 year warranty. This garden master shed would be able to provide a space that perfectly fit your need. Options for doors, windows, skylight and so much more. Wide range of colour available to match with your house.

These sheds are manufactured by deep profile ribbed steel sheeting which made the shed's structural strength even stronger and also provides an attractive, durable quality for years of performance.

Additional Floor clamp available for fixing the shed to a concrete floor.



MADE IN NEW ZEALAND

- 25 year warranty.
- High tensile 0.30mm Alu-Zinc or 0.35mm Coloured steel sheeting.
- Coloured steel channels, trims and rivets provided with Coloured steel sheds.
- Deep ribbed profile for extra strength.
- Large sheet size for quick and easy assembly.
- Trouble-free lockable, hinged door.
- Double folded doorway safety edges.



PRODUCTION LEAD TIME

- Being a product made to order, the production takes 2-4 weeks time after we receive your order.

NZ MADE



BASE DIMENSION

Base Size (mm)	1530(W) x 785(L)
Peak Height (mm)	1830
Internal Area (m ²)	1.20

ADDITIONAL INFO

Anchor Kit Included	No
Internal Timber Framing	No
Customisable	Yes

SPECS

Roof Type	Sloping
Roof Dimension (mm)	1530(W) x 980(L)
Door Type	Single Hinged
Wall Height (mm)	1770
Door Height (mm)	1770
Door Opening (mm)	750
Cladding Gauge	0.30mm Alu-Zinc or 0.35mm Coloured steel
Number of Doors	1
Warranty	25 Years

01

SMALL SHED CUSTOM MADE SHED

Garden Master GM1508

NZ MADE



BASE DIMENSION

Base Size (mm)	1530(W) x 1080(L)
Peak Height (mm)	1830
Internal Area (m ²)	1.65

ADDITIONAL INFO

Anchor Kit Included	No
Internal Timber Framing	No
Customisable	Yes

SPECS

Roof Type	Sloping
Roof Dimension (mm)	1530(W) x 1200(L)
Door Type	Single Hinged
Wall Height (mm)	1770
Door Height (mm)	1770
Door Opening (mm)	755
Cladding Gauge	0.30mm Alu-Zinc or 0.35mm Coloured steel
Number of Doors	1
Warranty	25 Years

02

SMALL SHED CUSTOM MADE SHED

Garden Master GM1511

GM SERIES

NZ MADE



BASE DIMENSION

Base Size (mm)	1530(W) x 1530(L)
Peak Height (mm)	1980
Internal Area (m ²)	2.34

ADDITIONAL INFO

Anchor Kit Included	No
Internal Timber Framing	No
Customisable	Yes

SPECS

Roof Type	Sloping
Roof Dimension (mm)	1530(W) x 980(L)
Door Type	Single Hinged
Wall Height (mm)	1830
Door Height (mm)	1830
Door Opening (mm)	755
Gauge Of Steel	0.30mm Alu-Zinc or 0.35mm Coloured steel
Number of Doors	1
Warranty	25 Years

03 Garden Master GM1515

SMALL SHED CUSTOM MADE SHED

NZ MADE



BASE DIMENSION

Base Size (mm)	1830(W) x 1080(L)
Peak Height (mm)	1830
Internal Area (m ²)	1.98

ADDITIONAL INFO

Anchor Kit Included	No
Internal Timber Framing	No
Customisable	Yes

SPECS

Roof Type	Sloping
Roof Dimension (mm)	1830(W) x 1200(L)
Door Type	Single Hinged
Wall Height (mm)	1770
Door Height (mm)	1770
Door Opening (mm)	750
Gauge Of Steel	0.30mm Alu-Zinc or 0.35mm Coloured steel
Number of Doors	1
Warranty	25 Years

04 Garden Master GM1811

SMALL SHED CUSTOM MADE SHED

NZ MADE



BASE DIMENSION

Base Size (mm)	1830(W) x 1530(L)
Peak Height (mm)	1980
Internal Area (m ²)	2.80

ADDITIONAL INFO

Anchor Kit Included	No
Internal Timber Framing	No
Customisable	Yes

SPECS

Roof Type	Sloping
Roof Dimension (mm)	1830(W) x 1830(L)
Door Type	Single Hinged
Wall Height (mm)	1830
Door Height (mm)	1830
Door Opening (mm)	755
Cladding Gauge	0.30mm Alu-Zinc or 0.35mm Coloured steel
Number of Doors	1
Warranty	25 Years

05 Garden Master GM1815

SMALL SHED CUSTOM MADE SHED

NZ MADE



BASE DIMENSION

Base Size (mm)	1830(W) x 1830(L)
Peak Height (mm)	1980
Internal Area (m ²)	3.35

ADDITIONAL INFO

Anchor Kit Included	No
Internal Timber Framing	No
Customisable	Yes

SPECS

Roof Type	Sloping
Roof Dimension (mm)	1830(W) x 1980(L)
Door Type	Single Hinged
Wall Height (mm)	1830
Door Height (mm)	1830
Door Opening (mm)	755
Cladding Gauge	0.30mm Alu-Zinc or 0.35mm Coloured steel
Number of Doors	1
Warranty	25 Years

06 Garden Master GM1818

SMALL SHED CUSTOM MADE SHED

GM SERIES

NZ MADE



BASE DIMENSION

Base Size (mm)	2280(W) x 785(L)
Peak Height (mm)	1830
Internal Area (m ²)	1.79

ADDITIONAL INFO

Anchor Kit Included	No
Internal Timber Framing	No
Customisable	Yes


SPECS

Roof Type	Sloping
Roof Dimension (mm)	2280(W) x 980(L)
Door Type	Single Hinged
Wall Height (mm)	1770
Door Height (mm)	1770
Door Opening (mm)	755
Gauge Of Steel	0.30mm Alu-Zinc or 0.35mm Coloured steel
Number of Doors	1
Warranty	25 Years

07 Garden Master GM2308

SMALL SHED CUSTOM MADE SHED

NZ MADE



BASE DIMENSION

Base Size (mm)	2280(W) x 1080(L)
Peak Height (mm)	1830
Internal Area (m ²)	2.46

ADDITIONAL INFO

Anchor Kit Included	No
Internal Timber Framing	No
Customisable	Yes

SPECS

Roof Type	Sloping
Roof Dimension (mm)	2280(W) x 1200(L)
Door Type	Single Hinged
Wall Height (mm)	1770
Door Height (mm)	1770
Door Opening (mm)	755
Gauge Of Steel	0.30mm Alu-Zinc or 0.35mm Coloured steel
Number of Doors	1
Warranty	25 Years

08 Garden Master GM2311

SMALL SHED CUSTOM MADE SHED

NZ MADE



BASE DIMENSION

Base Size (mm)	2280(W) x 1530(L)
Peak Height (mm)	1980
Internal Area (m ²)	3.50

ADDITIONAL INFO

Anchor Kit Included	No
Internal Timber Framing	No
Customisable	Yes

SPECS

Roof Type	Sloping
Roof Dimension (mm)	2280(W) x 1830(L)
Door Type	Single Hinged
Wall Height (mm)	1830
Door Height (mm)	1830
Door Opening (mm)	755
Gauge Of Steel	0.30mm Alu-Zinc or 0.35mm Coloured steel
Number of Doors	1
Warranty	25 Years

09 Garden Master GM2315

SMALL SHED CUSTOM MADE SHED

NZ MADE



BASE DIMENSION

Base Size (mm)	2280(W) x 1830(L)
Peak Height (mm)	1980
Internal Area (m ²)	4.17

ADDITIONAL INFO

Anchor Kit Included	No
Internal Timber Framing	No
Customisable	Yes

SPECS

Roof Type	Sloping
Roof Dimension (mm)	2280(W) x 1980(L)
Door Type	Single Hinged
Wall Height (mm)	1830
Door Height (mm)	1830
Door Opening (mm)	755
Gauge Of Steel	0.30mm Alu-Zinc or 0.35mm Coloured steel
Number of Doors	1
Warranty	25 Years

10 Garden Master GM2318

SMALL SHED CUSTOM MADE SHED

GM SERIES

NZ MADE



BASE DIMENSION

Base Size (mm)	2280(w) x 2280(L)
Peak Height (mm)	2025
Internal Area (m ²)	5.20

ADDITIONAL INFO

Anchor Kit Included	No
Internal Timber Framing	No
Customisable	Yes

SPECS

Roof Type	Gable
Roof Dimension (mm)	2280(w) x 2400(L)
Door Type	Single Hinged
Wall Height (mm)	1830
Door Height (mm)	1830
Door Opening (mm)	755
Gauge Of Steel	0.30mm Alu-Zinc or 0.35mm Coloured steel
Number of Doors	1
Warranty	25 Years

11 Garden Master GM2323

SMALL SHED CUSTOM MADE SHED

NZ MADE



BASE DIMENSION

Base Size (mm)	3030(w) x 1080(L)
Peak Height (mm)	1830
Internal Area (m ²)	3.27

ADDITIONAL INFO

Anchor Kit Included	No
Internal Timber Framing	No
Customisable	Yes

SPECS

Roof Type	Sloping
Roof Dimension (mm)	3030(w) x 1200(L)
Door Type	Single Hinged
Wall Height (mm)	1770
Door Height (mm)	1770
Door Opening (mm)	755
Gauge Of Steel	0.30mm Alu-Zinc or 0.35mm Coloured steel
Number of Doors	1
Warranty	25 Years

12 Garden Master GM3011

CUSTOM MADE SHED

NZ MADE



BASE DIMENSION

Base Size (mm)	3030(w) x 1530(L)
Peak Height (mm)	1980
Internal Area (m ²)	4.64

ADDITIONAL INFO

Anchor Kit Included	No
Internal Timber Framing	No
Customisable	Yes

SPECS

Roof Type	Sloping
Roof Dimension (mm)	3030(w) x 1830(L)
Door Type	Single Hinged
Wall Height (mm)	1830
Door Height (mm)	1830
Door Opening (mm)	755
Gauge Of Steel	0.30mm Alu-Zinc or 0.35mm Coloured steel
Number of Doors	1
Warranty	25 Years

13 Garden Master GM3015

CUSTOM MADE SHED

NZ MADE



BASE DIMENSION

Base Size (mm)	3030(w) x 1830(L)
Peak Height (mm)	1980
Internal Area (m ²)	5.54

ADDITIONAL INFO

Anchor Kit Included	No
Internal Timber Framing	No
Customisable	Yes

SPECS

Roof Type	Sloping
Roof Dimension (mm)	3030(w) x 1980(L)
Door Type	Single Hinged
Wall Height (mm)	1830
Door Height (mm)	1830
Door Opening (mm)	755
Gauge Of Steel	0.30mm Alu-Zinc or 0.35mm Coloured steel
Number of Doors	1
Warranty	25 Years

14 Garden Master GM3018

CUSTOM MADE SHED

GM SERIES

NZ MADE



BASE DIMENSION

Base Size (mm)	3030(W) x 2280(L)
Peak Height (mm)	2025
Internal Area (m ²)	6.91

ADDITIONAL INFO

Anchor Kit Included	No
Internal Timber Framing	No
Customisable	Yes

SPECS

Roof Type	Gable
Roof Dimension (mm)	3030(W) x 2400(L)
Door Type	Single Hinged
Wall Height (mm)	1830
Door Height (mm)	1830
Door Opening (mm)	755
Gauge Of Steel	0.30mm Alu-Zinc or 0.35mm Coloured steel
Number of Doors	1
Warranty	25 Years

15 Garden Master GM3023

CUSTOM MADE SHED

NZ MADE



BASE DIMENSION

Base Size (mm)	3030(W) x 3030(L)
Peak Height (mm)	2090
Internal Area (m ²)	9.18

ADDITIONAL INFO

Anchor Kit Included	No
Internal Timber Framing	No
Customisable	Yes

SPECS

Roof Type	Gable
Roof Dimension (mm)	3030(W) x 3150(L)
Door Type	Single Hinged
Wall Height (mm)	1830
Door Height (mm)	1830
Door Opening (mm)	755
Gauge Of Steel	0.30mm Alu-Zinc or 0.35mm Coloured steel
Number of Doors	1
Warranty	25 Years

16 Garden Master GM3030

CUSTOM MADE SHED

NZ MADE



BASE DIMENSION

Base Size (mm)	3030(W) x 3315(L)
Peak Height (mm)	2090
Internal Area (m ²)	10

ADDITIONAL INFO

Anchor Kit Included	No
Internal Timber Framing	No
Customisable	Yes

SPECS

Roof Type	Gable
Roof Dimension (mm)	3030(W) x 3435(L)
Door Type	Single Hinged
Wall Height (mm)	1830
Door Height (mm)	1830
Door Opening (mm)	755
Gauge Of Steel	0.30mm Alu-Zinc or 0.35mm Coloured steel
Number of Doors	1
Warranty	25 Years

17 Garden Master GM3033

CUSTOM MADE SHED

NZ MADE



BASE DIMENSION

Base Size (mm)	3770(W) x 1530(L)
Peak Height (mm)	1980
Internal Area (m ²)	5.77

ADDITIONAL INFO

Anchor Kit Included	No
Internal Timber Framing	No
Customisable	Yes

SPECS

Roof Type	Sloping
Roof Dimension (mm)	3770(W) x 1830(L)
Door Type	Single Hinged
Wall Height (mm)	1830
Door Height (mm)	1830
Door Opening (mm)	755
Gauge Of Steel	0.30mm Alu-Zinc or 0.35mm Coloured steel
Number of Doors	1
Warranty	25 Years

18 Garden Master GM3815

CUSTOM MADE SHED

GM SERIES

NZ MADE



BASE DIMENSION

Base Size (mm)	3770(w) x 1830(L)
Peak Height (mm)	1980
Internal Area (m ²)	6.90

ADDITIONAL INFO

Anchor Kit Included	No
Internal Timber Framing	No
Customisable	Yes

SPECS

Roof Type	Sloping
Roof Dimension (mm)	3770(w) x 1980(L)
Door Type	Single Hinged
Wall Height (mm)	1830
Door Height (mm)	1830
Door Opening (mm)	755
Gauge Of Steel	0.30mm Alu-Zinc or 0.35mm Coloured steel
Number of Doors	1
Warranty	25 Years

19 Garden Master GM3818

BIG SHED CUSTOM MADE SHED

NZ MADE



BASE DIMENSION

Base Size (mm)	3780(w) x 2280(L)
Peak Height (mm)	2025
Internal Area (m ²)	8.59

ADDITIONAL INFO

Anchor Kit Included	No
Internal Timber Framing	No
Customisable	Yes

SPECS

Roof Type	Gable
Roof Dimension (mm)	3780(w) x 2400(L)
Door Type	Single Hinged
Wall Height (mm)	1830
Door Height (mm)	1830
Door Opening (mm)	755
Gauge Of Steel	0.30mm Alu-Zinc or 0.35mm Coloured steel
Number of Doors	1
Warranty	25 Years

20 Garden Master GM3823

BIG SHED CUSTOM MADE SHED

NZ MADE



BASE DIMENSION

Base Size (mm)	3030(w) x 3315(L)
Peak Height (mm)	2090
Internal Area (m ²)	10

ADDITIONAL INFO

Anchor Kit Included	No
Internal Timber Framing	No
Customisable	Yes

SPECS

Roof Type	Gable
Roof Dimension (mm)	3030(w) x 3435(L)
Door Type	Single Hinged
Wall Height (mm)	1830
Door Height (mm)	1830
Door Opening (mm)	755
Gauge Of Steel	0.30mm Alu-Zinc or 0.35mm Coloured steel
Number of Doors	1
Warranty	25 Years

21 Garden Master GM3830

BIG SHED CUSTOM MADE SHED

NZ MADE



BASE DIMENSION

Base Size (mm)	3770(w) x 3770(L)
Peak Height (mm)	2155
Internal Area (m ²)	14.21

ADDITIONAL INFO

Anchor Kit Included	No
Internal Timber Framing	No
Customisable	Yes

SPECS

Roof Type	Gable
Roof Dimension (mm)	3770(w) x 3890(L)
Door Type	Single Hinged
Wall Height (mm)	1830
Door Height (mm)	1830
Door Opening (mm)	755
Gauge Of Steel	0.30mm Alu-Zinc or 0.35mm Coloured steel
Number of Doors	1
Warranty	25 Years

22 Garden Master GM3838

BIG SHED CUSTOM MADE SHED

Custom Made Shed.

GM SERIES



Looking For A Shed Exactly What You Want? How About Designing One?

Steelmates is equipped with an online custom shed builder, with the help of this application, you have the chance to design your shed from inside to outside.

Here are the dimensions you're allowed to customize:

- Dimensions and Style
- Position of Doors/Windows
- Doors Upgrades
- Exterior Accesories
- Interior Accesories
- Colors




Click Here Or Scan

When finishing all the steps of the procedure, your final shed design has come out. You are welcome to download and share your dream shed with us through email, we will come back to you with an exact quotation.

Custom Made Shed.

Design your perfect shed with Steelmates' online builder. Customize doors, windows, accessories, and colors inside and out. Create exactly what you envision.



Dimensions and Style

- Shed Width (mm) Max width 3780mm on Gable Roof Sheds
-----●-----
- Shed Depth (mm)
-----●-----
- Shed Height (mm)
-----●-----

^ Gable Upgrade



< BACK STEP ●●●●●● NEXT STEP >

FINISH QUOTE

STEELMATES

"Elevate Your Outdoors with Us"